Author Index for Volume 84
(January through December 2006)

A

Aarnink, A. J. A., 2224
Abella-Bourges, N., 1935
Accensi, F., 1935
Acuti, G., 3133
Adams, D. C., 651, 2582
Adeola, O., 112, 627, 3364
Adhikari, K., 456
Afonso, J. J., 3433
Aguilera, J. F., 3346
Aharoni, Y., 1951
Ahola, J. K., 1259
Aikawa, K., 2983
Aiken, G. E., 1626
Albrecht, C., 135, 2887
Albrecht, E., 1067, 2959, 3251
Alexander, L. J., 1646
Algers, B., 1526
Al-Hassan, M. J., 2714
Allee, G. L., 1415, 1709
Allison, C. ?., 1015
Alric, M., 1850
Alvarez, L., 259
Alves, E., 2907
AlZahal, O., 447
Amant, S., 877
Amundson, J. L., 3415
Anada, K., 2617
Andacht, T., 1666
Andanson, S., 1567
Andersen, A. H., 1338
Anderson, D. B., 1015
Anderson, R. C., 2546, 2873
Anderson, V. L., 1544
Angel, R., 1907
Anguita, M., 2743, 2766
Ansin, O. E., 1943
Ansotegui, R. P., 3000
Antonini, C., 3133
Antoniou, E., 1279, 1600
Apgar, G. A., 597
Apple, J. K., 743, 902, 2426, 3079
Archibeque, S. L., 1767, 2523, 2533
Argyrou, C., 2818
Arntfield, S. D., 2150
Arranz, J. J., 259
Arrington, B. C., 3167
Arseneau, J. D., 332
Asdrubali, G., 3133
Atkinson, R. L., 387, 397
Atsuji, K., 2895
Austbø, D., 3321
Avendaño-Reyes, L., 3259
Averette Gatlin, L., 3381
Awati, A., 1110, 2133, 3337
Awawdeh, M. S., 1497, 1505, 1801
Azain, M. J., 221
Azevedo, J. M. T., 3433

B

Baas, T. J., 1022, 1577, 2590
Babot, D., 2575
Bach, A., 3039
Bach Knudsen, K. E., 1375
Badiola, I., 2725
Baidoo, S. K., 946
Bain, W. E., 324
Baker, D. H., 1839
Baker, M. J., 767, 2666
Baker, S. D., 938
Banta, J. P., 2410
Barb, C. R., 1666
Barceló-Coblijn, G., 1544
Bardsley, R. G., 2841, 2973
Barillet, F., 1317
Barnes, A., 972
Baron, E. E., 789
Bartenschlager, H., 2601
Bartlett, K. S., 1454
Basarab, J. A., 145, 2289
Baselga, M., 58, 2309
Baszczak, J. A., 3410
Bates, R. O., 266
Battaglia, R. A., 938
Bauer, L. L., 2752, 411, 499, 986, 1468, 1535, 1544, 2200, 2232
Bazer, F. W., 2316
Beagle, J. M., 597
Beatty, D. T., 972
Beauchemin, K. A., 1489
Beaulieu, A. D., 1159, 3123
Bechtel, P. J., 2752
Beckers, Y., 877
Bedford, M. R., 1147
Bee, G., 191
Behlke, E. J., 2042, 3118
Behnke, K. C., 2501
Beitz, D. C., 3285
Belden, E. L., 997
Belk, K. E., 1820, 3387
Bellows, R. A., 283
Belury, M. A., 720
Bench, C. J., 3397
Bender, J. M., 1331
Bennett, G. L., 1310, 1999
Berardinelli, J. G., 2708
Berg, C., 1526
Berg, E. L., 1271
Berg, E. P., 456, 910
Bergen, R., 546, 558
Bergen, W. G., 1176
Berger, L. L., 686
Berghman, L., 2990
Berry, E. D., 481, 2515, 2523, 2533
Berry, N. L., 1015
Berthiaume, R., 2168
Bertrand, J. K., 20
Beyssac, E., 1850
Bhusari, S., 1279
Bhusari, S., 1600
Biagetti, M., 11
Biagi, G., 370
Bibé, B., 3266
Bidanel, J. P., 360, 469, 1053, 2914, 3185
Bidanel, J.-P., 526
Bidner, T. D., 2141, 2251
Bijma, P., 800
Bikker, P., 3337
Billon, Y., 526
Billon, Y., 3185
Bilski, J. J., 1593
Bink, M. C. A. M., 2009
Biolley, C., 191
Bishop, S. C., 3228
Blair, M., 3071, 3089
Blank, G., 125
Blemings, K. P., 1102
Block, H. C., 866
Blouin, D. C., 3197
Blum, J. W., 2684, 3277
Bobillier, E., 2965
Bodin, L., 1317
Bodo, I., 2623
Boermans, H., 2083
Boersma, M. G., 853
Boettcher, P., 2934
Boiti, C., 3133
Boivin, R., 1215
Bollinger, D. W., 1147
Bonnet, J.-M., 1215
Bonnet, M., 526
Boomker, E., 119
Bormann, J. Minick, 2022
Borowczyk, E., 1593
Borowicz, P. P., 1593
Bosch, M. W., 1110, 2133
Bouix, J., 3266
Bovenhuis, H., 789
Bowen, A., 2990
Bowman, J. G. P., 641
Boyd, R. D., 1415
Bracken, C. J., 2110
Braña, D. V., 1839
Brashears, M. M., 2186
Brauer, D. K., 1626
Braun, J. P., 1295
Brennan, J. J., 104
Bridges, G. A., 2050
Brings, A. D., 789
Brinkmann, J., 2856
Brooks, J. C., 2186
Brosh, A., 1951
Brown, D. C., 567
Brown, M. S., 3032
Brown, P. A., 733
Brown-Brandl, T., 712, 1429, 2157
Brüssow, K.-P., 236
Bruce, K. J., 1403
Brumm, M. C., 229
Brunel, J. C., 1317
Bünger, L., 2642
Bueno, I. C. S., 2787
Buergelt, C. D., 660
Buff, C. E., 1147
Buff, P. R., 2700
Burgaud, G., 526
Burgess, J. R., 3071, 3089
Burke, C. R., 2042
Bush, E., 229
Bush, L. P., 3167
Buttery, P. J., 2973, 3440
Byrne, K. A., 3239

C

Cagnazzo, M., 1
Caja, G., 2260, 2575, 2865
Calkins, C. R., 1221, 2826
Callan, J., 162
Callu, P., 1935
Calsamiglia, S., 1188, 1197, 2163, 2801
Calvert, C. C., 1890
Cammack, K. M., 32
Campbell, J. M., 2101, 2501
Campbell, L. D., 1130
Canario, L., 1053, 3185
Canibe, N., 2766
Cantoni, E., 3185
Cardoso, V., 2925
Cardot, J.-M., 1850
Cardozo, P. W., 2801
Caritez, J. C., 3185
Caritez, J.-C., 526
Carr, C. C., 910
Carro, M. D., 405
Carroll, J. A., 1271, 2352
Carstens, G. E., 1439
Carter, S. D., 910
Carvajal, G., 2692
Carvalheiro, R., 2925
Casas, E., 305, 520, 3180
Casellas, J., 1991, 2260, 2609, 2865
Cassady, J. P., 1331
Castañeda, E. O., 1839
Castaneda, E. O., 1403
Castillo, M., 2725, 2743
Caton, J. S., 411, 499, 1468, 1535, 1593, 2200, 2232
Cazaux, J., 1295
Cenkowski, S., 2150
Cetica, V., 11
Chae, B. J., 1422
Chambon, C., 3266
Chang, C-C., 2065
Chapman, P. L., 3387
Chase, Jr., C. C., 520
Chen, C. H., 2673
Chen, C. L., 1059
Chen, J., 2101
Cheng, W. T. K., 2673
Cheng, Z. B., 2374
Chishti, A. H., 2834
Cho, Y. M., 1481
Choat, W. T., 1820
Choi, H., 1481
Ciampolini, R., 11
Cianci, D., 11
Ciani, E., 11
Cirio, A., 1215
Clapper, J. A., 3285
Clark, P. M., 2501
Clark, S. G., 834
Clop, A., 3266
Coblentz, W. K., 669
Cockett, N. E., 463
Coffey, K. P., 669
Cole, N. A., 3032, 3421
Concordet, D., 3155
Connelly, P. L., 3061
Connor, J. F., 2555
Corona, L., 3020
Craig, A. M., 3167
Craigon, J., 3440
Cranfield, J. A. L., 3219

Cranston, J. J., 2186
Crenshaw, J. D., 2501
Crews, Jr., D. H., 25, 546, 2289
Cromwell, G. L., 104, 618
Crouse, J. D., 1584
Crowe, M. A., 351
Cundiff, L. V., 63, 305, 1310, 1999
Cuneo, S. P., 1439
Cuong, N. V., 2601
Curik, I., 2623
Curley, Jr., K. O., 3100

D

Díaz, I., 3039
Díaz-Llano, G., 2361
Dänicke, S., 236
Dahl, G. E., 1454, 2072
Dally, M. R., 2942
Dalsgaard, O., 1338
Damgaard, L. H., 1338
Damon, M., 1083
Daniel, J. A., 3285
Daniel, Z. C. T. R., 3440
Daugherty, S. B., 1439
Davies, D. R., 3049
Davis, C. B., 2555
Davis, M. E., 567, 743, 2299
Davis, M. S., 712
Davis, P. A., 660
Davoli, R., 1
Day, M. L., 332, 2035, 2042, 2050, 3000, 3118
de Avila, D. M., 343
de Lange, C. F. M, 1362, 1351
de los Campos, G., 2934
de Wit, A. A. C., 1
DeDecker, J. M., 2856
Deen, J., 229
Defoor, P. J., 3421
DeJarnette, J. M., 332, 3000
Dekker, R., 963
del Castillo, J. R. E., 3155
Demeure, O., 526
Depenbusch, B. E., 424, 2795
DeRouchey, J. M., 1396
Devant, M., 3039
Devitt, C. J. B., 3219
Dewhurst, R. J., 3049, 3061
Dias, R. S., 2787
Dias-da-Silva, A., 3433
Dibbits, B., 789
Dicklin, M. E., 818
DiCostanzo, A., 332, 2178
Diez-Gonzalez, F., 2178
Dikeman, M. E., 63, 694, 2426
Dilger, R. N., 627, 3364
DiLorenzo, N., 2178
Ding, M. X., 2367
Ding, S. T., 1059, 2655, 2673
Dirkzwager, A., 3337
Dixon, W. P., 41
Dögl, B., 2456
Dolev, A., 1951
Donart, G. B., 433
Donovan, S. M., 1749
Doran, O., 2809
Dougo, T., 317
Doumit, M. E., 1015
Dourmad, J. Y., 2436, 2474
Drackley, J. K., 1454
Draghia-Akli, R., 733
Dransfield, E., 2436, 2456
Driessen, B., 1827
Dritz, S. S., 1396
Drouillard, J. S., 154, 424, 2795
Dubois, S., 3329
Dubroeucq, H., 1567
Ducrocq, V., 1658, 2914
Duff, G. C., 3421
Duffield, T. F., 447
Dwyer, C. M., 1093
Dybkjær, L., 702

E

Earley, B., 351
Easter, R. A., 1734
Echternkamp, S. E., 2057, 2714
Edwards, D. B., 266
Edwards, S. A., 229
Eggert, D. L., 276
Eichen, P. A., 1279
Eicher, S. D., 757, 2352
Eirin, M., 1943
Ellinger, P. N., 2555
Ellis, M., 1403, 1839, 2856
Elsen, J. M., 1317
Elzo, M. A., 41
Emmans, G. C., 1552, 1778
Ender, K., 1067, 2959, 3251
Engle, T. E., 1742, 2399, 3410
Enns, R. M., 88, 1259, 1439
Enright, K., 720
Erf, G. F., 567
Erickson, G. E., 866, 1205, 1790
Erickson, P. S., 2406
Ertbjerg, P., 918
Escobar, J., 2101
Eskildsen, M., 1375
Eskridge, K. M., 1221
Ettle, T., 379
Evans, T., 1279
Everts, A. K. R., 3110

F

Faba, A., 3133
Fahey, Jr., G. C., 1403, 2752
Fakler, T. M., 2141
Falk, D., 938
Famula, T. R., 3143
Fan, B. L., 513
Fangman, T., 229
Farke, C., 2887
Farran, T. B., 1205
Fastinger, N. D., 1403, 1722
Faucitano, L., 2168
Faulkner, D. B., 686
Fève, K., 526
Fehr, W., 1907
Fellner, V., 635
Feng, J., 2636
Fernando, R. L., 2022
Ferre, P. J., 1295
Ferrell, C. L., 1310, 1767, 2515, 2523, 2533
Ferret, A., 1188, 1197, 2163, 2801
Feuz, D. M., 1221, 2582
Figueroa-Saavedra, F., 3259
Filippini, G., 11
Fithian, W. A., 1790
Fitzner, G. E., 3089
Fledderus, J., 3337
Flores, R., 1916
Fluharty, F. L., 2035
Flux, C. L., 3440
Flynn, B., 162
Folador, J. F., 2752
Folch, J. M., 2907
Font i Furnols, M., 204
Font-Furnols, M., 3039
Ford, S. P., 2057, 3451
Ford, Jr., J. A., 834
Fosella, X., 11
Foulley, J. L., 3185
Foury, A., 204, 2436
Fox, D. G., 767, 2666
François, D., 1317
France, J., 2787
Franceschini, R., 3133
Franke, D. E., 3197
Fraser, D., 1252
Frederick, B. R., 185, 1512
Frederick, H. M., 1439
Freetly, H. C., 1429, 1767, 2157, 2515, 2523, 2533
Freking, B. A., 311, 783, 2338
French, M. C., 324
Fricke, P. M., 2714
Friendship, R. M., 1227
Fries, L. A., 2925
Fritz, E. R., 1907
Fujimura, S., 2983
Fujinaka, K., 317
Fulford, J. D., 2546
Funston, R. N., 2582

G

Gaillard, C., 317
Gaines, A. M., 1415, 1709
Galloway, D. L., 3079
Galvin, J. M., 538
Galyean, M. L., 2186, 2491, 3421
Garín, D., 2260, 2865
García, J. A., 3039
García, M. L., 2309
Gardner, M. A., 178
Gargallo, S., 2163
Garreau, H., 1658
Garrick, D. J., 88
Gasa, J., 2725, 2735
Gasser, C. L., 2035, 2042, 2050, 3118
Gauthier, P., 1850
Geary, T. W., 283, 332, 343, 1646, 2708, 3000
Geers, R., 1827
Geesink, G. H., 2834
Geldermann, H., 2601
Gelvin, A. L., 411
Georges, M., 3266
Gerrard, D. E., 3071, 3089
Gerrits, W. J. J., 2133
Geverink, N. A., 204
Ghirardi, J. J., 2260, 2575, 2865
Gianola, D., 2934
Gibbs, P. G., 2391
Gibert, X., 2735
Gibson, K. P., 3228
Gibson, M., 2200
Gibson, M. L., 853
Giefing, S., 2448
Gil, M., 204
Gilbery, T. C., 1468, 2232
Gill, B. P., 1926
Giráldez, F. J., 405
Giroux, M. J., 641
Gispert, M., 204
Glaze, Jr., J. B., 938
Gleghorn, J. F., 3421
Gnad, D. P., 1497, 1505, 1801
Gogué, J., 526
Golden, J. W., 861, 1761
Golian, A., 1130
Gomez Raya, L., 956, 3404
Gondret, F., 93
Gondret, F., 1083
Gonyou, H. W., 212, 229, 3397
Goodband, R. D., 1396
Goodwin, R. N., 2590
Goonewardene, L. A., 2289
Gordon, M. E., 1682
Gort, G., 204
Gottlob, R. O., 1396
Gourdine, J. L., 360
Gourdine, J. L., 469
Graham, J. K., 826
Grandin, T., 3410
Grant, A. L., 3071, 3089
Grazul-Bilska, A. T., 1593
Green, J. A., 2057
Green, Jr., J. T., 1613
Greene, L. W., 3032
Greenwood, P. L., 3239
Greer, G. J., 324
Greger, D. L., 2684
Gregorini, P., 1943
Gregory, K. E., 63
Grings, E. E., 343
Griswold, K. E., 597
Grobbel, J. P., 694
Groenen, M. A. M., 789
Gropp, F. N. C., 2684
Grosjean, F., 1935
Grout, A. S., 1252
Gruand, J., 1053
Gruber, S. L., 3387
Gruber, S. L., 3410
Grum, D. E., 2035, 2042, 2050, 3118
Gu, Y., 720
Guan, H., 1896
Guay, F., 1749, 3010
Guedes, C. M., 3433
Guedes, R. C., 1860, 1870, 1880
Guelfi, J.-F., 1935
Guenter, W., 2150
Guerra, J. L. L., 3197
Guex, G., 191
Guillemet, R., 2474
Gunter, S. A., 1943
Guo, Q., 3071, 3089
Guthrie, H. D., 2089
Guzik, A. C., 963, 2251

H

Hahn, T. -W., 1422
Hall, D. D., 3089
Hall, J. O., 2213
Hallford, D. M., 1038
Hamelin, M., 3266
Hansen, S. L., 3375
Hanson, D. J., 185, 1331
Harlizius, B., 789
Harper, G. S., 3239
Harris, M. J., 757
Hastad, C. W., 1396

Haugen, H. L., 651, 886
Hausman, G. J., 1076, 1666
Hawkins, D. E., 433
Hawkins, M., 2418
Hayashi, T., 2895
Hearne, L. B., 1279, 1600
Heaton, M. P., 783
Hedemann, M. S., 1375, 3310
Heesterbeek, J. A. P., 2629
Heetkamp, M. J. W., 2224
Henkin, Z., 1951
Henning, W. R., 2666
Hermann, J. R., 2269
Hernández, M., 2692
Hernández-Jover, M., 2260, 2575, 2865
Herpin, P., 1083
Herzog, W., 191
Hess, B. W., 387, 397, 997, 1038, 1811, 2399, 3451
Hessel, E. F., 1526, 2847
Heymann, H., 456
Hiesberger, J., 2448, 2456
Hill, G. M., 1138
Hill, R. A., 938
Hinrichs, D., 3212
Hirooka, H., 2276, 3204
Hodgdon, S., 2406
Hofbauer, P., 2456
Hofer, A., 2914
Holt, J. P., 946
Holt, M., 2118
Holt, T., 1259
Holtkamp, D. J., 733
Honeyman, M. S., 2269
Hortós, M., 204
Hossner, K. L., 2399
Hostetler, C. E., 2382
Houlihan, D. F., 807
House, J. D., 2779
Howard, C. V., 119
Hu, Q. S., 3415
Huber, G. H., 2269
Hudson, N. J., 3239
Huërou-Luron, I. Le, 2965
Huff-Lonergan, E., 178, 191, 925
Huguet, A., 2965
Hulbert, L. E., 1004
Hume, M. E., 2873
Hunt, C. W., 938
Hurley, W. L., 579, 834, 1691, 2346
Hutcheson, J. P., 2243
Hutchison, S., 2426
Huynh, T. T. T., 2224
Hwang, I. H., 1481

I

Iannuccelli, N., 526
Ibi, T., 3204
Iqbal, M. J., 597
Ishida, M., 2026
Isler, B. J., 783
Ito, M., 317
Ivan, S. K., 886
Ivers, D. J., 1015

J

Jablonski, E. A., 221
Jackson, D. S., 1790
Jacobsen, A. P., 702
Jacobson, L. H., 3301
Jaeger, S. L., 1790
James, J. M., 2826
Jendza, J. A., 3364
Jenkins, T. G., 1310
Jennings, J. A., 669
Jensen, B. B., 2766, 3310
Jensen, J., 1651
Jewell, K. K., 2973
Ji, F., 579, 2482
Jiang, Z., 291
Johnson, A. K., 229
Johnson, B. J., 2950
Johnson, D. D., 520
Johnson, G. S., 1761
Johnson, N. J., 2708
Johnson, R. C., 1015
Johnson, R. K., 2590
Johnson, R. W., 2101
Johnson, S. K., 332, 3000
Johnson, Z. B., 567, 743
Johnston, L. J., 946, 3356
Johnston, M. E., 1415
Jonas, L., 236
Jones, J. L., 41, 597
Jones, R. D., 221
Jones, W. R., 171
Jongbloed, A. W., 1169
Jordan, E., 162, 2418
Juin, H., 93

K

Kabaroff, L., 2083
Kachman, S. D., 2022
Kadowaki, H., 2026
Kadowaki, M., 2983
Kahi, A. K., 2276, 3204
Kamel, C., 2801
Kaps, M., 2623
Karamichou, E., 3228
Karaoglanidis, D., 2818
Karr-Lilienthal, L. K., 1403, 2752
Karrow, N. A., 2083
Kattesh, H. G., 1271
Kause, A., 807
Keïta, A., 3155
Kealey, C. G., 283
Kebreab, E., 2787
Keffaber, K., 1015
Keffaber, K. K., 2856
Kegley, E. B., 902, 2426, 3079
Keisler, D. H., 861, 2110, 2700
Kemme, P. A., 1169
Kemp, C. M., 2841
Kenny, D., 2418
Keren, E. N., 1238
Kerley, M. S., 861, 1761
Kerr, B. J., 212, 963, 1584, 2251
Kerth, C. R., 171
Kesler, D. J., 332, 3000
Ketchen, D. J., 2666
Khan, A. S., 733
Khan, S., 2990
Kidd, M. T., 212
Kies, A. K., 1169
Kim, B. C., 894
Kim, B. G., 104
Kim, S. W., 579, 2482
Kim, Y. K., 1481
Kincaid, R. L., 2382
Kinder, J. E., 2035, 2042, 2050
King, D. E., 112
King, M. C., 1820
Kirby, J. D., 2990
Kirk, H. C., 1666
Kirkwood, R. N., 1227
Kirsch, J. D., 1593
Kirschten, D. P., 767
Klein, T. A., 938
Klindt, J., 1323
Klopfenstein, T. J., 651, 866, 886, 1205, 1790, 2582
Klotz, J. L., 3167
Knabe, D. A., 1396
Knight, C. D., 1709
Knight, T. J., 3285
Knol, E. F., 789
Knox, R. V., 2555
Ko, Y. H., 1059
Kobayashi, E., 2895
Koch, K. B., 1544
Koch, R. M., 63
Kocher, M. E., 2856
Kogut, J., 963
Kolath, W. H., 861, 1761
Komatsuda, A., 2895
Koohmaraie, M., 63, 520, 2834
Koopmans, S. J., 963
Kornegay, E. T., 1119
Korsgaard, I. R., 1338, 1651
Kraft, K. C., 1593
Krause, D. O., 1896
Krehbiel, C. R., 2186, 2410
Kreider, D. L., 1916
Kreikemeier, W. M., 1030
Kristensen, L., 918
Kropf, D. H., 691
Kuber, P. S., 938
Kuchay, S., 2834
Kurahara, T., 317
Kurtz, H., 135
Kuss, A. W., 2601
Kyriazakis, I., 1552, 1778

L

Lærke, H. N., 1375
Laarveld, B., 843
Labouriau, R., 1691
Lafrenière, C., 2168
Lagant, H., 526
Lai, C. H., 2374
Lake, S. L., 387, 397, 997, 1038, 1811
Lallès, J. P., 3337
Lalman, D. L., 2410
Lamb, G. C., 332, 3000
Lambe, N. R., 2642
Lamberson, W. R., 32, 1600
Lametsch, R., 918
Lammers, P. J., 2269
Lamothe, M. J., 651
Lampe, J. F., 1022
Landblom, D. G., 3000
Langer, S., 1362
Lanhart, S. E., 41
Lanthier, F., 1699
Lardy, G. P., 411, 499, 986, 1468, 1535, 1544, 2200, 2232
Larick, D. K., 3381
Laroute, V., 1295, 3155
Larsen, M. R., 918
Larson, C. K., 1742
Larson, J. E., 332, 3000
Larzul, C., 1658
Laudert, S. B., 3410
Laurinen, P., 1375
Laville, E., 3266
Lawler-Neville, T. L., 2232
Lawrence, T. E., 1331
Lay, Jr., D. C., 757
Le Bihan, E., 3185
le Huërou-Luron, I., 3337
Le Roy, P., 526
Lebret, B., 93, 1083, 2436
Lebreton, Y., 2965
Lee, M. R. F., 3049, 3061
Lee, S. L., 1422
Leeson, S., 1362
Lefaucheur, L., 93, 1083
Lefebvre, H. P., 1295
Lehnert, S. A., 3239
Lennon, E., 2406
Leroy, P., 1083
Leupp, J. L., 499
Levesque, C. L., 1159
Leveziel, H., 3266
Lewis, G. S., 463
Leymaster, K. A., 311, 783
Li, C., 145, 2289
Li, D. F., 2374
Li, H., 291, 2902
Li, J., 2374
Li, N., 513
Li, Y. C., 1110, 212
Li, Z. H., 2902
Libao-Mercado, A. J., 1351, 1362
Lightfoot, D. A., 597
Lin, E. C., 2673
Lin, X., 818
Lindberg, J. E., 1375
Lindemann, M. D., 104, 618
Lindinger, M. I., 447
Lindquist, R. U., 1205
Link, J. E., 1138
Lipsey, R. J., 1820
Littlejohn, R. P., 324
Liu, B. H., 2655
Liu, J., 2636
Liu, Y. F., 513
Lloyd, K. E., 3375
Loe, E. R., 154., 424, 986, 2795
Lohakare, J. D., 1422
Lonergan, S. M., 178, 191, 925
Long, T. E., 538
Looper, M. L., 1626, 1916
Lou, Y., 1699
Louveau, I., 93, 1083
Lovatto, P. A., 3329
Lovett, D. K., 162, 2418
Lucy, M. C., 2110
Luebbe, M. K., 1790
Lukefahr, S. D., 2566
Lund, M. S., 1651
Luo, J., 513
Lupton, C. J., 2566
Lutz, B., 135

M

Mäntysaari, E. A., 807
Mabry, J. W., 1022., 1577, 2590
MacDonald, J. C., 886
Mach, N., 3039
Macha, M., 608
Macken, C. N., 1205, 1790
MacNeil, M. D., 283, 343, 1639, 1646
Maddock, R. J., 1544, 3110
Maddock, T. D., 1544, 2232

Maddock Carlin, K. R. , 925
Mader, T. L., 712, 1029, 3415
Madsen, P., 1651
Mahan, D. C., 1403, 1722
Maizon, D. O., 2009
Majó, N., 2735
Malone, R., 2418
Mandell, I., 2168
Mandell, I. B., 291, 546, 558
Manteca, X., 1188, 1197
Mantecón, A. R., 405
Manzanilla, E. G., 2725, 2735, 2743
Marinova, P., 3266
Markham, C. E., 2186
Marr, A. L., 1015
Marroni, F., 11
Marshall, K. M., 2346
Marshall, T. T., 660
Martínez, E. A., 2692
Martín-Orúe, S. M., 2725, 2743
Martin, J. M., 641
Martin, S. A. M., 807
Marty, B. J., 1362
Mathis, C. P., 433
Mathison, G. W., 145
Matsumoto, K., 2983
Matsumoto, M., 317
Matthews, J. O., 2251
Maxwell, C. V., 567, 743
Mazzanti, E., 11
McBeth, L. J., 2186
McBride, B. W., 447
McCarthy, M., 972
McCollum III, F. T., 3032
McCormack, B. L., 2110
McDonald, J. M., 300
McDowell, L. R., 660
McEwan, J. C., 324
McGinn, S. M., 1489
McGivan, J. D., 2809
McGlone, J. J., 229, 1004, 2482
McKee, C. A., 2352
McKeever, K. H., 1682
McKeith, F. K., 1454
McMeniman, J. P., 2491
McMillan, E., 1729
McPhee, M. J., 3143
Méot, F., 1215
Meindl, C., 379
Meisinger, J. L., 2826
Melchinger-Wild, E., 2601
Meraz-Murillo, F. J., 3259
Mercadé, A., 2907
Merry, R. J., 3049, 3061
Mersmann, H. J., 1059, 2655, 2673
Mesa, H., 32
Meunier, J.-P., 1850
Meunier-Salaün, M. C., 2436, 2474
Meunier-Salaun, M., 229
Meuwissen, T. H. E., 3212
Meyer, H. H. D., 2887
Meylan, M., 3277
Michael-Eller, E. M., 2391
Michal, J., 2382
Milan, D., 526
Milenkovic, D., 3266
Miller, D. N., 481, 1767, 2515, 2523, 2533
Miller, J. C., 938
Miller, R. K., 2590
Miller, S. P., 291, 546, 558
Milliken, G. A., 694
Min, B. R., 2546, 2873
Mitsuhashi, T., 2895
Miyake, T., 317
Mocé, E., 826
Moeser, A. J., 1387
Moisan, M. P., 204
Monahan, F. J., 162
Monteiro, A., 3433
Montgomery, S. P., 154, 424
Moon, W. K., 1422
Moorby, J. M., 3049
Moore, S. S., 145, 2289
Morel, C., 2684
Morel, P. C. H., 3301
Moreno, C. R., 1317
Morgan, C. A., 1093
Morgan, J. B., 910
Mormède, P., 204, 2436
Moroni, P., 2934
Morrison, C. D., 2700
Morrison, R. B., 229
Moschini, M., 370
Moss, G. E., 1038, 2399
Mott, T. B., 1639
Moughan, P. J., 3301
Mougios, V., 2818
Mounier, L., 1567
Muenthaisong, S., 2065
Mughetti, L., 3133
Mukai, F., 2617
Muley, N. S., 1387
Muñoz, G., 1991
Muramoto, T., 2983
Murphy, E. J., 1544
Murrieta, C. M., 397, 2399
Mussard, M. L., 2035, 2042, 2050
Mynatt, R. L., 1666
Myung, K. H., 1481

N

Nathanielsz, P. W., 3451
Nattrass, G. S., 3239
Navajas, E. A., 2642
Nayigihugu, V., 387, 397
Nelssen, J. L., 1396
Nichols, W. T., 2243
Nicolau-Solano, S. I., 2809
Niekamp, S. R., 588, 2072
Nielsen, M. K., 276, 300
Nienaber, J. A., 1429, 2157
Nieto, R., 3346
Nieuwhof, G. J., 2809
Nijland, M. J., 3451
Nikolaidis, M. G., 2818
Nirasawa, K., 2895
Nishida, A., 2026
Nkrumah, J. D., 145, 2289
Noblet, J., 360, 469, 3329
Nofrarías, M., 2735, 2743
Noguera, J. L., 1991, 2907
Noon, T. H., 1439
Nute, G. R., 3228
Nyachoti, C. M., 125, 1130, 2150, 2779

O

O'Mara, F. P., 162, 2418
Oberbauer, A. M., 2942
Odle, J., 818, 3381
Odongo, N. E., 447
Ogden, R. K., 669
Oguni, T., 317
Oh, S. H., 538
Ohtagaki, S., 317
Okanishi, T., 2617
Okine, E. K., 145, 2289
Okitsu, M., 2895
Oksbjerg, N., 918
Oliver, M. A., 3039
Olson, B. E., 1238
Olson, K. C., 2463
Olson, K. M., 88
Oltjen, J. W., 1890, 3143
Oltjen, R. J., 777
Ominski, K. H., 1896
Omogbenigun, F. O., 125
Ontsouka, E. C., 3277
Opapeju, F. O., 1130, 2150, 2779
Ordakowski-Burk, A. L., 3104
Orengo, J., 58
Orfanidou, E., 2818
Orlov, A., 1951
Orr, D. E., 3071, 3089
Orth, M. W., 1138
Osborne, P. I., 1265
Oswald, I. P., 1935
Ott, T. L., 2382
Owens, F. N., 2410, 3020
Owusu-Asiedu, A., 843
Oyama, K., 2617

P

Paisley, S. I., 997
Pajor, E. A., 757, 2352
Pang, W. Y., 351
Papa, P., 11
Parkin, T. B., 1584
Parnpai, R., 2065
Parr, T., 2841, 2973
Parrett, D., 3460
Parsons, C. M., 1403, 2752
Paschal, J. C., 3100
Paterson, J. A., 1820
Patience, J. F., 843, 1159, 3123
Paulsen, P., 2448
Payne, R. L., 2141
Pérez, J. F., 2766
Pérez-Enciso, M., 2907
Pérez-Linares, C., 3259
Péry, C., 526
Pedersen, C., 853, 1375, 3110
Peeters, E., 1827
Perez, J. F., 2725, 2743
Perry, G. A., 1646
Perryman, K. R., 1709
Peters, D. N., 3110
Petersen, G. I., 2126
Petersen, M. K., 433
Peterson, B. A., 2856
Peterson, C., 2213
Pethick, D., 972
Petridou, A., 2818
Pettey, L. A., 618
Pettigrew, J. E., 1734
Piedrafita, J., 2609
Piles, M., 58, 1658, 2309
Pimentel, E. C. G., 2925
Pinchak, W. E., 2546, 2873
Pinton, P., 1935
Pirog, R. S., 2269
Piva, A., 370
Plastow, G. S., 204
Platter, W. J., 3410
Pleasant, R. S., 1119
Pöhland, R., 236
Pommier, P., 3155
Pond, W. G., 777
Pool, M. H., 1
Poore, M. H., 1613
Pope, L. L., 1403
Post, N. M., 1916
Potter, G. D., 2391
Poulos, S. P., 1076, 1666
Poulsen, H. D., 702, 3310
Powers, W. J., 1907
Presciuttini, S., 11
Price, M. A., 145
Priem, J., 1
Pritchard, R. H., 3285
Provenza, F. D., 2213, 2463
Puchala, R., 2546
Pugh, R. B., 678
Pujols, J., 2735
Pyatt, N. A., 686

Q

Qiu, X., 597
Quaas, R. L., 2009
Queiroz, S. A., 2925
Quinn, R. W., 3104

R

Ríos-Utrera, A., 63
Radcliff, R. P., 2110
Radcliffe, J. S., 597, 1119
Rademacher, M., 104, 125
Rae, D. O., 41
Rafel, O., 58, 1658, 2309
Rainey, B. M., 1820
Rakes, L. K., 3079
Ramírez, O., 1991
Ramon, J., 58, 1658, 2309
Randel, R. D., 3100
Ranilla, M. J., 405
Rasby, R. J., 3415
Ratliff, B. W., 1709
Rauw, W. M., 956, 3404
Ray, F. K., 910
Rayburn, E. B., 1265
Redmer, D. A., 1593
Reed, J. J., 411, 2200
Reeves, J. J., 343
Refi, R., 1943
Reggiardo, C., 1439
Reid, E. D., 2406
Reiners, K., 2847
Reinhardt, C. D., 2243, 2950
Reixach, J., 956, 3404
Rekaya, R., 20
Renaudeau, D., 360, 469
Renquist, B. J., 1890
Reverter, A., 3239
Rewe, T. O., 2276
Reynolds, L. P., 1593
Ribó, O., 2865
Richard, R., 938
Richards, C. J., 678
Richardson, L. F., 1015
Richardson, M. D., 669
Richardson, R. I., 3228, 1666
Richardson, S. M., 1742
Richert, B. T., 720, 757, 3071, 3089
Rickert, B. M., 1439
Riley, D. G., 520
Riley, L. G., 2118
Rincker, C. B., 686
Riquet, J., 526

Ritola, O., 807
Ritter, M. J., 2856
Rivera, J. D., 2186, 2491
Rivera-Ferre, M. G., 3346
Roberts, A. J., 1646, 2714
Roberts, M. P., 1271
Robinson, J. L., 818
Robinson, P. H., 3259
Robinson, T. J., 397
Robison, M., 2382
Robison, O. W., 2590
Roca, J., 2692
Roca, M., 2725
Rodrigue, K. L., 2942
Rodriguez-Zas, S. L., 588, 2555
Rogers, A. D., 2566
Romine, N. M., 2555
Roque, A. P., 2787
Rosenfeld, I., 3321
Rosenkrans, Jr., C. F., 1916
Rosenstein, D. S., 1138
Rotger, A., 1188, 1197
Roth, F. X., 370, 379
Rounds, W., 2491
Rowe, L. J., 178, 925
Roy, N., 1053
Rozeboom, D. W., 1138
Ruiz de la Torre, J. L., 1197
Rule, D. C., 387, 397, 997, 1038, 1811, 2399, 2426
Ruohonen, K., 807
Russell, L. E., 2501
Russo, V., 1
Rust, S. R., 1176
Ryan, K. J. P., 2973
Ryu, Y. C., 894

S

Šebek, L. B. J., 1169
Sørensen, M. T., 1691
Sánchez, A., 1991, 2907
Sánchez, J. P., 58
Safranski, T. J., 32
Sainz, R. D., 1890, 2942, 3143
Saito, N., 2895
Salak-Johnson, J. L., 588, 2072
Salter, A. M., 3440
San Primitivo, F., 259
Sanchez, M. P., 1083
Sanchez, M.-P., 526
Sandberg, F. B., 1552
Sands, J. S., 1839, 3364
Santamarina, C., 2575
Santos, V. A., 3433
Sapirstein, H. D., 2779
Sapp, R. L., 20
Sasae, Y., 317
Sasaki, Y., 317
Sato, S., 2895, 2895
Sauter, S., 2684
Sauvant, D., 3329
Savary, G., 2965
Sawyer, J. E., 433
Sayd, T., 3266
Scanga, J. A., 3387
Scarbrough, D. A., 669
Schafer, D. W., 1439
Schasteen, C. S., 2752
Schenkel, F. S., 291
Schinckel, A. P., 720
Schlegel, M. L., 1176
Schlegel, P., 2491
Schlipf, J. M., 2856
Schmid, K., 145
Schneider, F., 236
Schnitkey, G. D., 2555
Scholljegerdes, E. J., 387, 397, 997, 1038, 1811, 2399
Schrama, J. W., 2224
Schrick, F. N., 332, 1626
Schroeder, A. L., 1176, 3410
Schroeder, G. F., 1497, 1505, 1801
Schultheiss, W. A., 488
Schultz-Kaster, C. M., 178
Schwab, C. R., 1577
Schwarz, F. J., 135
Scollan, N. D., 3049, 3061
Scott, K. A., 757
Scott, M. E., 1613
Séguin, M. J., 1227
Sears, S. C., 743
Sebastiani, C., 11
See, M. T., 185, 538, 1331, 1512, 3381
Segalés, J., 2735
Sejrsen, K., 1691
Sensky, P. L., 2973
Serenius, T., 2590
Settivari, R. S., 1279
Sewalt, V. J. H., 1387
Shackelford, S. D., 520
Shafer, W. D., 3167
Shahid, S. A., 1761
Shan, T., 2636
Shanks, B. C., 3356
Shanks, R. D., 2346
Shaw, D. T., 1138
Shaw, M. I., 3123
Sheehy, P. A., 2118
Shellem, T. A., 3104
Shellito, S. M., 1535, 2232
Shen, J. Z., 1248
Shibata, M., 2983
Shibata, T., 2026
Shoemaker, C. E., 171
Shojo, M., 2617
Shurson, G. C., 946, 1860, 1870, 1880, 3356
Siciliano, P. D., 1742
Silva, S. R., 3433
Simm, G., 2642
Simmen, R. C. M., 2299
Simmins, P. H., 843
Simon, O., 608
Simonsen, J., 1338
Sindt, J. J., 154 424
Singh, S., 567
Sissom, E. K., 2950
Sitz, B. M., 1221
Small, W. T., 997
Smart, A. J., 3285
Smith, D. L., 1102, 3167
Smith, G. C., 1820, 3387
Smith, J. S., 694, 1497, 1505
Smith, L. B., 2942
Smith, L. L., 3167
Smith, S. L., 2065
Smith, T. K., 2361
Smith, T. P. L., 520
Smulders, F. J. M., 2448, 2456
Sneddon, J. C., 119
Snowder, G. D., 1999
Sölkner, J., 2623
Solaiman, S. G., 171
Soler, J., 956, 3404
Soltwedel, K. T., 1734
Sorensen, D., 1651
Sorrells, A. D., 757
Soto-Navarro, S. A., 499, 1468
Southern, L. L., 963, 2141, 2251
Southey, B. R., 2555
Spader, B. R., 2700
Spangler, M. L., 20
Spears, J. W., 635, 3375
Spencer, T. E., 2316
Spiers, D. E., 1279, 1600
Spoolder, H., 229
Sprinkle, J. E., 1439
Squires, E. J., 1699
Srichana, P., 1709
Stahl, C. A., 456
Stalder, K. J., 1577, 2590
Stalker, L. A., 2582
Steelman, S. M., 2391
Stefanowska, J., 2224
Stein, H. H, 3110, 853, 2126
Steiner, A., 3277
Stellflug, J. N., 463, 1520
Stevenson, J. S., 332, 3000
Stinefelt, B. M., 1102
Stone, A., 488
Stone, R. T., 3180
Strauch, T. A., 1271
Strickland, J. R., 1626, 3167
Su, G., 1651
Sugimoto, Y., 2895
Sun, H. S., 2673
Sundberg, P. L., 229
Suteevun, T., 2065
Sutherland, M. A., 588, 2072
Suzuki, K., 2026
Swan, C. G., 641
Sweeney, T., 351
Sweeter, K. K., 3110
Szasz, J. I., 938

T

Tøgersen, F. A., 702
Tabler, S. F., 1626
Taras, D., 608
Tarrés, J., 2609, 2914
Tatum, J. D., 3387, 3410
Tauck, S. A., 2708
Taylor, E., 972
te Pas, M. F. W., 1
Tedeschi, L. O., 767, 2666, 3032
Tempelman, R. J., 266
Terner, M. A., 1699
Terrell, S. P., 447
Tess, M. W., 283
Teuscher, F., 1067, 2959
Thacker, E. L., 733
Thallman, R. M., 783, 1323
Thévis, A., 877
Theil, P. K., 1691
Theodorou, M. K., 3049
Theofilidis, G., 2818
Therkildsen, M., 918
Thompson, P. N., 488, 2629
Thomsen, B., 1691
Thomson, P. C., 2118
Thuy, N. T. D., 2601
Tian, X. C., 2065, 513
Tibau, J., 956, 3404
Tiemann, U., 236
Tiffany, M. E., 635
Tisdall, D. J., 324
Titgemeyer, E. C., 424, 1497, 1505, 1801, 2795
Tobin, D., 807
Toepfer-Berg, T. L., 2101
Tokach, M., 2590
Tokach, M. D., 1396
Tolkamp, B. J., 1778
Tomás, A., 1991
Torres-Rodríguez, V., 3259
Toth, Z., 2623
Totir, L. R., 2022
Touchette, K. J., 1415
Toutain, P. L., 1295
Toutain, P.-L., 3155
Trabalza-Marinucci, M., 3133
Trabue, S. L., 1584
Trenkle, A., 3285
Trevisi, P., 3337
Trottier, N. L., 1749, 3010
Tsalouhidou, S., 2818
Tsang, P. C. W., 2406
Turner, J. E., 669
Tweed, J. K. S., 3061

U

Uchida, H., 2026
Ullerich, M. D., 651
Umberger, W. J., 1221
Ungar, E. D., 1951
Ursino, M., 1943
Usry, J. L., 1415
Utterback, P. L., 1403, 2752

V

Vázquez, J. M., 2692
Vahjen, W., 608
Valdes, E. V., 447
Valkeners, D., 877
Vallet, J. L., 2338
Van Alstine, W. G., 2101
Van Alstyne, R., 660
van Arendonk, J. A. M., 2009, 2629
Van den Weghe, H. F A., 1526, 2847
van der Meulen, J., 963
van Diepen, J. Th. M., 1169
van Eys, J., 1351
Van Groningen, C., 3219
van Heugten, E., 185, 1387, 1512
van Kaam, J. B. C. H. M., 2009
van Kempen, T. A. T. G., 1387
Van Kessel, A. G., 843
van Milgen, J., 3329
Van Vleck, L. D., 63, 1999
van Wijk, H. J., 789
VandeHaar, M. J., 1176, 1454
Varel, V. H., 481
Varona, L., 2609, 2907
Vasconcelos, J. T., 3032
Veira, D. M., 1252
Veissier, I., 1567
Verstegen, M. W. A., 1110, 2133
Veum, T. L., 1147
Vevoda, A. C., 3167
Vezzali, E., 370
Villalba, J. J., 2213, 2463
Vincent, A., 1083
Vitezica, Z. G., 1317
Vitti, D. M. S. S., 2787
Viturro, E., 2887
Vizcarra, J. A., 2990

Volden, H., 3321
von Keyserlingk, M. A. G., 1252
Vonnahme, K. A., 1593, 2057, 3451
Vough, L. R., 3104

W

Walker, D. K., 2795
Wallace, J. M., 2316
Waller, J. C., 678
Walters, E. M., 834
Walz, P. H., 424
Wang, H. C., 1059
Wang, J. P., 1248
Wang, Q. G., 2902
Wang, S. Z., 2902
Wang, Y., 2636
Wang, Y. H., 3239
Wang, Y. L., 2367
Wang, Y. X., 2902
Wang, Z., 145
Wang, Z., 2289
Ward, T. L., 1742
Ward,, M. A., 1535
Wasdin, J. G., 41
Waterman, R. C., 433
Watts, M., 1403
Weaber, R. L., 32
Weary, D. M., 1252
Webb, A. S., 2795
Webel, D. M., 3071, 3089
Weber, T. E., 720
Wegner, J., 1067, 2959, 3251
Weigl, R. M., 1593
Weiler, H., 2779
Welch, G. R., 2089
Weldon, R. N., 660
Wells, J. E., 2523, 2533
Welsh, Jr., T. H., 3100
Wertz-Lutz, A. E., 3285
Weston, T. R., 1811
Wettemann, R .P., 2990, 2410
Wetten, M., 3212
Wheeler, M. B., 834, 2346
Wheeler, T. L., 520
Whetsell, M. S., 1265
Whisnant, C. S., 3375
White, S. N., 520
Whitney, M. H., 1860, 1870, 1880, 3356
Whittington, F. M., 2809
Widowski, T. M., 1227
Wiedemann, S., 135
Wilkinson, N. S., 660
Williams, B. A., 1110, 2133
Williams, C. B., 1310
Wilson, D. E., 2022
Wilson, M. E., 1102
Wilton, J. W., 291, 546, 558, 3219
Wise, T., 1323
Wistuba, T. J., 902, 2426, 3079
Wittenberg, K. M., 1896
Wolter, B. F., 2856
Wood, J. D., 2809
Wu, G., 2316
Wülbers-Mindermann, M., 1526
Wulf, D. M., 3110, 3356
Wynn, P. C., 2118
Wynn, R. J., 3440

X

Xavier, S. P., 2118
Xing, J. J., 2374
Xu, Z., 2636

Y

Yancey, J. W. S., 3079
Yang, B., 513
Yang, X. J., 3251
Ye, X., 291
Yehuda, Y., 1951
Yi, G. F., 1709
Yin, H. F., 513
Yin, Y., 1351
Yoon, I., 1729
Yu, Y. H., 2655
Yuan, Z. H., 2367

Z

Zanella, A. J., 1227
Zémirline, C., 3155
Zhang, H., 2902
Zhang, S. X., 1248
Zhao, R. Q., 3251
Zhu, H. L., 2367
Ziemer, C. J., 1584
Zijlstra, R. T., 843
Zinn, K. E., 1403
Zinn, R. A., 3020
Zubair, M., 2118
Zurbrigg, K., 2509

Subject index for Volume 84
(January through December 2006)

A

ABCA1
  Identification of the bovine cholesterol efflux regulatory protein ABCA1 and its expression in various tissues, 2887
acid-base
  Physiological responses of *Bos taurus* and *Bos indicus* cattle to prolonged, continuous heat and humidity, 972
acid-base balance
  Effects of mild heat stress and grain challenge on acid-base balance and rumen tissue histology in lambs, 447
acute-phase protein
  Effect of carprofen administration during banding or burdizzo castration of bulls on plasma cortisol, in vitro interferon-γ production, acute-phase proteins, feed intake, and growth, 351
acute phase response
  Postnatal behavioral and physiological responses of piglets from gilts housed individually or in groups during gestation, 757
adipocyte
  Number of intramuscular adipocytes and fatty acid binding protein-4 content are significant indicators of intramuscular fat level in crossbred Large White × Duroc pigs, 1083
  The expression of genes related to adipocyte differentiation in pigs, 1059
adipocyte differentiation
  Porcine peroxisome proliferator-activated receptor γ induces transdifferentiation of myocytes into adipocytes, 2655
adipocyte gene
  Porcine peroxisome proliferator-activated receptor γ induces transdifferentiation of myocytes into adipocytes, 2655
adipogenesis
  Growth- and breed-related changes of marbling characteristics in cattle, 1067
adiponectin
  Oral and intravenous carbohydrate challenges decrease active ghrelin concentrations and alter hormones related to control of energy metabolism in horses, 1682
adipose tissue
  Abundantly expressed genes in pig adipose tissue: An expressed sequence tag approach, 2673
  A comparison of thiazolidinedione-induced adipogenesis and myogenesis in stromal-vascular cells from subcutaneous adipose tissue or semitendinosus muscle of postnatal pigs, 1076
  Postpartum supplemental fat, but not maternal body condition score at parturition, affects plasma and adipose tissue fatty acid profiles of suckling beef calves, 1811
  Secreted proteins and genes in fetal and neonatal pig adipose tissue and stromal-vascular cells, 1666
  The expression of genes related to adipocyte differentiation in pigs, 1059
β-adrenergic receptor agonist
  Effects of two β-adrenergic agonists on finishing performance, carcass characteristics, and meat quality of feedlot steers, 3259
age
  Effects of age on body condition and production parameters of multiparous beef cows, 1890
  Effects of pig age at market weight and magnesium supplementation through drinking water on pork quality, 1512
aggression
  Effects of boar presence on agonistic behavior, shoulder scratches, and stress response of bred sows at mixing, 1227
aging
  Effects of postmortem aging and USDA quality grade on Warner-Bratzler shear force values of seventeen individual beef muscles, 3387
alkaloid
  Assessment of vasoconstrictive potential of D-lysergic acid using an isolated bovine lateral saphenous vein bioassay, 3167
alternative housing
  Evaluation of drop vs. trickle-feeding systems for crated or group-penned gestating sows, 1004
alternative production
  The United States pork niche market phenomenon, 2269
amino acid
  Amino acid and energy digestibility in ten samples of distillers dried grain with solubles fed to growing pigs, 853
  Amino acid and energy digestibility of protein sources for growing pigs, 1396
  Amino acid digestibility in dry extruded-expelled soybean meal fed to pigs and poultry, 1130
  Biochemical and morphological developments are partially impaired in intestinal mucosa from growing pigs fed reduced-protein diets supplemented with crystalline amino acids, 1749
  Determination of the ileal amino acid and energy digestibilities of corn distillers dried grains with solubles using grower-finisher pigs, 1722
  Estimating equivalency values of microbial phytase for amino acids in growing and finishing pigs fitted with steered ileo-cecal valve cannulas, 1119
  Evaluation of the inclusion of soybean oil and soybean processing by-products to soybean meal on nutrient composition and digestibility in swine and poultry, 1403
  Excess amino acid supply improves methionine and leucine utilization by growing steers, 1801
  Muscle growth and plasma concentrations of amino acids, insulin-like growth factor-I, and insulin in growing pigs fed reduced-protein diets, 3010
  Performance responses and indicators of gastrointestinal health in early-weaned pigs fed low-protein amino acid-supplemented diets, 125
  The dietary valine requirement for prolific lactating sows does not exceed the National Research Council estimate, 1415
  True ileal amino acid digestibility and endogenous ileal amino acid losses in growing pigs fed wheat shorts- or casein-based diets, 1351
ammonia
  Effects of dietary humic substances on pig growth performance, carcass characteristics, and ammonia emission, 2482
  Selecting soybean meal characteristics preferred for swine nutrition, 1387
anabolic steroid
  Effects of growth-promoting agents and season on blood metabolites and body temperature in heifers, 1030
analysis
  Application of broken-line analysis to assess floor space requirements of nursery and grower-finisher pigs expressed on an allometric basis, 229
anatomical location
  Characterization of mammary gland development in pregnant gilts, 579
androstenone
  Relationship between the expression of hepatic but not testicular 3β-hydroxysteroid dehydrogenase with androstenone deposition in pig adipose tissue, 2809
anestrus
  Estrous behavior and initiation of estrous cycles in postpartum Brahman-influenced cows after treatment with progesterone and prostaglandin $F_{2\alpha}$, 1916
animal breeding
  Research partnerships in relation to topics in animal breeding and genetics, 2276
anion
  Effects of 25-hydroxyvitamin D_3 and manipulated dietary cation-anion difference on the tenderness of beef from cull native Korean cows, 1481
anorexia
  A model for predicting feed intake of growing animals during exposure to pathogens, 1552

antibacterial activity
Effects of level of feed intake on pancreatic exocrine secretions during the early postweaning period in piglets, 2965
antibiotic
Effects of supplementation of β-glucans on growth performance, nutrient digestibility, and immunity in weanling pigs, 1422
The response of gastrointestinal microbiota to avilamycin, butyrate, and plant extracts in early-weaned pigs, 2725
antimicrobial
Effect of including distillers dried grains with solubles in the diet, with or without antimicrobial regimen, on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1870
antimicrobial peptide
Effect of lactoferrin on the growth performance, intestinal morphology, and expression of PR-39 and protegrin-1 genes in weaned piglets, 2636
α1-antitrypsin
Proteomic analysis of ovine muscle hypertrophy, 3266
apparent digestibility
Novel procedure for estimating endogenous losses and measurement of apparent and true digestibility of phosphorus by growing pigs, 2126
Artemisia tridentata
Terpenes and carbohydrate source influence rumen fermentation, digestibility, intake, and preference in sheep, 2463
assignment test
Statistical analysis of individual assignment tests among four cattle breeds using fifteen STR loci, 11
assisted reproduction
Effects of plane of nutrition on in vitro fertilization and early embryonic development in sheep, 1593
association analysis
No associations between PrP genotypes and reproduction traits in INRA 401 sheep, 1317
ATP-binding cassette transporter
Identification of the bovine cholesterol efflux regulatory protein ABCA1 and its expression in various tissues, 2887
average daily gain
Effects of condensed tannins supplementation level on weight gain and in vitro and in vivo bloat precursors in steers grazing winter wheat, 2546
avilamycin
Effects of butyrate, avilamycin, and a plant extract combination on the intestinal equilibrium of early-weaned pigs, 2743

B

backcross
Association of QTL on chromosomes 1, 2, 4, and 7 with growth, carcass, and meat quality traits in backcross Meishan × Large White pigs, 526
backfat thickness
National Pork Producers Council Maternal Line National Genetic Evaluation Program: A comparison of sow longevity and trait associations with sow longevity, 2590
bacterial diversity
In vitro bacterial growth and in vivo ruminal microbiota populations associated with bloat in steers grazing wheat forage, 2873
barley
Grain source and processing in diets containing varying concentrations of wet corn gluten feed for finishing cattle, 986
Bayesian generalized linear model
Between-breed variability of stillbirth and its relationship with sow and piglet characteristics, 3185
Bayesian theory
Bayesian reanalysis of a quantitative trait locus accounting for multiple environments by scaling in broilers, 2009
beef breed
Association of a single nucleotide polymorphism in the calpastatin gene with carcass and meat quality traits of beef cattle, 291
beef bull
Effect of refined soy oil or whole soybeans on intake, methane output, and performance of young bulls, 2418
Using ultrasound measurements to predict body composition of yearling bulls, 2666
beef calf
Immune response and serum IgG concentrations in beef calves suckling cows of differing body condition score at parturition and supplemented with high-linoleate or high-oleate safflower seeds, 997
Postpartum supplemental fat, but not maternal body condition score at parturition, affects plasma and adipose tissue fatty acid profiles of suckling beef calves, 1811
beef cattle
Age of dam and sex of calf adjustments and genetic parameters for gestation length in Charolais cattle, 25
Bovine respiratory disease in feedlot cattle: Environmental, genetic, and economic factors, 1999
Comparison of genetic gains per year for carcass traits among breeding programs in the Japanese Brown and the Japanese Black cattle, 317
Differential effects of sodium and magnesium sulfate on water consumption by beef cattle, 1252
Effect of processing flax in beef feedlot diets on performance, carcass characteristics, and trained sensory panel ratings, 1544
Effects of age, weight, and fat slaughter end points on estimates of breed and retained heterosis effects for carcass traits, 63
Effects of a long-acting, trace mineral, reticulorumen bolus on range cow productivity and trace mineral profiles, 1439
Effects of body condition score at parturition and postpartum supplemental fat on adipose tissue lipogenic activity of lactating beef cows, 397
Effects of body condition score at parturition, and postpartum supplemental fat, on metabolite and hormone concentrations of beef cows and their suckling calves, 1038
Effects of corn condensed distillers solubles supplementation on ruminal fermentation, digestion, and in situ disappearance in steers consuming low-quality hay, 1468
Effects of feeding whole cottonseed and cottonseed products on performance and carcass characteristics of finishing beef cattle, 2186
Effects of pre- and postpartum nutrition on reproduction in spring calving cows and calf feedlot performance, 2582
Environmental effects on pregnancy rate in beef cattle, 3415
Evaluation in Appalachian pasture systems of the 1996 (update 2000) National Research Council model for weaning cattle, 1265
Evaluation of average daily gain prediction by level one of the 1996 National Research Council beef model and development of net energy adjusters, 866
Examination of potential methods to predict pulmonary arterial pressure score in yearling beef cattle, 1259
Gene expression of myostatin during development and regeneration of skeletal muscle in Japanese Black Cattle, 2983
Genetic analysis of calf market weight and carcass traits in Japanese Black cattle, 2617
Genetic parameter estimates for scrotal circumference and semen characteristics of Line 1 Hereford bulls, 283
Genetic parameter estimates for serum insulin-like growth factor I concentrations, and body weight and weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 2299
Genetic parameters for calving rate and calf survival from linear, threshold, and logistic models in a multibreed beef cattle population, 3197
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. I. Animal performance, 2515
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. III. Odorous compound production, 2533
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. II. Pathogenic and other fecal bacteria, 2523
Influence of stocking rate and steroidal implants on growth rate of steers grazing toxic tall fescue and subsequent physiological responses, 1626
Meta-analysis of factors affecting carcass characteristics of feedlot steers, 3143
Methane emissions from beef cattle: Effects of fumaric acid, essential oil, and canola oil, 1489
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Norwegian Red, Swedish Red and White, Friesian, and Wagyu maternal grandsires, 305

Pregnancy rate and first-service conception rate in Angus heifers, 2022
Relationships of feedlot feed efficiency, performance, and feeding behavior with metabolic rate, methane production, and energy partitioning in beef cattle, 145
Success at first insemination in Australian Angus cattle: Analysis of uncertain binary responses, 20
Test duration for growth, feed intake, and feed efficiency in beef cattle using the GrowSafe System, 2289
Thermal balance of cattle grazing winter range: Model application, 1238
beef
Consumer sensory acceptance and value of wet-aged and dry-aged beef steaks, 1221
Effects of 25-hydroxyvitamin D_3 and manipulated dietary cation-anion difference on the tenderness of beef from cull native Korean cows, 1481
Effects of polyvinyl chloride overwrap film, high-oxygen modified atmosphere packaging, or ultra-low-oxygen modified atmosphere packaging on bone marrow discoloration in beef humerus, rib, thoracic vertebra, and scapula, 694
Effects of postmortem aging and USDA quality grade on Warner-Bratzler shear force values of seventeen individual beef muscles, 3387
Factors associated with ELISA scores for paratuberculosis in an Angus-Brahman multibreed herd of beef cattle, 41
Flavor relationships among muscles from the beef chuck and round, 2826
Increasing the amount of n-3 fatty acid in meat from young Holstein bulls through nutrition, 3039
Modified-atmosphere storage under subatmospheric pressure and beef quality: I. Microbiological effects, 2448
Residual feed intake of purebred Angus steers: Effects on meat quality and palatability, 938
beef cow
Effects of interval-feeding whole sunflower seeds during mid to late gestation on performance of beef cows and their progeny, 2410
Effects of supplements that contain increasing amounts of metabolizable protein with or without Ca-propionate salt on postpartum interval and nutrient partitioning in young beef cows, 433
Estrous behavior and initiation of estrous cycles in postpartum Brahman-influenced cows after treatment with progesterone and prostaglandin $F_{2\alpha}$, 1916
Synchronization of estrus in suckled beef cows for detected estrus and artificial insemination and timed artificial insemination using gonadotropin-releasing hormone, prostaglandin $F_{2\alpha}$, and progesterone, 332
beef heifer
Effect of refined coconut oil or copra meal on methane output and on intake and performance of beef heifers, 162
Synchronization of estrus and artificial insemination in replacement beef heifers using gonadotropin-releasing hormone, prostaglandin $F_{2\alpha}$, and progesterone, 3000
Timing of herbage allocation in strip grazing: Effects on grazing pattern and performance of beef heifers, 1943
beef production
Economic evaluations of beef bulls in an integrated supply chain, 3219
beef production system
Comparison of alternative beef production systems based on forage finishing or grain-forage diets with or without growth promotants: 1. Feedlot performance, carcass quality, and production costs, 2168
beef quality
Effects of adding poultry fat in the finishing diet of steers on performance, carcass characteristics, sensory traits, and fatty acid profiles, 2426
beef steer
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 2. Lipids, 3061
Feeding high-moisture corn instead of dry-rolled corn reduces odorous compound production in manure of finishing beef cattle without decreasing performance, 1767
behavior
Effect of environmental enrichment at two stages of development on belly nosing in piglets weaned at fourteen days, 3397
Effect of weaning age and commingling after the nursery phase of pigs in a wean-to-finish facility on growth and humoral and behavioral indicators of well-being, 743
Effects of ractopamine supplementation on behavior of British, Continental, and Brahman crossbred steers during routine handling, 3410
Effects of supplemental L-tryptophan on serotonin, cortisol, intestinal integrity, and behavior in weanling piglets, 963
Hormonal profiles, behavioral responses, and short-term growth performance after castration of pigs at three, six, nine, or twelve days of age, 1271
Influence of rearing conditions on performance, behavioral, and physiological responses of pigs to preslaughter handling, carcass traits, and meat quality, 2436
Maintenance of body temperature in the neonatal lamb: Effects of breed, birth weight, and litter size, 1093
Postnatal behavioral and physiological responses of piglets from gilts housed individually or in groups during gestation, 757
Temperature and body weight affect fouling of pig pens, 2224
Use of supplementary tryptophan to modify the behavior of pigs, 212
belly nosing
Effect of environmental enrichment at two stages of development on belly nosing in piglets weaned at fourteen days, 3397
beta-glucan
Effects of β-glucan extracted from *Saccharomyces cerevisiae* on growth performance, and immunological and somatotropic responses of pigs challenged with *Escherichia coli* lipopolysaccharide, 2374
bias
Estimating maternal genetic effects in livestock, 800
binary data
Success at first insemination in Australian Angus cattle: Analysis of uncertain binary responses, 20
bioavailability
Simultaneous and minimally invasive assessment of muscle tolerance and bioavailability of different volumes of an intramuscular formulation in the same animals, 1295
bioclimatic index
Environmental factors influencing heat stress in feedlot cattle, 712
bioeconomic model
Economic evaluations of beef bulls in an integrated supply chain, 3219
bioefficacy
Efficacy of DL-methionine hydroxy analog free acid and DL-methionine as methionine sources for pigs, 104
biohydrodgenation
Site and extent of digestion, duodenal flow, and intestinal disappearance of total and esterified fatty acids in sheep fed a high-concentrate diet supplemented with high-linoleate safflower oil, 387
biohydrogenation
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 2. Lipids, 3061
biostimulation
Resumption of postpartum luteal function of primiparous, suckled beef cows exposed continuously to bull urine, 2708
birth interval
Genetic variation of farrowing kinetics traits and their relationships with litter size and perinatal mortality in French Large White sows, 1053
birth weight
Between-breed variability of stillbirth and its relationship with sow and piglet characteristics, 3185
Effects of age on body condition and production parameters of multiparous beef cows, 1890
Genetic and phenotypic relationships of farrowing and weaning survival to birth and placental weights in pigs, 32
Low birth weight is associated with enlarged muscle fiber area and impaired meat tenderness of the longissimus muscle in pigs, 93
blood
Increased vascular endothelial growth factor and pregnancy-associated glycoproteins, but not insulin-like growth factor-I, in maternal blood of cows gestating twin fetuses, 2057
BLUP
Predicting breeding values and accuracies from group in comparison to individual observations, 88
boar presence
Effects of boar presence on agonistic behavior, shoulder scratches, and stress response of bred sows at mixing, 1227

boar taint
Characterizing developmental changes in plasma and tissue skatole concentrations in the prepubescent intact male pig, 1699
Relationship between the expression of hepatic but not testicular 3β-hydroxysteroid dehydrogenase with androstenone deposition in pig adipose tissue, 2809
body composition
A genetic upper limit to whole-body protein deposition in a strain of growing pigs, 3301
Association of QTL on chromosomes 1, 2, 4, and 7 with growth, carcass, and meat quality traits in backcross Meishan × Large White pigs, 526
Body composition of breeding gilts in response to dietary protein and energy balance from thirty kilograms of body weight to completion of first parity, 1926
Evaluation of Duroc- vs. Pietrain-sired pigs for growth and composition, 266
Growth and body composition of dairy calves fed milk replacers containing different amounts of protein at two feeding rates, 1454
Identification of a single nucleotide polymorphism of the insulin-like growth factor binding protein 2 gene and its association with growth and body composition traits in the chicken, 2902
Using ultrasound measurements to predict body composition of yearling bulls, 2666
body condition score
Body fatness affects feed intake of sheep at a given body weight, 1778
Effects of body condition score at parturition and postpartum supplemental fat on adipose tissue lipogenic activity of lactating beef cows, 397
Effects of body condition score at parturition, and postpartum supplemental fat, on metabolite and hormone concentrations of beef cows and their suckling calves, 1038
Postpartum supplemental fat, but not maternal body condition score at parturition, affects plasma and adipose tissue fatty acid profiles of suckling beef calves, 1811
body temperature
Effects of growth-promoting agents and season on blood metabolites and body temperature in heifers, 1030
body weight
Body fatness affects feed intake of sheep at a given body weight, 1778
Lactational performance of Quackenbush Swiss line 5 mice, 2118
Temperature and body weight affect fouling of pig pens, 2224
bone ash
Effect of a novel phytase on growth performance, bone ash, and mineral digestibility in nursery and grower-finisher pigs, 1839
bone
Impact of supplement withdrawal and wheat middling inclusion on bone metabolism, bone strength, and the incidence of bone fractures occurring at slaughter in pigs, 1138
bone marrow
Effects of polyvinyl chloride overwrap film, high-oxygen modified atmosphere packaging, or ultra-low-oxygen modified atmosphere packaging on bone marrow discoloration in beef humerus, rib, thoracic vertebra, and scapula, 694
Bos indicus
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. I. Animal performance, 2515
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. II. Pathogenic and other fecal bacteria, 2523
Physiological responses of *Bos taurus* and *Bos indicus* cattle to prolonged, continuous heat and humidity, 972
Bos taurus
Identification of the bovine cholesterol efflux regulatory protein ABCA1 and its expression in various tissues, 2887
Physiological responses of *Bos taurus* and *Bos indicus* cattle to prolonged, continuous heat and humidity, 972
bovine
Assessment of vasoconstrictive potential of D-lysergic acid using an isolated bovine lateral saphenous vein bioassay, 3167
Effects of nonstructural carbohydrates and protein sources on intake, apparent total tract digestibility, and ruminal metabolism in vivo and in vitro with high-concentrate beef cattle diets, 1188
Large variation in steroid concentrations and insulin-like growth factor binding proteins exists among individual small antral follicles collected from within cows at random stages of the estrous cycle, 2714
Resumption of postpartum luteal function of primiparous, suckled beef cows exposed continuously to bull urine, 2708
bovine keratoconjunctivitis
Putative quantitative trait loci associated with the probability of contracting infectious bovine keratoconjunctivitis, 3180
bovine respiratory disease
Use of treatment records and lung lesion scoring to estimate the effect of respiratory disease on growth during early and late finishing periods in South African feedlot cattle, 488
bovine spongiform encephalopathy
Effect of carcass price fluctuations on genetic and economic evaluation of carcass traits in Japanese Black cattle, 3204
brain
Changes in fetal organ weights during gestation after selection for ovulation rate and uterine capacity in swine, 2338
breed
Bovine respiratory disease in feedlot cattle: Environmental, genetic, and economic factors, 1999
Effects of a long-acting, trace mineral, reticulorumen bolus on range cow productivity and trace mineral profiles, 1439
Effects of breed and season on performance of lactating sows in a tropical humid climate, 360
Effects of season and breed on the feeding behavior of multiparous lactating sows in a tropical humid climate, 469
Evaluation of Duroc- vs. Pietrain-sired pigs for growth and composition, 266
Growth- and breed-related changes of muscle bundle structure in cattle, 2959
Impacts of chronic stress and social status on various physiological and performance measures in pigs of different breeds, 588
Maintenance of body temperature in the neonatal lamb: Effects of breed, birth weight, and litter size, 1093
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Norwegian Red, Swedish Red and White, Friesian, and Wagyu maternal grandsires, 305
breed difference
Differences in whole-body protein turnover between Iberian and Landrace pigs fed adequate or lysine-deficient diets, 3346
Growth- and breed-related changes of marbling characteristics in cattle, 1067
breed effect
Effects of age, weight, and fat slaughter end points on estimates of breed and retained heterosis effects for carcass traits, 63
breeding gilt
Body composition of breeding gilts in response to dietary protein and energy balance from thirty kilograms of body weight to completion of first parity, 1926
brisket disease
Examination of potential methods to predict pulmonary arterial pressure score in yearling beef cattle, 1259
broiler
Efficacy and equivalency of an *Escherichia coli*-derived phytase for replacing inorganic phosphorus in the diets of broiler chickens and young pigs, 3364
Growth response of broilers to spray-dried plasma in pelleted or expanded feed processed at high temperature, 2501
bull sperm
Cholesterol-loaded cyclodextrins added to fresh bull ejaculates improve sperm cryosurvival, 826
bull urine
Resumption of postpartum luteal function of primiparous, suckled beef cows exposed continuously to bull urine, 2708
butyrate
Effects of butyrate, avilamycin, and a plant extract combination on the intestinal equilibrium of early-weaned pigs, 2743
by-product
Evaluation of the inclusion of soybean oil and soybean processing by-products to soybean meal on nutrient composition and digestibility in swine and poultry, 1403
by-product feeding
Evaluation of pet food by-product as an alternative feedstuff in weanling pig diets, 221

C

calcium
A revised model for studying phosphorus and calcium kinetics in growing sheep, 2787
Effects of 25-hydroxyvitamin D_3 and manipulated dietary cation-anion difference on the tenderness of beef from cull native Korean cows, 1481
Estimating equivalency values of microbial phytase for amino acids in growing and finishing pigs fitted with steered ileo-cecal valve cannulas, 1119
calf
Effect of creep feed supplementation and season on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance in nursing calves grazing native range in southeastern North Dakota, 411
Effects of season and inclusion of corn distillers dried grains with solubles in creep feed on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance of nursing calves grazing native range in southeastern North Dakota, 2200
Growth and body composition of dairy calves fed milk replacers containing different amounts of protein at two feeding rates, 1454
callipyge
Evaluation of the ovine *callipyge* locus: IV. Genotypic effects on reproductive traits, 311
μ-*calpain*
Effects of *calpastatin* and μ-*calpain* markers in beef cattle on tenderness traits, 520
μ-calpain
μ-Calpain is essential for postmortem proteolysis of muscle proteins, 2834
calpain 1
The expression of genes related to adipocyte differentiation in pigs, 1059
calpain
Effect of oxidation, pH, and ionic strength on calpastatin inhibition of μ- and m-calpain, 925
calpastatin
Effect of anabolic agents on calpastatin promoters in porcine skeletal muscle and their responsiveness to cyclic adenosine monophosphate- and calcium-related stimuli, 2973
Effect of oxidation, pH, and ionic strength on calpastatin inhibition of μ- and m-calpain, 925
calpastatin
Effects of *calpastatin* and μ-*calpain* markers in beef cattle on tenderness traits, 520
calpastatin expression
Effect of anabolic agents on calpastatin promoters in porcine skeletal muscle and their responsiveness to cyclic adenosine monophosphate- and calcium-related stimuli, 2973
calpastatin gene
Association of a single nucleotide polymorphism in the calpastatin gene with carcass and meat quality traits of beef cattle, 291
calving interval
Effects of age on body condition and production parameters of multiparous beef cows, 1890
Campylobacter
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. II. Pathogenic and other fecal bacteria, 2523
canine
Nuclear receptor and nuclear receptor target gene messenger ribonucleic acid levels at different sites of the gastrointestinal tract and in liver of healthy dogs, 2684
canola
Effects of canola seed supplementation on intake, digestion, duodenal protein supply, and microbial efficiency in steers fed forage-based diets, 499
canola oil
Methane emissions from beef cattle: Effects of fumaric acid, essential oil, and canola oil, 1489
carbohydrate supply
Effects of available dietary carbohydrate and preslaughter treatment on glycolytic potential, protein degradation, and quality traits of pig muscles, 191
carbon dioxide
Modified-atmosphere storage under subatmospheric pressure and beef quality: I. Microbiological effects, 2448
carcass
Effect of feeding rumen-protected conjugated linoleic acid on carcass characteristics and fatty acid composition of sheep tissues, 3440
Growth performance and carcass characteristics of grower-finisher pigs fed high-quality corn distillers dried grain with solubles originating from a modern Midwestern ethanol plant, 3356
The influence of dietary field peas (*Pisum sativum* L.) on pig performance, carcass quality, and the palatability of pork, 3110
carcass characteristic
Effects of dietary humic substances on pig growth performance, carcass characteristics, and ammonia emission, 2482
Effects of two β-adrenergic agonists on finishing performance, carcass characteristics, and meat quality of feedlot steers, 3259
Meta-analysis of factors affecting carcass characteristics of feedlot steers, 3143
carcass composition
Identification of quantitative trait loci for carcass composition and pork quality traits in a commercial finishing cross, 789
In vivo estimation of sheep carcass composition using real-time ultrasound with two probes of 5 and 7.5 MHz and image analysis, 3433
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Norwegian Red, Swedish Red and White, Friesian, and Wagyu maternal grandsires, 305
The effects of high levels of supplemental copper on the serum lipid profile, carcass traits, and carcass composition of goat kids, 171
carcass measurement
Use of bovine somatotropin for increased skeletal and lean tissue growth of Holstein steers, 1176
carcass merit
Effects of feeding whole cottonseed and cottonseed products on performance and carcass characteristics of finishing beef cattle, 2186
carcass price
Effect of carcass price fluctuations on genetic and economic evaluation of carcass traits in Japanese Black cattle, 3204
carcass quality
Growth performance and carcass characteristics of pigs fed short-season corn hybrids, 2779
carcass trait
Association of a single nucleotide polymorphism in the calpastatin gene with carcass and meat quality traits of beef cattle, 291
Comparison of genetic gains per year for carcass traits among breeding programs in the Japanese Brown and the Japanese Black cattle, 317
Effects of age, weight, and fat slaughter end points on estimates of breed and retained heterosis effects for carcass trait, 63
Evaluation of associations between prion haplotypes and growth, carcass, and meat quality traits in a Dorset × Romanov sheep population, 783
Using ultrasound measurements to predict body composition of yearling bulls, 2666
carprofen
Effect of carprofen administration during banding or burdizzo castration of bulls on plasma cortisol, in vitro interferon-γ production, acute-phase proteins, feed intake, and growth, 351
casein
Efficiency of utilizing ileal digestible lysine and threonine for whole body protein deposition in growing pigs is reduced when dietary casein is replaced by wheat shorts, 1362
caspase
Changes in caspase activity during the postmortem conditioning period and its relationship to shear force in porcine longissimus muscle, 2841
castration
Effect of carprofen administration during banding or burdizzo castration of bulls on plasma cortisol, in vitro interferon-γ production, acute-phase proteins, feed intake, and growth, 351
Hormonal profiles, behavioral responses, and short-term growth performance after castration of pigs at three, six, nine, or twelve days of age, 1271
cattle
Circulating ghrelin concentrations fluctuate relative to nutritional status and influence feeding behavior in cattle, 3285

Effect of carprofen administration during banding or burdizzo castration of bulls on plasma cortisol, in vitro interferon-γ production, acute-phase proteins, feed intake, and growth, 351
Effects of adding poultry fat in the finishing diet of steers on performance, carcass characteristics, sensory traits, and fatty acid profiles, 2426
Effects of age on body condition and production parameters of multiparous beef cows, 1890
Effects of an artificial sweetener on health, performance, and dietary preference of feedlot cattle, 2491
Effects of *calpastatin* and *μ-calpain* markers in beef cattle on tenderness traits, 520
Effects of concentrated separator by-product (desugared molasses) on intake, ruminal fermentation, digestion, and microbial efficiency in beef steers fed grass hay, 1535
Effects of ractopamine supplementation on behavior of British, Continental, and Brahman crossbred steers during routine handling, 3410
Efficacy of ionophores in cattle diets for mitigation of enteric methane, 1896
Energy cost of cows' grazing activity: Use of the heart rate method and the Global Positioning System for direct field estimation, 1951
Environmental factors influencing heat stress in feedlot cattle, 712
Evaluation of the retention of electronic identification boluses in the forestomachs of cattle, 2260
Excess amino acid supply improves methionine and leucine utilization by growing steers, 1801
Factors associated with ELISA scores for paratuberculosis in an Angus-Brahman multibreed herd of beef cattle, 41
Gene expression profiling of bovine skeletal muscle in response to and during recovery from chronic and severe undernutrition, 3239
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 1. Carcass lean percentage, 546
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 2. Carcass fat partitioning, 558
Genetic partitioning of variation in ovulatory follicle size and probability of pregnancy in beef cattle, 1646
Growth- and breed-related changes of marbling characteristics in cattle, 1067
Growth- and breed-related changes of muscle bundle structure in cattle, 2959
Growth, reproductive performance, and manganese status of heifers fed varying concentrations of manganese, 3375
Identification of the bovine cholesterol efflux regulatory protein ABCA1 and its expression in various tissues, 2887
Impact of corn vitreousness and processing on site and extent of digestion by feedlot cattle, 3020
Increased vascular endothelial growth factor and pregnancy-associated glycoproteins, but not insulin-like growth factor-I, in maternal blood of cows gestating twin fetuses, 2057
Influence of corn hybrid traits on digestibility and the efficiency of gain in feedlot cattle, 1790
Influence of fish oil in finishing diets on growth performance, carcass characteristics, and sensory evaluation of cattle, 902
Influence of soybean hull supplementation on rumen fermentation and digestibility in steers consuming freshly clipped, endophyte-infected tall fescue, 678
In situ studies on the time-dependent degradation of recombinant corn DNA and protein in the bovine rumen, 135
In vivo mechanical and in vitro electromagnetic side-effects of a ruminal transponder in cattle, 3133
Technical note: Exit velocity as a measure of cattle temperament is repeatable and associated with serum concentration of cortisol in Brahman bulls, 3100
Treadmill exercise is not an effective methodology for producing the dark-cutting condition in young cattle, 3079
Use of treatment records and lung lesion scoring to estimate the effect of respiratory disease on growth during early and late finishing periods in South African feedlot cattle, 488
Using simulation models to predict feed intake: Phenotypic and genetic relationships between observed and predicted values in cattle, 1310
Wet corn gluten feed and alfalfa hay levels in dry-rolled corn finishing diets: Effects on finishing performance and feedlot nitrogen mass balance, 1205
cattle breed
Statistical analysis of individual assignment tests among four cattle breeds using fifteen STR loci, 11
cecal microflora
Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology, 370
cell culture
A comparison of thiazolidinedione-induced adipogenesis and myogenesis in stromal-vascular cells from subcutaneous adipose tissue or semitendinosus muscle of postnatal pigs, 1076
Secreted proteins and genes in fetal and neonatal pig adipose tissue and stromal-vascular cells, 1666
cell differentiation
A comparison of thiazolidinedione-induced adipogenesis and myogenesis in stromal-vascular cells from subcutaneous adipose tissue or semitendinosus muscle of postnatal pigs, 1076
cell turnover
Role of suckling in regulating cell turnover and onset and maintenance of lactation in individual mammary glands of sows, 1691
cellulose
Effects of guar gum and cellulose on digesta passage rate, ileal microbial populations, energy and protein digestibility, and performance of grower pigs, 843
Manure composition of swine as affected by dietary protein and cellulose concentrations, 1584
cervix
Estrogenic effects of genistein on reproductive tissues of ovariectomized gilts, 834
Charolais
Age of dam and sex of calf adjustments and genetic parameters for gestation length in Charolais cattle, 25
chicken
Bayesian reanalysis of a quantitative trait locus accounting for multiple environments by scaling in broilers, 2009
Identification of a single nucleotide polymorphism of the insulin-like growth factor binding protein 2 gene and its association with growth and body composition traits in the chicken, 2902
chicken gonadotropin-releasing hormone-II
Immunization of pigs against chicken gonadotropin-releasing hormone-II and lamprey gonadotropin-releasing hormone-III: Effects on gonadotropin secretion and testicular function, 2990
chlortetracycline
Chlortetracycline supplementation of yearling dairy heifers, 2406
choice
Phosphorus appetite in sheep: Dissociating taste from postingestive effects, 2213
cholesterol
Cholesterol-loaded cyclodextrins added to fresh bull ejaculates improve sperm cryosurvival, 826
Effects of feeding polyclonal antibody preparations on ruminal bacterial populations and ruminal pH of steers fed high-grain diets, 2178
coat color
Quantitative genetic aspects of coat color in horses, 2623
cobalt
Influence of cobalt concentration on vitamin B_{12} production and fermentation of mixed ruminal microorganisms grown in continuous culture flow-through fermentors, 635
coconut oil
Effect of refined coconut oil or copra meal on methane output and on intake and performance of beef heifers, 162
collagen
Low birth weight is associated with enlarged muscle fiber area and impaired meat tenderness of the longissimus muscle in pigs, 93
color
Effects of polyvinyl chloride overwrap film, high-oxygen modified atmosphere packaging, or ultra-low-oxygen modified atmosphere packaging on bone marrow discoloration in beef humerus, rib, thoracic vertebra, and scapula, 694
Modified-atmosphere storage under subatmospheric pressure and beef quality: II. Color, drip, cooking loss, sarcomere length, and tenderness, 2456
compensation
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. I. Animal performance, 2515
compensatory growth

Changes in the muscle proteome after compensatory growth in pigs, 918
Effects of feed restriction and subsequent refeeding on energy utilization in growing pigs, 3329
competitive mating
Relationship between sexual behavior classifications of rams and lambs sired in a competitive breeding environment, 463
composition
Manure composition of swine as affected by dietary protein and cellulose concentrations, 1584
The influence of dietary field peas (*Pisum sativum* L.) on pig performance, carcass quality, and the palatability of pork, 3110
computer model
Evaluation in Appalachian pasture systems of the 1996 (update 2000) National Research Council model for weaning cattle, 1265
condensed tannin
Effects of condensed tannins supplementation level on weight gain and in vitro and in vivo bloat precursors in steers grazing winter wheat, 2546
conjugated linoleic acid
Descriptive flavor analysis of bacon and pork loin from lean-genotype gilts fed conjugated linoleic acid and supplemental fat, 3381
Effect of feeding rumen-protected conjugated linoleic acid on carcass characteristics and fatty acid composition of sheep tissues, 3440
Evaluation of the effects of dietary fat, conjugated linoleic acid, and ractopamine on growth performance, pork quality, and fatty acid profiles in genetically lean gilts, 720
Increasing the amount of n-3 fatty acid in meat from young Holstein bulls through nutrition, 3039
copper
Effects of a long-acting, trace mineral, reticulorumen bolus on range cow productivity and trace mineral profiles, 1439
Influence of dietary zinc and copper on digestive enzyme activity and intestinal morphology in weaned pigs, 3310
The effects of high levels of supplemental copper on the serum lipid profile, carcass traits, and carcass composition of goat kids, 171
copra meal
Effect of refined coconut oil or copra meal on methane output and on intake and performance of beef heifers, 162
corn
Grain source and processing in diets containing varying concentrations of wet corn gluten feed for finishing cattle, 986
Growth performance and carcass characteristics of pigs fed short-season corn hybrids, 2779
Impact of corn vitreousness and processing on site and extent of digestion by feedlot cattle, 3020
corn condensed distillers solubles
Effects of corn condensed distillers solubles supplementation on ruminal fermentation, digestion, and in situ disappearance in steers consuming low-quality hay, 1468
corpora lutea
Identification of quantitative trait loci affecting corpora lutea and number of teats in a Meishan × Duroc F_2 resource population, 2895
cortisol-binding globulin
Cortisol-binding globulin and meat quality in five European lines of pigs, 204
cortisol
Comparison of cortisol, luteinizing hormone, and testosterone responses to a defined stressor in sexually inactive rams and sexually active female-oriented and male-oriented rams, 1520
Dietary tryptophan effects on plasma and salivary cortisol and meat quality in pigs, 2251
Effects of supplemental L-tryptophan on serotonin, cortisol, intestinal integrity, and behavior in weanling piglets, 963
Hormonal profiles, behavioral responses, and short-term growth performance after castration of pigs at three, six, nine, or twelve days of age, 1271
Technical note: Exit velocity as a measure of cattle temperament is repeatable and associated with serum concentration of cortisol in Brahman bulls, 3100
cow
Changes in heat production by mature cows after changes in feeding level, 1429
Partitioning of energy during lactation of primiparous beef cows, 2157
crabgrass
Ruminal in situ disappearance kinetics of nitrogen and neutral detergent insoluble nitrogen from common crabgrass forages sampled on seven dates in northern Arkansas, 669
creatine kinase
Simultaneous and minimally invasive assessment of muscle tolerance and bioavailability of different volumes of an intramuscular formulation in the same animals, 1295
creep feed
Effect of creep feed supplementation and season on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance in nursing calves grazing native range in southeastern North Dakota, 411
Effects of season and inclusion of corn distillers dried grains with solubles in creep feed on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance of nursing calves grazing native range in southeastern North Dakota, 2200
crossbreeding
Genetic effects on preweaning weight gain of Nelore-Hereford calves according to different models and estimation methods, 2925
crossbreeding parameter
Crossbreeding parameter estimation for functional longevity in rabbits using survival analysis methodology, 58
cryopreservation
Cholesterol-loaded cyclodextrins added to fresh bull ejaculates improve sperm cryosurvival, 826
Determination of intracellular reactive oxygen species and high mitochondrial membrane potential in Percoll-treated viable boar sperm using fluorescence-activated flow cytometry, 2089
Factors influencing boar sperm cryosurvival, 2692
cyclodextrin
Cholesterol-loaded cyclodextrins added to fresh bull ejaculates improve sperm cryosurvival, 826
cytokine
Supplementing drinking water with Solutein did not mitigate acute morbidity effects of porcine reproductive and respiratory syndrome virus in nursery pigs, 2101

D

dairy cow
5-Hydroxytryptamine-4 receptor messenger ribonucleic acid levels and densities in gastrointestinal muscle layers from healthy dairy cows, 3277
dairy heifer
Chlortetracycline supplementation of yearling dairy heifers, 2406
dark-cutting condition
Treadmill exercise is not an effective methodology for producing the dark-cutting condition in young cattle, 3079
decubitus ulcer
Sow shoulder lesions: Risk factors and treatment effects on an Ontario farm, 2509
dehydration
Mucosal surface area and fermentation activity in the hind gut of hydrated and chronically dehydrated working donkeys, 119
dehydroepiandrosterone sulfate
Hormonal profiles, behavioral responses, and short-term growth performance after castration of pigs at three, six, nine, or twelve days of age, 1271
delinted cottonseed
Effects of feeding whole cottonseed and cottonseed products on performance and carcass characteristics of finishing beef cattle, 2186
deoxynivalenol
Effects of diets with cereal grains contaminated by graded levels of two *Fusarium* toxins on selected immunological and histological measurements in the spleen of gilts, 236
Effects of feeding grains naturally contaminated with *Fusarium* mycotoxins with and without a polymeric glucomannan mycotoxin adsorbent on reproductive performance and serum chemistry of pregnant gilts, 2361
Ingestion of low doses of deoxynivalenol does not affect hematological, biochemical, or immune responses of piglets, 1935

deoxyribonucleic acid microarray
Effect of fescue toxicosis on hepatic gene expression in mice, 1600
desugared molasses
Effects of concentrated separator by-product (desugared molasses) on intake, ruminal fermentation, digestion, and microbial efficiency in beef steers fed grass hay, 1535
Effects of concentrated separator by-product (desugared molasses) on intake, site of digestion, microbial efficiency, and nitrogen balance in ruminants fed forage-based diets, 2232
developing country
Research partnerships in relation to topics in animal breeding and genetics, 2276
development
Effect of environmental enrichment at two stages of development on belly nosing in piglets weaned at fourteen days, 3397
Ontogeny of T lymphocytes and intestinal morphological characteristics in neonatal pigs at different ages in the postnatal period, 567
diarrhea
Performance, diarrhea incidence, and occurrence of *Escherichia coli* virulence genes during long-term administration of a probiotic *Enterococcus faecium* strain to sows and piglets, 608
dietary fat
Evaluation of the effects of dietary fat, conjugated linoleic acid, and ractopamine on growth performance, pork quality, and fatty acid profiles in genetically lean gilts, 720
Site and extent of digestion, duodenal flow, and intestinal disappearance of total and esterified fatty acids in sheep fed a high-concentrate diet supplemented with high-linoleate safflower oil, 387
diet
Effect of dietary inclusion of distillers dried grains with solubles on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1860
Growth and body composition of dairy calves fed milk replacers containing different amounts of protein at two feeding rates, 1454
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. III. Odorous compound production, 2533
digestibility
Amino acid and energy digestibility in ten samples of distillers dried grain with solubles fed to growing pigs, 853
Amino acid and energy digestibility of protein sources for growing pigs, 1396
Amino acid digestibility in dry extruded-expelled soybean meal fed to pigs and poultry, 1130
Determination of the ileal amino acid and energy digestibilities of corn distillers dried grains with solubles using grower-finisher pigs, 1722
Effect of creep feed supplementation and season on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance in nursing calves grazing native range in southeastern North Dakota, 411
Effect of graded doses and a high dose of microbial phytase on the digestibility of various minerals in weaner pigs, 1169
Effects of corn condensed distillers solubles supplementation on ruminal fermentation, digestion, and in situ disappearance in steers consuming low-quality hay, 1468
Effects of malate on diet digestibility, microbial protein synthesis, plasma metabolites, and performance of growing lambs fed a high-concentrate diet, 405
Effects of season and inclusion of corn distillers dried grains with solubles in creep feed on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance of nursing calves grazing native range in southeastern North Dakota, 2200
Effects of supplementation of β-glucans on growth performance, nutrient digestibility, and immunity in weanling pigs, 1422
Estimating equivalency values of microbial phytase for amino acids in growing and finishing pigs fitted with steered ileo-cecal valve cannulas, 1119
Evaluation of the inclusion of soybean oil and soybean processing by-products to soybean meal on nutrient composition and digestibility in swine and poultry, 1403
Increased puroindoline levels slow ruminal digestion of wheat (*Triticum aestivum* L.) starch by cattle, 641
Influence of soybean hull supplementation on rumen fermentation and digestibility in steers consuming freshly clipped, endophyte-infected tall fescue, 678
Selecting soybean meal characteristics preferred for swine nutrition, 1387
Terpenes and carbohydrate source influence rumen fermentation, digestibility, intake, and preference in sheep, 2463
True ileal amino acid digestibility and endogenous ileal amino acid losses in growing pigs fed wheat shorts- or casein-based diets, 1351
Voluntary intake and digestibility of reed canarygrass and timothy hay fed to horses, 3104
digestible energy
The effects of dietary energy concentration and weaning site on weanling pig performance, 1159
digestion
Effects of canola seed supplementation on intake, digestion, duodenal protein supply, and microbial efficiency in steers fed forage-based diets, 499
Effects of concentrated separator by-product (desugared molasses) on intake, ruminal fermentation, digestion, and microbial efficiency in beef steers fed grass hay, 1535
Effects of concentrated separator by-product (desugared molasses) on intake, site of digestion, microbial efficiency, and nitrogen balance in ruminants fed forage-based diets, 2232
Impact of corn vitreousness and processing on site and extent of digestion by feedlot cattle, 3020
The digestive fate of *Escherichia coli* glutamate dehydrogenase deoxyribonucleic acid from transgenic corn in diets fed to weanling pigs, 597
digestive capacity
Developmental changes in morphometry of the small intestine and jejunal sucrase activity during the first nine weeks of postnatal growth in pigs, 112
digestive enzyme
Effects of level of feed intake on pancreatic exocrine secretions during the early postweaning period in piglets, 2965
Influence of dietary zinc and copper on digestive enzyme activity and intestinal morphology in weaned pigs, 3310
Intestinal morphology and enzymatic activity in newly weaned pigs fed contrasting fiber concentrations and fiber properties, 1375
direct genetic effect
Genetic analysis of calf market weight and carcass traits in Japanese Black cattle, 2617
disease
A model for predicting feed intake of growing animals during exposure to pathogens, 1552
Effect of dietary inclusion of distillers dried grains with solubles on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1860
Supplementing drinking water with Solutein did not mitigate acute morbidity effects of porcine reproductive and respiratory syndrome virus in nursery pigs, 2101
disease resistance
Bovine respiratory disease in feedlot cattle: Environmental, genetic, and economic factors, 1999
distillers dried grain with solubles
Amino acid and energy digestibility in ten samples of distillers dried grain with solubles fed to growing pigs, 853
Effect of dietary inclusion of distillers dried grains with solubles, soybean hulls, or a polyclonal antibody product on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1880
Growth performance and carcass characteristics of grower-finisher pigs fed high-quality corn distillers dried grain with solubles originating from a modern Midwestern ethanol plant, 3356
distillers dried grains with solubles
Effect of dietary inclusion of distillers dried grains with solubles on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1860
Effect of including distillers dried grains with solubles in the diet, with or without antimicrobial regimen, on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1870
distillers grain
Determination of the ileal amino acid and energy digestibilities of corn distillers dried grains with solubles using grower-finisher pigs, 1722
Effects of season and inclusion of corn distillers dried grains with solubles in creep feed on intake, microbial protein synthesis

and efficiency, ruminal fermentation, digestion, and performance of nursing calves grazing native range in southeastern North Dakota, 2200
DNA
The digestive fate of *Escherichia coli* glutamate dehydrogenase deoxyribonucleic acid from transgenic corn in diets fed to weanling pigs, 597
DNA methylation
Epigenetic characteristics of cloned and in vitro-fertilized swamp buffalo (*Bubalus bubalis*) embryos, 2065
donkey
Mucosal surface area and fermentation activity in the hind gut of hydrated and chronically dehydrated working donkeys, 119
doramectin
A fenbendazole oral drench in addition to an ivermectin pour-on reduces parasite burden and improves feedlot and carcass performance of finishing heifers compared with endectocides alone, 2243
dose-response
Effect of graded doses and a high dose of microbial phytase on the digestibility of various minerals in weaner pigs, 1169
drinking behavior
Differential effects of sodium and magnesium sulfate on water consumption by beef cattle, 1252
drip
Modified-atmosphere storage under subatmospheric pressure and beef quality: II. Color, drip, cooking loss, sarcomere length, and tenderness, 2456
drip loss
Cortisol-binding globulin and meat quality in five European lines of pigs, 204
dry aging
Consumer sensory acceptance and value of wet-aged and dry-aged beef steaks, 1221
dry matter required
Using ultrasound measurements to predict body composition of yearling bulls, 2666
Duroc pig
Genetic correlations between fatty acid compositions in different sites of fat tissues, meat production, and meat quality traits in Duroc pigs, 2026

E

early-weaned pig
Performance responses and indicators of gastrointestinal health in early-weaned pigs fed low-protein amino acid-supplemented diets, 125
early weaning
Effect of timing of feeding a high-concentrate diet on growth and attainment of puberty in early-weaned heifers, 3118
Induction of precocious puberty in heifers I: Enhanced secretion of luteinizing hormone, 2035
Induction of precocious puberty in heifers II: Advanced ovarian follicular development, 2042
Induction of precocious puberty in heifers III: Hastened reduction of estradiol negative feedback on secretion of luteinizing hormone, 2050
ear tag
Comparison of visual and electronic identification devices in pigs: On-farm performances, 2575
eating quality
Effect of long-term selection for increased leanness on meat and eating quality traits in Duroc swine, 1577
economic
Impact of biological and economic variables on optimal parity for replacement in swine breed-to-wean herds, 2555
economic impact
Use of treatment records and lung lesion scoring to estimate the effect of respiratory disease on growth during early and late finishing periods in South African feedlot cattle, 488
economic weight
Effect of carcass price fluctuations on genetic and economic evaluation of carcass traits in Japanese Black cattle, 3204
efficiency
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. I. Animal performance, 2515
Residual feed intake of purebred Angus steers: Effects on meat quality and palatability, 938
electrolyte
Physiological responses of *Bos taurus* and *Bos indicus* cattle to prolonged, continuous heat and humidity, 972
electromagnetic field
In vivo mechanical and in vitro electromagnetic side-effects of a ruminal transponder in cattle, 3133
electronic identification
Comparison of visual and electronic identification devices in pigs: On-farm performances, 2575
Evaluation of the retention of electronic identification boluses in the forestomachs of cattle, 2260
embryo
Comparison of prenatal muscle tissue expression profiles of two pig breeds differing in muscle characteristics, 1
Effects of plane of nutrition on in vitro fertilization and early embryonic development in sheep, 1593
endocrine
Photoperiod influences the immune status of multiparous pregnant sows and their piglets, 2072
endogenous
Estimation of endogenous phosphorus loss in growing and finishing pigs fed semi-purified diets, 618
Estimation of true phosphorus digestibility and endogenous phosphorus loss in growing pigs fed conventional and low-phytate soybean meals, 627
endogenous loss
Novel procedure for estimating endogenous losses and measurement of apparent and true digestibility of phosphorus by growing pigs, 2126
endophytic toxins
Genomic analysis of the impact of fescue toxicosis on hepatic function, 1279
end point
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 1. Carcass lean percentage, 546
energy
Amino acid and energy digestibility in ten samples of distillers dried grain with solubles fed to growing pigs, 853
Amino acid and energy digestibility of protein sources for growing pigs, 1396
Body composition of breeding gilts in response to dietary protein and energy balance from thirty kilograms of body weight to completion of first parity, 1926
Changes in heat production by mature cows after changes in feeding level, 1429
Comparison of grain sources for swine diets and their effect on meat and fat quality traits, 1022
Effect of various levels of imbalance between energy and nitrogen release in the rumen on microbial protein synthesis and nitrogen metabolism in growing double-muscled Belgian Blue bulls fed a corn silage-based diet, 877
Effects of energy level on methionine utilization by growing steers, 1497
Effects of energy source on methionine utilization by growing steers, 1505
Growth and body composition of dairy calves fed milk replacers containing different amounts of protein at two feeding rates, 1454
Influence of the amount of dietary fiber on the available energy from hindgut fermentation in growing pigs: Use of cannulated pigs and in vitro fermentation, 2766
Partitioning of energy during lactation of primiparous beef cows, 2157
energy cost
Energy cost of cows' grazing activity: Use of the heart rate method and the Global Positioning System for direct field estimation, 1951
energy expenditure
Energy cost of cows' grazing activity: Use of the heart rate method and the Global Positioning System for direct field estimation, 1951
energy partitioning
Relationships of feedlot feed efficiency, performance, and feeding behavior with metabolic rate, methane production, and energy partitioning in beef cattle, 145

enhancement
Growth performance, carcass composition, quality, and enhancement treatment of fresh pork identified through DNA marker-assisted selection for the Rendement Napole gene, 910
enrichment
Effect of environmental enrichment at two stages of development on belly nosing in piglets weaned at fourteen days, 3397
enteric methane
Effect of refined coconut oil or copra meal on methane output and on intake and performance of beef heifers, 162
Effect of refined soy oil or whole soybeans on intake, methane output, and performance of young bulls, 2418
Efficacy of ionophores in cattle diets for mitigation of enteric methane, 1896
Enterococcus faecium NCIMB 10415
Performance, diarrhea incidence, and occurrence of *Escherichia coli* virulence genes during long-term administration of a probiotic *Enterococcus faecium* strain to sows and piglets, 608
environmental covariance
Estimating maternal genetic effects in livestock, 800
environmental factor
Environmental factors influencing heat stress in feedlot cattle, 712
environmental sensitivity
Bayesian analysis of the linear reaction norm model with unknown covariates, 1651
environmental value
Bayesian analysis of the linear reaction norm model with unknown covariates, 1651
environment
Effects of phase feeding of protein on performance, blood urea nitrogen concentration, manure nitrogen:phosphorus ratio, and carcass characteristics of feedlot cattle, 3032
enzyme-linked immunosorbent assay
In situ studies on the time-dependent degradation of recombinant corn DNA and protein in the bovine rumen, 135
Technical Note: A monoclonal antibody-based immunoassay for determination of ractopamine in swine feeds, 1248
enzyme supplementation
Effect of micronized pea and enzyme supplementation on nutrient utilization and manure output in growing pigs, 2150
epigenetics
Epigenetic characteristics of cloned and in vitro-fertilized swamp buffalo (*Bubalus bubalis*) embryos, 2065
epistasis
Genetic effects on preweaning weight gain of Nelore-Hereford calves according to different models and estimation methods, 2925
epithelium
Effects of butyrate, avilamycin, and a plant extract combination on the intestinal equilibrium of early-weaned pigs, 2743
equine
Endocrine responses in mares undergoing abrupt changes in nutritional management, 2700
equivalency
Efficacy and equivalency of an *Escherichia coli*-derived phytase for replacing inorganic phosphorus in the diets of broiler chickens and young pigs, 3364
Escherichia coli
Effects of cyadox and olaquindox on intestinal mucosal immunity and on fecal shedding of *Escherichia coli* in piglets, 2367
Efficacy and equivalency of an *Escherichia coli*-derived phytase for replacing inorganic phosphorus in the diets of broiler chickens and young pigs, 3364
Escherichia coli O157
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. II. Pathogenic and other fecal bacteria, 2523
essential oil
Methane emissions from beef cattle: Effects of fumaric acid, essential oil, and canola oil, 1489
estradiol
Estrogenic effects of genistein on reproductive tissues of ovariectomized gilts, 834
Large variation in steroid concentrations and insulin-like growth factor binding proteins exists among individual small antral follicles collected from within cows at random stages of the estrous cycle, 2714
estradiol negative feedback
Induction of precocious puberty in heifers III: Hastened reduction of estradiol negative feedback on secretion of luteinizing hormone, 2050
estrous behavior
Estrous behavior and initiation of estrous cycles in postpartum Brahman-influenced cows after treatment with progesterone and prostaglandin $F_{2\alpha}$, 1916
evisceration
Harvest processes on pork loin and ham quality, 178
ewe lambing
Relationship between sexual behavior classifications of rams and lambs sired in a competitive breeding environment, 463
excretion
Total and water-soluble phosphorus excretion from swine fed low-phytate soybeans, 1907
exit velocity
Technical note: Exit velocity as a measure of cattle temperament is repeatable and associated with serum concentration of cortisol in Brahman bulls, 3100
expressed sequence tag
Abundantly expressed genes in pig adipose tissue: An expressed sequence tag approach, 2673
expression profile
Comparison of prenatal muscle tissue expression profiles of two pig breeds differing in muscle characteristics, 1
exsanguination
Harvest processes on pork loin and ham quality, 178
exterior trait
Analysis of longevity and exterior traits on Large White sows in Switzerland, 2914

F

FABP4
Adipocyte fatty-acid binding protein is closely associated to the porcine *FAT1* locus on chromosome 4, 2907
farmer attitude
Variations in meat pH of beef bulls in relation to conditions of transfer to slaughter and previous history of the animals, 1567
farrowing duration
Between-breed variability of stillbirth and its relationship with sow and piglet characteristics, 3185
Genetic variation of farrowing kinetics traits and their relationships with litter size and perinatal mortality in French Large White sows, 1053
FAT1
Adipocyte fatty-acid binding protein is closely associated to the porcine *FAT1* locus on chromosome 4, 2907
fat cell
A comparison of thiazolidinedione-induced adipogenesis and myogenesis in stromal-vascular cells from subcutaneous adipose tissue or semitendinosus muscle of postnatal pigs, 1076
Secreted proteins and genes in fetal and neonatal pig adipose tissue and stromal-vascular cells, 1666
fat deposition energy
Comparison of feed energy costs of maintenance, lean deposition, and fat deposition in three lines of mice selected for heat loss, 276
fat digestion
Ontogeny and chain-length specificity of gastrointestinal lipases affect medium-chain triacylglycerol utilization by newborn pigs, 818
fatness
Adipocyte fatty-acid binding protein is closely associated to the porcine *FAT1* locus on chromosome 4, 2907
fat partitioning
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 2. Carcass fat partitioning, 558
fatty acid
Effect of processing flax in beef feedlot diets on performance, carcass characteristics, and trained sensory panel ratings, 1544
Effects of adding poultry fat in the finishing diet of steers on performance, carcass characteristics, sensory traits, and fatty acid profiles, 2426

Effects of dietary vitamin E and fat supplementation on pork quality, 3089
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 2. Lipids, 3061
Evaluation of the effects of dietary fat, conjugated linoleic acid, and ractopamine on growth performance, pork quality, and fatty acid profiles in genetically lean gilts, 720
Genetic analyses and quantitative trait loci detection, using a partial genome scan, for intramuscular fatty acid composition in Scottish Blackface sheep, 3228
Genetic correlations between fatty acid compositions in different sites of fat tissues, meat production, and meat quality traits in Duroc pigs, 2026
Influence of fish oil in finishing diets on growth performance, carcass characteristics, and sensory evaluation of cattle, 902
fatty acid binding protein
Number of intramuscular adipocytes and fatty acid binding protein-4 content are significant indicators of intramuscular fat level in crossbred Large White × Duroc pigs, 1083
fatty acid profile
Effect of refined coconut oil or copra meal on methane output and on intake and performance of beef heifers, 162
feed additive
Use of rotary fluidized-bed technology for development of sustained-release plant extracts pellets: Potential application for feed additive delivery, 1850
feed conversion
Evaluation of Duroc- vs. Pietrain-sired pigs for growth and composition, 266
feed conversion ratio
The relationship between residual feed intake and feed intake behavior in group-housed Duroc barrows, 956
feed deprivation
Endocrine responses in mares undergoing abrupt changes in nutritional management, 2700
feed efficiency
Feed efficiency of rainbow trout can be improved through selection: Different genetic potential on alternative diets, 807
Influence of corn hybrid traits on digestibility and the efficiency of gain in feedlot cattle, 1790
Relationships of feedlot feed efficiency, performance, and feeding behavior with metabolic rate, methane production, and energy partitioning in beef cattle, 145
Test duration for growth, feed intake, and feed efficiency in beef cattle using the GrowSafe System, 2289
The relationship between mitochondrial function and residual feed intake in Angus steers, 861
The relationships among mitochondrial uncoupling protein 2 and 3 expression, mitochondrial deoxyribonucleic acid single nucleotide polymorphisms, and residual feed intake in Angus steers, 1761
feeding behavior
Determination of parotid sulfate secretion in sheep by means of ultrasonic flow probes, 1215
Effects of dietary nonstructural carbohydrates and protein sources on feeding behavior of tethered heifers fed high-concentrate diets, 1197
Effects of season and breed on the feeding behavior of multiparous lactating sows in a tropical humid climate, 469
Feeding behavior in primiparous lactating sows: Impact of a high-fiber diet during pregnancy, 2474
Influence of increased feeding frequency on behavior and integument lesions in growing-finishing restricted-fed pigs, 1526
feeding frequency
Effects of a high-fiber diet and frequent feeding on behavior, reproductive performance, and nutrient digestibility in gestating sows, 946
Influence of increased feeding frequency on behavior and integument lesions in growing-finishing restricted-fed pigs, 1526
feeding preference
Evidence of a dietary selection for methionine by the piglet, 379
feeding strategy
Changes in the muscle proteome after compensatory growth in pigs, 918
feeding system
Evaluation of drop vs. trickle-feeding systems for crated or group-penned gestating sows, 1004
feed intake behavior
The relationship between residual feed intake and feed intake behavior in group-housed Duroc barrows, 956
feed intake
A model for predicting feed intake of growing animals during exposure to pathogens, 1552
Body fatness affects feed intake of sheep at a given body weight, 1778
Circulating ghrelin concentrations fluctuate relative to nutritional status and influence feeding behavior in cattle, 3285
Correlated responses in maternal performance following divergent selection for heat loss in mice, 300
Effects of an artificial sweetener on health, performance, and dietary preference of feedlot cattle, 2491
Effects of breed and season on performance of lactating sows in a tropical humid climate, 360
Effects of guar gum and cellulose on digesta passage rate, ileal microbial populations, energy and protein digestibility, and performance of grower pigs, 843
Effects of level of feed intake on pancreatic exocrine secretions during the early postweaning period in piglets, 2965
Effects of season and breed on the feeding behavior of multiparous lactating sows in a tropical humid climate, 469
Feed efficiency of rainbow trout can be improved through selection: Different genetic potential on alternative diets, 807
Lactational performance of Quackenbush Swiss line 5 mice, 2118
National Pork Producers Council Maternal Line National Genetic Evaluation Program: A comparison of sow longevity and trait associations with sow longevity, 2590
Predicting breeding values and accuracies from group in comparison to individual observations, 88
Using simulation models to predict feed intake: Phenotypic and genetic relationships between observed and predicted values in cattle, 1310
feedlot
Effects of growth-promoting agents and season on blood metabolites and body temperature in heifers, 1030
Effects of phase feeding of protein on performance, blood urea nitrogen concentration, manure nitrogen:phosphorus ratio, and carcass characteristics of feedlot cattle, 3032
Environmental factors influencing heat stress in feedlot cattle, 712
Influence of corn hybrid traits on digestibility and the efficiency of gain in feedlot cattle, 1790
Use of treatment records and lung lesion scoring to estimate the effect of respiratory disease on growth during early and late finishing periods in South African feedlot cattle, 488
Wet corn gluten feed and alfalfa hay levels in dry-rolled corn finishing diets: Effects on finishing performance and feedlot nitrogen mass balance, 1205
feedlot cattle
Effects of two β-adrenergic agonists on finishing performance, carcass characteristics, and meat quality of feedlot steers, 3259
feedlot manure
Incorporation of thymol into corncob granules for reduction of odor and pathogens in feedlot cattle waste, 481
feedlot performance
Comparison of alternative beef production systems based on forage finishing or grain-forage diets with or without growth promotants: 1. Feedlot performance, carcass quality, and production costs, 2168
Effects of pre- and postpartum nutrition on reproduction in spring calving cows and calf feedlot performance, 2582
feed preference
Phosphorus appetite in sheep: Dissociating taste from postingestive effects, 2213
feed processing
Growth response of broilers to spray-dried plasma in pelleted or expanded feed processed at high temperature, 2501
feed restriction
Effects of feed restriction and subsequent refeeding on energy utilization in growing pigs, 3329
feet and leg score
Analysis of longevity and exterior traits on Large White sows in Switzerland, 2914
fenbendazole
A fenbendazole oral drench in addition to an ivermectin pour-on reduces parasite burden and improves feedlot and carcass performance of finishing heifers compared with endectocides alone, 2243

fermentable carbohydrate
Effect of inclusion of fermentable carbohydrates in the diet on fermentation end-product profile in feces of weanling piglets, 2133
The effect of dietary protein and fermentable carbohydrates levels on growth performance and intestinal characteristics in newly weaned piglets, 3337
Use of the in vitro cumulative gas production technique for pigs: An examination of alterations in fermentation products and substrate losses at various time points, 1110
fermentation
Effect of inclusion of fermentable carbohydrates in the diet on fermentation end-product profile in feces of weanling piglets, 2133
Effects of butyrate, avilamycin, and a plant extract combination on the intestinal equilibrium of early-weaned pigs, 2743
Effects of corn condensed distillers solubles supplementation on ruminal fermentation, digestion, and in situ disappearance in steers consuming low-quality hay, 1468
Influence of the amount of dietary fiber on the available energy from hindgut fermentation in growing pigs: Use of cannulated pigs and in vitro fermentation, 2766
Mucosal surface area and fermentation activity in the hind gut of hydrated and chronically dehydrated working donkeys, 119
Use of the in vitro cumulative gas production technique for pigs: An examination of alterations in fermentation products and substrate losses at various time points, 1110
fertility
Genetic partitioning of variation in ovulatory follicle size and probability of pregnancy in beef cattle, 1646
Pregnancy rate and first-service conception rate in Angus heifers, 2022
Success at first insemination in Australian Angus cattle: Analysis of uncertain binary responses, 20
fescue
Assessment of vasoconstrictive potential of D-lysergic acid using an isolated bovine lateral saphenous vein bioassay, 3167
Effect of fescue toxicosis on hepatic gene expression in mice, 1600
fescue toxicosis
Genomic analysis of the impact of fescue toxicosis on hepatic function, 1279
Festuca arundinacea
Influence of stocking rate and steroidal implants on growth rate of steers grazing toxic tall fescue and subsequent physiological responses, 1626
Festuca arundinacea Schreb.
Performance of beef heifers grazing stockpiled fescue as influenced by supplemental whole cottonseed, 1613
fetal growth
Intrauterine growth retardation: Implications for the animal sciences, 2316
Placentomal differentiation may compensate for maternal nutrient restriction in ewes adapted to harsh range conditions, 3451
fetal programming
Intrauterine growth retardation: Implications for the animal sciences, 2316
fetus
Changes in fetal organ weights during gestation after selection for ovulation rate and uterine capacity in swine, 2338
fiber
Effects of a high-fiber diet and frequent feeding on behavior, reproductive performance, and nutrient digestibility in gestating sows, 946
Feeding behavior in primiparous lactating sows: Impact of a high-fiber diet during pregnancy, 2474
Intestinal morphology and enzymatic activity in newly weaned pigs fed contrasting fiber concentrations and fiber properties, 1375
fiber characterization
Fiber production and properties in genetically furred and furless rabbits, 2566
field pea
The influence of dietary field peas (*Pisum sativum* L.) on pig performance, carcass quality, and the palatability of pork, 3110
finishing bull
Variations in meat pH of beef bulls in relation to conditions of transfer to slaughter and previous history of the animals, 1567
finishing cattle
Factors influencing characteristics of steam-flaked corn and utilization by finishing cattle, 154
Influence of steam-flaked corn moisture level and density on the site and extent of digestibility and feeding value for finishing cattle, 424
finishing
Effect of processing flax in beef feedlot diets on performance, carcass characteristics, and trained sensory panel ratings, 1544
Grain source and processing in diets containing varying concentrations of wet corn gluten feed for finishing cattle, 986
finishing diet
Effects of adding poultry fat in the finishing diet of steers on performance, carcass characteristics, sensory traits, and fatty acid profiles, 2426
finishing heifer
A fenbendazole oral drench in addition to an ivermectin pour-on reduces parasite burden and improves feedlot and carcass performance of finishing heifers compared with endectocides alone, 2243
finishing performance
Effects of feeding whole cottonseed and cottonseed products on performance and carcass characteristics of finishing beef cattle, 2186
fish oil
Influence of fish oil in finishing diets on growth performance, carcass characteristics, and sensory evaluation of cattle, 902
fish substrate
Fish meals, fish components, and fish protein hydrolysates as potential ingredients in pet foods, 2752
fitness
Changes in disease gene frequency over time with differential genotypic fitness and various control strategies, 2629
Genetic parameter estimates for scrotal circumference and semen characteristics of Line 1 Hereford bulls, 283
flaked corn
Factors influencing characteristics of steam-flaked corn and utilization by finishing cattle, 154
Influence of steam-flaked corn moisture level and density on the site and extent of digestibility and feeding value for finishing cattle, 424
flavor
Flavor relationships among muscles from the beef chuck and round, 2826
flax
Effect of processing flax in beef feedlot diets on performance, carcass characteristics, and trained sensory panel ratings, 1544
floor space
Effect of floor space during transport of market-weight pigs on the incidence of transport losses at the packing plant and the relationships between transport conditions and losses, 2856
flow cytometry
Determination of intracellular reactive oxygen species and high mitochondrial membrane potential in Percoll-treated viable boar sperm using fluorescence-activated flow cytometry, 2089
follicle
Decreased follicular size during late lactation caused by treatment with charcoal-treated follicular fluid delays onset of estrus and ovulation after weaning in sows, 2110
Genetic partitioning of variation in ovulatory follicle size and probability of pregnancy in beef cattle, 1646
Induction of precocious puberty in heifers II: Advanced ovarian follicular development, 2042
Large variation in steroid concentrations and insulin-like growth factor binding proteins exists among individual small antral follicles collected from within cows at random stages of the estrous cycle, 2714
food preference
Terpenes and carbohydrate source influence rumen fermentation, digestibility, intake, and preference in sheep, 2463
forage
Determination of undegradable intake protein digestibility of forages using the mobile nylon bag technique, 886
Effect of creep feed supplementation and season on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance in nursing calves grazing native range in southeastern North Dakota, 411
Effects of concentrated separator by-product (desugared molasses) on intake, ruminal fermentation, digestion, and microbial efficiency in beef steers fed grass hay, 1535

Effects of concentrated separator by-product (desugared molasses) on intake, site of digestion, microbial efficiency, and nitrogen balance in ruminants fed forage-based diets, 2232
Effects of corn condensed distillers solubles supplementation on ruminal fermentation, digestion, and in situ disappearance in steers consuming low-quality hay, 1468
Effects of season and inclusion of corn distillers dried grains with solubles in creep feed on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance of nursing calves grazing native range in southeastern North Dakota, 2200
Estimation of undegradable intake protein in forages using neutral detergent insoluble nitrogen at a single in situ incubation time point, 651
Evaluation in Appalachian pasture systems of the 1996 (update 2000) National Research Council model for weaning cattle, 1265
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. III. Odorous compound production, 2533
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. II. Pathogenic and other fecal bacteria, 2523
Influence of stocking rate and steroidal implants on growth rate of steers grazing toxic tall fescue and subsequent physiological responses, 1626
forage finishing
Comparison of alternative beef production systems based on forage finishing or grain-forage diets with or without growth promotants: 1. Feedlot performance, carcass quality, and production costs, 2168
forage intake
Influence of soybean hull supplementation on rumen fermentation and digestibility in steers consuming freshly clipped, endophyte-infected tall fescue, 678
fouling pig
Temperature and body weight affect fouling of pig pens, 2224
freezing rate
Cholesterol-loaded cyclodextrins added to fresh bull ejaculates improve sperm cryosurvival, 826
frequency probe
In vivo estimation of sheep carcass composition using real-time ultrasound with two probes of 5 and 7.5 MHz and image analysis, 3433
frothy bloat
Effects of condensed tannins supplementation level on weight gain and in vitro and in vivo bloat precursors in steers grazing winter wheat, 2546
In vitro bacterial growth and in vivo ruminal microbiota populations associated with bloat in steers grazing wheat forage, 2873
fumaric acid
Methane emissions from beef cattle: Effects of fumaric acid, essential oil, and canola oil, 1489
fur
Fiber production and properties in genetically furred and furless rabbits, 2566
Fusarium
Effects of feeding grains naturally contaminated with *Fusarium* mycotoxins with and without a polymeric glucomannan mycotoxin adsorbent on reproductive performance and serum chemistry of pregnant gilts, 2361
Fusarium toxin
Effects of diets with cereal grains contaminated by graded levels of two *Fusarium* toxins on selected immunological and histological measurements in the spleen of gilts, 236
fuzzy logic
Success at first insemination in Australian Angus cattle: Analysis of uncertain binary responses, 20

G

gas production
In vitro bacterial growth and in vivo ruminal microbiota populations associated with bloat in steers grazing wheat forage, 2873
gastrointestinal tract
5-Hydroxytryptamine-4 receptor messenger ribonucleic acid levels and densities in gastrointestinal muscle layers from healthy dairy cows, 3277
Nuclear receptor and nuclear receptor target gene messenger ribonucleic acid levels at different sites of the gastrointestinal tract and in liver of healthy dogs, 2684
gene
The expression of genes related to adipocyte differentiation in pigs, 1059
gene expression
Effect of fescue toxicosis on hepatic gene expression in mice, 1600
Effect of lactoferrin on the growth performance, intestinal morphology, and expression of PR-39 and protegrin-1 genes in weaned piglets, 2636
Gene expression profiling of bovine skeletal muscle in response to and during recovery from chronic and severe undernutrition, 3239
Role of suckling in regulating cell turnover and onset and maintenance of lactation in individual mammary glands of sows, 1691
gene microarray
Secreted proteins and genes in fetal and neonatal pig adipose tissue and stromal-vascular cells, 1666
genetic correlation
Genetic analysis of calf market weight and carcass traits in Japanese Black cattle, 2617
Genetic analysis of gain from birth to weaning, milk production, and udder conformation in Line 1 Hereford cattle, 1639
genetic defect
Changes in disease gene frequency over time with differential genotypic fitness and various control strategies, 2629
genetic distance
Comparison of Vietnamese and European pig breeds using microsatellites, 2601
genetic diversity
Comparison of Vietnamese and European pig breeds using microsatellites, 2601
Statistical analysis of individual assignment tests among four cattle breeds using fifteen STR loci, 11
genetic evaluation
Economic evaluations of beef bulls in an integrated supply chain, 3219
Predicting breeding values and accuracies from group in comparison to individual observations, 88
genetic influence
Effects of sire line, sire, and sex on plasma urea nitrogen, body weight, and backfat thickness in offspring of Duroc and Landrace boars, 1323
genetic line
National Pork Producers Council Maternal Line National Genetic Evaluation Program: A comparison of sow longevity and trait associations with sow longevity, 2590
genetic marker
Bayesian reanalysis of a quantitative trait locus accounting for multiple environments by scaling in broilers, 2009
Effects of *calpastatin* and *μ-calpain* markers in beef cattle on tenderness traits, 520
genetic parameter
A genetic investigation of various growth models to describe growth of lambs of two contrasting breeds, 2642
Age of dam and sex of calf adjustments and genetic parameters for gestation length in Charolais cattle, 25
Bayesian analysis of the linear reaction norm model with unknown covariates, 1651
Effect of carcass price fluctuations on genetic and economic evaluation of carcass traits in Japanese Black cattle, 3204
Estimating maternal genetic effects in livestock, 800
Evaluation of Duroc- vs. Pietrain-sired pigs for growth and composition, 266
Genetic analyses and quantitative trait loci detection, using a partial genome scan, for intramuscular fatty acid composition in Scottish Blackface sheep, 3228
Genetic and phenotypic relationships of farrowing and weaning survival to birth and placental weights in pigs, 32
Genetic correlations between fatty acid compositions in different sites of fat tissues, meat production, and meat quality traits in Duroc pigs, 2026
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 1. Carcass lean percentage, 546

Genetic parameter estimates for serum insulin-like growth factor I concentrations, and body weight and weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 2299
Genetic parameters for calving rate and calf survival from linear, threshold, and logistic models in a multibreed beef cattle population, 3197
Genetic parameters for various random regression models to describe total sperm cells per ejaculate over the reproductive lifetime of boars, 538
Genetics of litter size in three maternal lines of rabbits: Repeatability versus multiple-trait models, 2309
Genetic variation of farrowing kinetics traits and their relationships with litter size and perinatal mortality in French Large White sows, 1053
Survival analysis in two lines of rabbits selected for reproductive traits, 1658
genetic parameters
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 2. Carcass fat partitioning, 558
genetics
A genetic upper limit to whole-body protein deposition in a strain of growing pigs, 3301
Fiber production and properties in genetically furred and furless rabbits, 2566
Pregnancy rate and first-service conception rate in Angus heifers, 2022
Research partnerships in relation to topics in animal breeding and genetics, 2276
The effect of ignoring individual heterogeneity in Weibull log-normal sire frailty models, 1338
genetic susceptibility
An investigation of susceptibility to porcine reproductive and respiratory syndrome virus between two genetically diverse commercial lines of pigs, 49
genetic trend
Comparison of genetic gains per year for carcass traits among breeding programs in the Japanese Brown and the Japanese Black cattle, 317
genetic variance
Genetic analysis of calf market weight and carcass traits in Japanese Black cattle, 2617
genistein
Estrogenic effects of genistein on reproductive tissues of ovariectomized gilts, 834
genomic
Genomic analysis of the impact of fescue toxicosis on hepatic function, 1279
genotype-by-environment interaction
Feed efficiency of rainbow trout can be improved through selection: Different genetic potential on alternative diets, 807
genotype × environment interaction
Bayesian analysis of the linear reaction norm model with unknown covariates, 1651
Genetic effects on preweaning weight gain of Nelore-Hereford calves according to different models and estimation methods, 2925
genotyping
Changes in disease gene frequency over time with differential genotypic fitness and various control strategies, 2629
gestational nutrient restriction
Placentomal differentiation may compensate for maternal nutrient restriction in ewes adapted to harsh range conditions, 3451
gestation
Effects of a high-fiber diet and frequent feeding on behavior, reproductive performance, and nutrient digestibility in gestating sows, 946
Evaluation of drop vs. trickle-feeding systems for crated or group-penned gestating sows, 1004
Increased vascular endothelial growth factor and pregnancy-associated glycoproteins, but not insulin-like growth factor-I, in maternal blood of cows gestating twin fetuses, 2057
gestation length
Age of dam and sex of calf adjustments and genetic parameters for gestation length in Charolais cattle, 25
ghrelin
Circulating ghrelin concentrations fluctuate relative to nutritional status and influence feeding behavior in cattle, 3285
Oral and intravenous carbohydrate challenges decrease active ghrelin concentrations and alter hormones related to control of energy metabolism in horses, 1682
Gibbs sampler
Bayesian analysis of the linear reaction norm model with unknown covariates, 1651
gilt
Characterization of mammary gland development in pregnant gilts, 579
Cortisol-binding globulin and meat quality in five European lines of pigs, 204
Effects of feeding grains naturally contaminated with *Fusarium* mycotoxins with and without a polymeric glucomannan mycotoxin adsorbent on reproductive performance and serum chemistry of pregnant gilts, 2361
global positioning system
Energy cost of cows' grazing activity: Use of the heart rate method and the Global Positioning System for direct field estimation, 1951
glucagon
Diet-induced alterations in progesterone clearance appear to be mediated by insulin signaling in hepatocytes, 1102
β-glucan
Effects of supplementation of β-glucans on growth performance, nutrient digestibility, and immunity in weanling pigs, 1422
gluconic acid
Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology, 370
glucose
Meal size and feeding frequency influence serum leptin concentration in yearling horses, 2391
glucose tolerance
Effects of supplements that contain increasing amounts of metabolizable protein with or without Ca-propionate salt on postpartum interval and nutrient partitioning in young beef cows, 433
glutathione peroxidase
Effect of selenium intake and fetal age on mRNA levels of two selenoproteins in porcine fetal and maternal liver, 2382
Effect of selenium supplementation and source on the selenium status of horses, 1742
glycolytic potential
Effects of available dietary carbohydrate and preslaughter treatment on glycolytic potential, protein degradation, and quality traits of pig muscles, 191
goat
A structural equation model for describing relationships between somatic cell score and milk yield in dairy goats, 2934
goat kid
The effects of high levels of supplemental copper on the serum lipid profile, carcass traits, and carcass composition of goat kids, 171
goblet cell
Ontogeny of T lymphocytes and intestinal morphological characteristics in neonatal pigs at different ages in the postnatal period, 567
gonadotropin-releasing hormone
Use of recombinant gonadotropin-releasing hormone antigens for immunosterilization of beef heifers, 343
grain challenge
Effects of mild heat stress and grain challenge on acid-base balance and rumen tissue histology in lambs, 447
grain
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. III. Odorous compound production, 2533
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. II. Pathogenic and other fecal bacteria, 2523
grain hardness
Increased puroindoline levels slow ruminal digestion of wheat (*Triticum aestivum* L.) starch by cattle, 641
grain processing
Factors influencing characteristics of steam-flaked corn and utilization by finishing cattle, 154
Influence of steam-flaked corn moisture level and density on the site and extent of digestibility and feeding value for finishing cattle, 424

grain source
Comparison of grain sources for swine diets and their effect on meat and fat quality traits, 1022
grazing
Energy cost of cows' grazing activity: Use of the heart rate method and the Global Positioning System for direct field estimation, 1951
grazing pattern
Timing of herbage allocation in strip grazing: Effects on grazing pattern and performance of beef heifers, 1943
greenhouse gas
Methane emissions from beef cattle: Effects of fumaric acid, essential oil, and canola oil, 1489
group housing
Effects of boar presence on agonistic behavior, shoulder scratches, and stress response of bred sows at mixing, 1227
growing cattle
Effects of dietary nonstructural carbohydrates and protein sources on feeding behavior of tethered heifers fed high-concentrate diets, 1197
growing pig
Efficiency of utilizing ileal digestible lysine and threonine for whole body protein deposition in growing pigs is reduced when dietary casein is replaced by wheat shorts, 1362
Use of rotary fluidized-bed technology for development of sustained-release plant extracts pellets: Potential application for feed additive delivery, 1850
growth
A genetic investigation of various growth models to describe growth of lambs of two contrasting breeds, 2642
A genetic upper limit to whole-body protein deposition in a strain of growing pigs, 3301
A model for predicting feed intake of growing animals during exposure to pathogens, 1552
Application of broken-line analysis to assess floor space requirements of nursery and grower-finisher pigs expressed on an allometric basis, 229
Association of QTL on chromosomes 1, 2, 4, and 7 with growth, carcass, and meat quality traits in backcross Meishan × Large White pigs, 526
Bovine respiratory disease in feedlot cattle: Environmental, genetic, and economic factors, 1999
Chlortetracycline supplementation of yearling dairy heifers, 2406
Correlated responses in growth, carcass, and meat quality traits to divergent selection for testosterone production in pigs, 1331
Effect of a novel phytase on growth performance, bone ash, and mineral digestibility in nursery and grower-finisher pigs, 1839
Effect of weaning age and commingling after the nursery phase of pigs in a wean-to-finish facility on growth and humoral and behavioral indicators of well-being, 743
Effects of energy level on methionine utilization by growing steers, 1497
Effects of energy source on methionine utilization by growing steers, 1505
Effects of sire line, sire, and sex on plasma urea nitrogen, body weight, and backfat thickness in offspring of Duroc and Landrace boars, 1323
Effects of supplementation of β-glucans on growth performance, nutrient digestibility, and immunity in weanling pigs, 1422
Estimation of the true ileal digestible lysine and sulfur amino acid requirement and comparison of the bioefficacy of 2-hydroxy-4-(methylthio)butanoic acid and DL-methionine in 11- to 26-kg nursery pigs, 1709
Evaluation of Duroc- vs. Pietrain-sired pigs for growth and composition, 266
Excess amino acid supply improves methionine and leucine utilization by growing steers, 1801
Genetic analysis of gain from birth to weaning, milk production, and udder conformation in Line 1 Hereford cattle, 1639
Genetic parameter estimates for serum insulin-like growth factor I concentrations, and body weight and weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 2299
Growth- and breed-related changes of marbling characteristics in cattle, 1067
Growth- and breed-related changes of muscle bundle structure in cattle, 2959
Growth performance and carcass characteristics of grower-finisher pigs fed high-quality corn distillers dried grain with solubles originating from a modern Midwestern ethanol plant, 3356
Growth, reproductive performance, and manganese status of heifers fed varying concentrations of manganese, 3375
Hormonal profiles, behavioral responses, and short-term growth performance after castration of pigs at three, six, nine, or twelve days of age, 1271
Identification of a single nucleotide polymorphism of the insulin-like growth factor binding protein 2 gene and its association with growth and body composition traits in the chicken, 2902
Performance responses and indicators of gastrointestinal health in early-weaned pigs fed low-protein amino acid-supplemented diets, 125
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Norwegian Red, Swedish Red and White, Friesian, and Wagyu maternal grandsires, 305
Supplemental vitamin C and yeast cell wall β-glucan as growth enhancers in newborn pigs and as immunomodulators after an endotoxin challenge after weaning, 2352
Supplementing drinking water with Solutein did not mitigate acute morbidity effects of porcine reproductive and respiratory syndrome virus in nursery pigs, 2101
The effect of dietary protein and fermentable carbohydrates levels on growth performance and intestinal characteristics in newly weaned piglets, 3337
Use of treatment records and lung lesion scoring to estimate the effect of respiratory disease on growth during early and late finishing periods in South African feedlot cattle, 488
growth function
A genetic investigation of various growth models to describe growth of lambs of two contrasting breeds, 2642
growth hormone
Circulating ghrelin concentrations fluctuate relative to nutritional status and influence feeding behavior in cattle, 3285
Endocrine responses in mares undergoing abrupt changes in nutritional management, 2700
Growth hormone and ghrelin receptor genes are differentially expressed between genetically lean and fat selection lines of sheep, 324
growth hormone secretagogue receptor
Growth hormone and ghrelin receptor genes are differentially expressed between genetically lean and fat selection lines of sheep, 324
growth performance
Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology, 370
Effect of lactoferrin on the growth performance, intestinal morphology, and expression of PR-39 and protegrin-1 genes in weaned piglets, 2636
Effects of dietary humic substances on pig growth performance, carcass characteristics, and ammonia emission, 2482
Evaluation of pet food by-product as an alternative feedstuff in weanling pig diets, 221
Growth performance and carcass characteristics of pigs fed short-season corn hybrids, 2779
growth promoter
Effect of anabolic agents on calpastatin promoters in porcine skeletal muscle and their responsiveness to cyclic adenosine monophosphate- and calcium-related stimuli, 2973
growth rate
Effects of pig age at market weight and magnesium supplementation through drinking water on pork quality, 1512
growth trait
Evaluation of associations between prion haplotypes and growth, carcass, and meat quality traits in a Dorset × Romanov sheep population, 783
guar gum
Effects of guar gum and cellulose on digesta passage rate, ileal microbial populations, energy and protein digestibility, and performance of grower pigs, 843
gut morphology
Intestinal morphology and enzymatic activity in newly weaned pigs fed contrasting fiber concentrations and fiber properties, 1375

H

halothane
Effects of halothane sensitivity on mobility status and blood metabolites of HAL-1843-normal pigs after rigorous handling, 1015

handling
Effects of ractopamine supplementation on behavior of British, Continental, and Brahman crossbred steers during routine handling, 3410
Use of supplementary tryptophan to modify the behavior of pigs, 212
Variations in meat pH of beef bulls in relation to conditions of transfer to slaughter and previous history of the animals, 1567
hay
Voluntary intake and digestibility of reed canarygrass and timothy hay fed to horses, 3104
heart
Changes in fetal organ weights during gestation after selection for ovulation rate and uterine capacity in swine, 2338
heart rate
Energy cost of cows' grazing activity: Use of the heart rate method and the Global Positioning System for direct field estimation, 1951
heat loss
Correlated responses in maternal performance following divergent selection for heat loss in mice, 300
heat production
Changes in heat production by mature cows after changes in feeding level, 1429
Effects of feed restriction and subsequent refeeding on energy utilization in growing pigs, 3329
Partitioning of energy during lactation of primiparous beef cows, 2157
heat stress
Effects of mild heat stress and grain challenge on acid-base balance and rumen tissue histology in lambs, 447
Environmental effects on pregnancy rate in beef cattle, 3415
Environmental factors influencing heat stress in feedlot cattle, 712
Physiological responses of *Bos taurus* and *Bos indicus* cattle to prolonged, continuous heat and humidity, 972
heat-treated alfalfa
Determination of undegradable intake protein digestibility of forages using the mobile nylon bag technique, 886
heifer
Effect of timing of feeding a high-concentrate diet on growth and attainment of puberty in early-weaned heifers, 3118
Effects of growth-promoting agents and season on blood metabolites and body temperature in heifers, 1030
Effects of ractopamine and protein source on growth performance and carcass characteristics of feedlot heifers, 2795
Induction of precocious puberty in heifers I: Enhanced secretion of luteinizing hormone, 2035
Induction of precocious puberty in heifers II: Advanced ovarian follicular development, 2042
Induction of precocious puberty in heifers III: Hastened reduction of estradiol negative feedback on secretion of luteinizing hormone, 2050
Performance of beef heifers grazing stockpiled fescue as influenced by supplemental whole cottonseed, 1613
The effects of cattle sex on carcass characteristics and longissimus muscle palatability, 1820
Use of recombinant gonadotropin-releasing hormone antigens for immunosterilization of beef heifers, 343
heme-iron concentration
Flavor relationships among muscles from the beef chuck and round, 2826
hepatocyte
Diet-induced alterations in progesterone clearance appear to be mediated by insulin signaling in hepatocytes, 1102
herbage allocation
Timing of herbage allocation in strip grazing: Effects on grazing pattern and performance of beef heifers, 1943
herb
Influence of supplemental magnesium, tryptophan, vitamin C, vitamin E, and herbs on stress responses and pork quality, 1827
heritability
Bovine respiratory disease in feedlot cattle: Environmental, genetic, and economic factors, 1999
Feed efficiency of rainbow trout can be improved through selection: Different genetic potential on alternative diets, 807
Genetic analysis of calf market weight and carcass traits in Japanese Black cattle, 2617
Genetic analysis of gain from birth to weaning, milk production, and udder conformation in Line 1 Hereford cattle, 1639
Quantitative genetic aspects of coat color in horses, 2623
heterosis
Effects of age, weight, and fat slaughter end points on estimates of breed and retained heterosis effects for carcass traits, 63
Genetic effects on preweaning weight gain of Nelore-Hereford calves according to different models and estimation methods, 2925
high concentrate diet
Effect of refined soy oil or whole soybeans on intake, methane output, and performance of young bulls, 2418
high-concentrate diet
Effects of dietary nonstructural carbohydrates and protein sources on feeding behavior of tethered heifers fed high-concentrate diets, 1197
Effects of nonstructural carbohydrates and protein sources on intake, apparent total tract digestibility, and ruminal metabolism in vivo and in vitro with high-concentrate beef cattle diets, 1188
high oil corn
Effects of dietary vitamin E and fat supplementation on pork quality, 3089
high-performance liquid chromatography
Technical Note: A monoclonal antibody-based immunoassay for determination of ractopamine in swine feeds, 1248
high-sugar grass silage
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 2. Lipids, 3061
hind gut
Mucosal surface area and fermentation activity in the hind gut of hydrated and chronically dehydrated working donkeys, 119
histone acetylation
Epigenetic characteristics of cloned and in vitro-fertilized swamp buffalo (*Bubalus bubalis*) embryos, 2065
Holstein
Use of bovine somatotropin for increased skeletal and lean tissue growth of Holstein steers, 1176
hormone
Effects of body condition score at parturition, and postpartum supplemental fat, on metabolite and hormone concentrations of beef cows and their suckling calves, 1038
Influence of rearing conditions on performance, behavioral, and physiological responses of pigs to preslaughter handling, carcass traits, and meat quality, 2436
horse
Effect of selenium supplementation and source on the selenium status of horses, 1742
Meal size and feeding frequency influence serum leptin concentration in yearling horses, 2391
Oral and intravenous carbohydrate challenges decrease active ghrelin concentrations and alter hormones related to control of energy metabolism in horses, 1682
Quantitative genetic aspects of coat color in horses, 2623
Voluntary intake and digestibility of reed canarygrass and timothy hay fed to horses, 3104
housing
Influence of rearing conditions on performance, behavioral, and physiological responses of pigs to preslaughter handling, carcass traits, and meat quality, 2436
humic substance
Effects of dietary humic substances on pig growth performance, carcass characteristics, and ammonia emission, 2482
hybrids
Influence of corn hybrid traits on digestibility and the efficiency of gain in feedlot cattle, 1790
hydroethidine
Determination of intracellular reactive oxygen species and high mitochondrial membrane potential in Percoll-treated viable boar sperm using fluorescence-activated flow cytometry, 2089
hydrolase
Developmental changes in morphometry of the small intestine and jejunal sucrase activity during the first nine weeks of postnatal growth in pigs, 112
2-hydroxy-4-(methylthio)butanoic acid
Estimation of the true ileal digestible lysine and sulfur amino acid requirement and comparison of the bioefficacy of 2-hydroxy-4-(methylthio)butanoic acid and DL-methionine in 11- to 26-kg nursery pigs, 1709
3β-hydroxysteroid dehydrogenase

Relationship between the expression of hepatic but not testicular 3β-hydroxysteroid dehydrogenase with androstenone deposition in pig adipose tissue, 2809
5-hydroxytryptamine (serotonin) receptor
5-Hydroxytryptamine-4 receptor messenger ribonucleic acid levels and densities in gastrointestinal muscle layers from healthy dairy cows, 3277
25-hydroxyvitamin D_3
Effects of 25-hydroxyvitamin D_3 and manipulated dietary cation-anion difference on the tenderness of beef from cull native Korean cows, 1481
hypothalamic-pituitary-adrenal axis
Changes in ovine maternal temperature and serum cortisol and interleukin-6 concentrations after challenge with *Escherichia coli* lipopolysaccharide during pregnancy and early lactation, 2083

I

Iberian pig
Differences in whole-body protein turnover between Iberian and Landrace pigs fed adequate or lysine-deficient diets, 3346
ileitis
Effect of dietary inclusion of distillers dried grains with solubles on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1860
Effect of dietary inclusion of distillers dried grains with solubles, soybean hulls, or a polyclonal antibody product on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1880
Effect of including distillers dried grains with solubles in the diet, with or without antimicrobial regimen, on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1870
ileum
Determination of the ileal amino acid and energy digestibilities of corn distillers dried grains with solubles using grower-finisher pigs, 1722
imbalance
Effect of various levels of imbalance between energy and nitrogen release in the rumen on microbial protein synthesis and nitrogen metabolism in growing double-muscled Belgian Blue bulls fed a corn silage-based diet, 877
immune
Impacts of chronic stress and social status on various physiological and performance measures in pigs of different breeds, 588
Photoperiod influences the immune status of multiparous pregnant sows and their piglets, 2072
immune modulator
Supplemental vitamin C and yeast cell wall β-glucan as growth enhancers in newborn pigs and as immunomodulators after an endotoxin challenge after weaning, 2352
immune response
Effect of weaning age and commingling after the nursery phase of pigs in a wean-to-finish facility on growth and humoral and behavioral indicators of well-being, 743
Immune response and serum IgG concentrations in beef calves suckling cows of differing body condition score at parturition and supplemented with high-linoleate or high-oleate safflower seeds, 997
Ingestion of low doses of deoxynivalenol does not affect hematological, biochemical, or immune responses of piglets, 1935
immune system
Ontogeny of T lymphocytes and intestinal morphological characteristics in neonatal pigs at different ages in the postnatal period, 567
immunity
Effects of β-glucan extracted from *Saccharomyces cerevisiae* on growth performance, and immunological and somatotropic responses of pigs challenged with *Escherichia coli* lipopolysaccharide, 2374
Effects of diets with cereal grains contaminated by graded levels of two *Fusarium* toxins on selected immunological and histological measurements in the spleen of gilts, 236
Effects of supplementation of β-glucans on growth performance, nutrient digestibility, and immunity in weanling pigs, 1422
immunization
Immunization of pigs against chicken gonadotropin-releasing hormone-II and lamprey gonadotropin-releasing hormone-III: Effects on gonadotropin secretion and testicular function, 2990
Use of recombinant gonadotropin-releasing hormone antigens for immunosterilization of beef heifers, 343
immunoglobulin A-positive cell
Effects of cyadox and olaquindox on intestinal mucosal immunity and on fecal shedding of *Escherichia coli* in piglets, 2367
immunology
Effects of spray-dried porcine plasma and plant extracts on intestinal morphology and on leukocyte cell subsets of weaned pigs, 2735
Ingestion of low doses of deoxynivalenol does not affect hematological, biochemical, or immune responses of piglets, 1935
implant
Meta-analysis of factors affecting carcass characteristics of feedlot steers, 3143
imprinting
Identification of quantitative trait loci affecting corpora lutea and number of teats in a Meishan × Duroc F_2 resource population, 2895
inactivated fibroblast growth factor receptor 3
Enhanced skeletal growth of sheep heterozygous for an inactivated fibroblast growth factor receptor 3, 2942
individual heterogeneity
The effect of ignoring individual heterogeneity in Weibull log-normal sire frailty models, 1338
injectable transponder
Comparison of visual and electronic identification devices in pigs: On-farm performances, 2575
in situ disappearance kinetics
In situ studies on the time-dependent degradation of recombinant corn DNA and protein in the bovine rumen, 135
Ruminal in situ disappearance kinetics of nitrogen and neutral detergent insoluble nitrogen from common crabgrass forages sampled on seven dates in northern Arkansas, 669
insulin
Diet-induced alterations in progesterone clearance appear to be mediated by insulin signaling in hepatocytes, 1102
Muscle growth and plasma concentrations of amino acids, insulin-like growth factor-I, and insulin in growing pigs fed reduced-protein diets, 3010
insulin-like growth factor binding protein 2 gene
Identification of a single nucleotide polymorphism of the insulin-like growth factor binding protein 2 gene and its association with growth and body composition traits in the chicken, 2902
insulin-like growth factor binding protein
Large variation in steroid concentrations and insulin-like growth factor binding proteins exists among individual small antral follicles collected from within cows at random stages of the estrous cycle, 2714
insulin-like growth factor
Genetic parameter estimates for serum insulin-like growth factor I concentrations, and body weight and weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 2299
insulin-like growth factor-I
Muscle growth and plasma concentrations of amino acids, insulin-like growth factor-I, and insulin in growing pigs fed reduced-protein diets, 3010
insulin-like growth factor I
Plasmid-mediated growth hormone-releasing hormone efficacy in reducing disease associated with *Mycoplasma hyopneumoniae* and porcine reproductive and respiratory syndrome virus infection, 733
insulin sensitivity
Effects of supplements that contain increasing amounts of metabolizable protein with or without Ca-propionate salt on postpartum interval and nutrient partitioning in young beef cows, 433
intake
Effect of creep feed supplementation and season on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance in nursing calves grazing native range in southeastern North Dakota, 411
Effects of concentrated separator by-product (desugared molasses) on intake, ruminal fermentation, digestion, and microbial efficiency in beef steers fed grass hay, 1535

Effects of malate on diet digestibility, microbial protein synthesis, plasma metabolites, and performance of growing lambs fed a high-concentrate diet, 405
Phosphorus appetite in sheep: Dissociating taste from postingestive effects, 2213
Terpenes and carbohydrate source influence rumen fermentation, digestibility, intake, and preference in sheep, 2463
interferon-γ
Effect of carprofen administration during banding or burdizzo castration of bulls on plasma cortisol, in vitro interferon-γ production, acute-phase proteins, feed intake, and growth, 351
internal parasite
A fenbendazole oral drench in addition to an ivermectin pour-on reduces parasite burden and improves feedlot and carcass performance of finishing heifers compared with endectocides alone, 2243
intestinal digestion
Technical note: A modified three-step in vitro procedure to determine intestinal digestion of proteins, 2163
intestinal health
Performance responses and indicators of gastrointestinal health in early-weaned pigs fed low-protein amino acid-supplemented diets, 125
The effect of dietary protein and fermentable carbohydrates levels on growth performance and intestinal characteristics in newly weaned piglets, 3337
intestinal integrity
Effects of supplemental L-tryptophan on serotonin, cortisol, intestinal integrity, and behavior in weanling piglets, 963
intestinal morphology
Effect of lactoferrin on the growth performance, intestinal morphology, and expression of PR-39 and protegrin-1 genes in weaned piglets, 2636
Effects of spray-dried porcine plasma and plant extracts on intestinal morphology and on leukocyte cell subsets of weaned pigs, 2735
Influence of dietary zinc and copper on digestive enzyme activity and intestinal morphology in weaned pigs, 3310
intestinal mucosa
Biochemical and morphological developments are partially impaired in intestinal mucosa from growing pigs fed reduced-protein diets supplemented with crystalline amino acids, 1749
intestinal villi
Growth and intestinal morphology of pigs from sows fed two zinc sources during gestation and lactation, 2141
intestine
Developmental changes in morphometry of the small intestine and jejunal sucrase activity during the first nine weeks of postnatal growth in pigs, 112
intraepithelial lymphocyte
Effects of cyadox and olaquindox on intestinal mucosal immunity and on fecal shedding of *Escherichia coli* in piglets, 2367
intramammary infection
A structural equation model for describing relationships between somatic cell score and milk yield in dairy goats, 2934
intramuscular administration
Simultaneous and minimally invasive assessment of muscle tolerance and bioavailability of different volumes of an intramuscular formulation in the same animals, 1295
intramuscular fat
Genetic analyses and quantitative trait loci detection, using a partial genome scan, for intramuscular fatty acid composition in Scottish Blackface sheep, 3228
Growth- and breed-related changes of marbling characteristics in cattle, 1067
Number of intramuscular adipocytes and fatty acid binding protein-4 content are significant indicators of intramuscular fat level in crossbred Large White × Duroc pigs, 1083
intrauterine growth retardation
Intrauterine growth retardation: Implications for the animal sciences, 2316
in vitro
Technical note: A modified three-step in vitro procedure to determine intestinal digestion of proteins, 2163
in vitro dissolution
Use of rotary fluidized-bed technology for development of sustained-release plant extracts pellets: Potential application for feed additive delivery, 1850
in vitro fertilization
Effects of plane of nutrition on in vitro fertilization and early embryonic development in sheep, 1593
in vitro gas production
Use of the in vitro cumulative gas production technique for pigs: An examination of alterations in fermentation products and substrate losses at various time points, 1110
in vivo
Terpenes and carbohydrate source influence rumen fermentation, digestibility, intake, and preference in sheep, 2463
in vivo-in vitro methodology
Influence of the amount of dietary fiber on the available energy from hindgut fermentation in growing pigs: Use of cannulated pigs and in vitro fermentation, 2766
ionic strength
Effect of oxidation, pH, and ionic strength on calpastatin inhibition of μ- and m-calpain, 925
ionophore
Efficacy of ionophores in cattle diets for mitigation of enteric methane, 1896
isolation test
Postnatal behavioral and physiological responses of piglets from gilts housed individually or in groups during gestation, 757
ivermectin
A fenbendazole oral drench in addition to an ivermectin pour-on reduces parasite burden and improves feedlot and carcass performance of finishing heifers compared with endectocides alone, 2243

J

Japanese Black
Comparison of genetic gains per year for carcass traits among breeding programs in the Japanese Brown and the Japanese Black cattle, 317
Japanese Brown
Comparison of genetic gains per year for carcass traits among breeding programs in the Japanese Brown and the Japanese Black cattle, 317
Johne's disease
Factors associated with ELISA scores for paratuberculosis in an Angus-Brahman multibreed herd of beef cattle, 41

K

kinetics
A revised model for studying phosphorus and calcium kinetics in growing sheep, 2787

L

lactation
Changes in ovine maternal temperature and serum cortisol and interleukin-6 concentrations after challenge with *Escherichia coli* lipopolysaccharide during pregnancy and early lactation, 2083
Effects of body condition score at parturition and postpartum supplemental fat on adipose tissue lipogenic activity of lactating beef cows, 397
Effects of breed and season on performance of lactating sows in a tropical humid climate, 360
Evaluation of the order of limitation of lysine, threonine, and valine, as determined by plasma urea nitrogen, in corn-soybean meal diets of lactating sows with high body weight loss, 1734
Feeding behavior in primiparous lactating sows: Impact of a high-fiber diet during pregnancy, 2474
Growth and intestinal morphology of pigs from sows fed two zinc sources during gestation and lactation, 2141
Lactational performance of Quackenbush Swiss line 5 mice, 2118
Role of suckling in regulating cell turnover and onset and maintenance of lactation in individual mammary glands of sows, 1691
The dietary valine requirement for prolific lactating sows does not exceed the National Research Council estimate, 1415

lactoferrin
Effect of lactoferrin on the growth performance, intestinal morphology, and expression of PR-39 and protegrin-1 genes in weaned piglets, 2636
lamb
Effects of concentrated separator by-product (desugared molasses) on intake, site of digestion, microbial efficiency, and nitrogen balance in ruminants fed forage-based diets, 2232
Effects of malate on diet digestibility, microbial protein synthesis, plasma metabolites, and performance of growing lambs fed a high-concentrate diet, 405
lambs born
Relationship between sexual behavior classifications of rams and lambs sired in a competitive breeding environment, 463
lamprey gonadotropin-releasing hormone-III
Immunization of pigs against chicken gonadotropin-releasing hormone-II and lamprey gonadotropin-releasing hormone-III: Effects on gonadotropin secretion and testicular function, 2990
lasalocid
Efficacy of ionophores in cattle diets for mitigation of enteric methane, 1896
lean
Use of bovine somatotropin for increased skeletal and lean tissue growth of Holstein steers, 1176
lean and fat selection lines
Growth hormone and ghrelin receptor genes are differentially expressed between genetically lean and fat selection lines of sheep, 324
lean deposition energy
Comparison of feed energy costs of maintenance, lean deposition, and fat deposition in three lines of mice selected for heat loss, 276
leanness
Effect of long-term selection for increased leanness on meat and eating quality traits in Duroc swine, 1577
leptin
Endocrine responses in mares undergoing abrupt changes in nutritional management, 2700
Meal size and feeding frequency influence serum leptin concentration in yearling horses, 2391
Oral and intravenous carbohydrate challenges decrease active ghrelin concentrations and alter hormones related to control of energy metabolism in horses, 1682
lethal recessive mutation
Changes in disease gene frequency over time with differential genotypic fitness and various control strategies, 2629
leucine
Excess amino acid supply improves methionine and leucine utilization by growing steers, 1801
linseed
Increasing the amount of n-3 fatty acid in meat from young Holstein bulls through nutrition, 3039
lipase
Ontogeny and chain-length specificity of gastrointestinal lipases affect medium-chain triacylglycerol utilization by newborn pigs, 818
lipid
Low birth weight is associated with enlarged muscle fiber area and impaired meat tenderness of the longissimus muscle in pigs, 93
lipid oxidation
Effect of dietary vitamin E supplementation and feeding period on pork quality, 3071
Effects of dietary vitamin E and fat supplementation on pork quality, 3089
lipids
Site and extent of digestion, duodenal flow, and intestinal disappearance of total and esterified fatty acids in sheep fed a high-concentrate diet supplemented with high-linoleate safflower oil, 387
lipid supplementation
Effects of body condition score at parturition and postpartum supplemental fat on adipose tissue lipogenic activity of lactating beef cows, 397
Effects of body condition score at parturition, and postpartum supplemental fat, on metabolite and hormone concentrations of beef cows and their suckling calves, 1038
Immune response and serum IgG concentrations in beef calves suckling cows of differing body condition score at parturition and supplemented with high-linoleate or high-oleate safflower seeds, 997
Postpartum supplemental fat, but not maternal body condition score at parturition, affects plasma and adipose tissue fatty acid profiles of suckling beef calves, 1811
lipogenesis
Effects of body condition score at parturition and postpartum supplemental fat on adipose tissue lipogenic activity of lactating beef cows, 397
Evaluation of milk somatic cells as a source of mRNA for study of lipogenesis in the mammary gland of lactating beef cows supplemented with dietary high-linoleate safflower seeds, 2399
lipopolysaccharide
Changes in ovine maternal temperature and serum cortisol and interleukin-6 concentrations after challenge with *Escherichia coli* lipopolysaccharide during pregnancy and early lactation, 2083
Effects of β-glucan extracted from *Saccharomyces cerevisiae* on growth performance, and immunological and somatotropic responses of pigs challenged with *Escherichia coli* lipopolysaccharide, 2374
litter size
Genetics of litter size in three maternal lines of rabbits: Repeatability versus multiple-trait models, 2309
Genetic variation of farrowing kinetics traits and their relationships with litter size and perinatal mortality in French Large White sows, 1053
liver
Changes in fetal organ weights during gestation after selection for ovulation rate and uterine capacity in swine, 2338
Genomic analysis of the impact of fescue toxicosis on hepatic function, 1279
Nuclear receptor and nuclear receptor target gene messenger ribonucleic acid levels at different sites of the gastrointestinal tract and in liver of healthy dogs, 2684
livestock production
Research partnerships in relation to topics in animal breeding and genetics, 2276
longevity
Analysis of longevity and exterior traits on Large White sows in Switzerland, 2914
Crossbreeding parameter estimation for functional longevity in rabbits using survival analysis methodology, 58
Survival analysis in two lines of rabbits selected for reproductive traits, 1658
longissimus muscle area
Enhanced skeletal growth of sheep heterozygous for an inactivated fibroblast growth factor receptor 3, 2942
low-phytate soybean
Total and water-soluble phosphorus excretion from swine fed low-phytate soybeans, 1907
low pressure
Modified-atmosphere storage under subatmospheric pressure and beef quality: I. Microbiological effects, 2448
low-quality hay
Effects of canola seed supplementation on intake, digestion, duodenal protein supply, and microbial efficiency in steers fed forage-based diets, 499
lung lesion
Use of treatment records and lung lesion scoring to estimate the effect of respiratory disease on growth during early and late finishing periods in South African feedlot cattle, 488
luteinizing hormone
Comparison of cortisol, luteinizing hormone, and testosterone responses to a defined stressor in sexually inactive rams and sexually active female-oriented and male-oriented rams, 1520
Induction of precocious puberty in heifers I: Enhanced secretion of luteinizing hormone, 2035
Induction of precocious puberty in heifers III: Hastened reduction of estradiol negative feedback on secretion of luteinizing hormone, 2050
lysergic acid
Assessment of vasoconstrictive potential of D-lysergic acid using an isolated bovine lateral saphenous vein bioassay, 3167
lysine
Efficiency of utilizing ileal digestible lysine and threonine for whole body protein deposition in growing pigs is reduced when dietary casein is replaced by wheat shorts, 1362

Evaluation of the order of limitation of lysine, threonine, and valine, as determined by plasma urea nitrogen, in corn-soybean meal diets of lactating sows with high body weight loss, 1734
lysine deficiency
Differences in whole-body protein turnover between Iberian and Landrace pigs fed adequate or lysine-deficient diets, 3346

M

magnesium
Effects of pig age at market weight and magnesium supplementation through drinking water on pork quality, 1512
Effects of supplemental magnesium concentration of drinking water on pork quality, 185
maintenance energy
Comparison of feed energy costs of maintenance, lean deposition, and fat deposition in three lines of mice selected for heat loss, 276
maize
Influence of corn hybrid traits on digestibility and the efficiency of gain in feedlot cattle, 1790
maize gluten
Wet corn gluten feed and alfalfa hay levels in dry-rolled corn finishing diets: Effects on finishing performance and feedlot nitrogen mass balance, 1205
malate
Effects of malate on diet digestibility, microbial protein synthesis, plasma metabolites, and performance of growing lambs fed a high-concentrate diet, 405
mammary gland
Characterization of mammary gland development in pregnant gilts, 579
Evaluation of milk somatic cells as a source of mRNA for study of lipogenesis in the mammary gland of lactating beef cows supplemented with dietary high-linoleate safflower seeds, 2399
Role of suckling in regulating cell turnover and onset and maintenance of lactation in individual mammary glands of sows, 1691
manganese
Growth, reproductive performance, and manganese status of heifers fed varying concentrations of manganese, 3375
manure
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. III. Odorous compound production, 2533
Manure composition of swine as affected by dietary protein and cellulose concentrations, 1584
manure output
Effect of micronized pea and enzyme supplementation on nutrient utilization and manure output in growing pigs, 2150
marbling
Growth- and breed-related changes of marbling characteristics in cattle, 1067
maternal
Genetic analysis of gain from birth to weaning, milk production, and udder conformation in Line 1 Hereford cattle, 1639
maternal effect
Estimating maternal genetic effects in livestock, 800
Genetic analysis of calf market weight and carcass traits in Japanese Black cattle, 2617
maternal performance
Correlated responses in maternal performance following divergent selection for heat loss in mice, 300
mathematical model
Using simulation models to predict feed intake: Phenotypic and genetic relationships between observed and predicted values in cattle, 1310
maturity
Meta-analysis of factors affecting carcass characteristics of feedlot steers, 3143
meat
Changes in caspase activity during the postmortem conditioning period and its relationship to shear force in porcine longissimus muscle, 2841
meat grade
Effects of postmortem aging and USDA quality grade on Warner-Bratzler shear force values of seventeen individual beef muscles, 3387
meat pH
Variations in meat pH of beef bulls in relation to conditions of transfer to slaughter and previous history of the animals, 1567
meat quality
Association of a single nucleotide polymorphism in the calpastatin gene with carcass and meat quality traits of beef cattle, 291
Association of QTL on chromosomes 1, 2, 4, and 7 with growth, carcass, and meat quality traits in backcross Meishan × Large White pigs, 526
Changes in the muscle proteome after compensatory growth in pigs, 918
Correlated responses in growth, carcass, and meat quality traits to divergent selection for testosterone production in pigs, 1331
Cortisol-binding globulin and meat quality in five European lines of pigs, 204
Dietary tryptophan effects on plasma and salivary cortisol and meat quality in pigs, 2251
Effect of dietary vitamin E supplementation and feeding period on pork quality, 3071
Effect of long-term selection for increased leanness on meat and eating quality traits in Duroc swine, 1577
Effects of available dietary carbohydrate and preslaughter treatment on glycolytic potential, protein degradation, and quality traits of pig muscles, 191
Effects of two β-adrenergic agonists on finishing performance, carcass characteristics, and meat quality of feedlot steers, 3259
Genetic correlations between fatty acid compositions in different sites of fat tissues, meat production, and meat quality traits in Duroc pigs, 2026
Growth- and breed-related changes of muscle bundle structure in cattle, 2959
Identification of quantitative trait loci for carcass composition and pork quality traits in a commercial finishing cross, 789
Influence of rearing conditions on performance, behavioral, and physiological responses of pigs to preslaughter handling, carcass traits, and meat quality, 2436
Low birth weight is associated with enlarged muscle fiber area and impaired meat tenderness of the longissimus muscle in pigs, 93
Number of intramuscular adipocytes and fatty acid binding protein-4 content are significant indicators of intramuscular fat level in crossbred Large White × Duroc pigs, 1083
Residual feed intake of purebred Angus steers: Effects on meat quality and palatability, 938
Treadmill exercise is not an effective methodology for producing the dark-cutting condition in young cattle, 3079
meat quality trait
Evaluation of associations between prion haplotypes and growth, carcass, and meat quality traits in a Dorset × Romanov sheep population, 783
meat tenderization
μ-Calpain is essential for postmortem proteolysis of muscle proteins, 2834
meat tenderness
Effects of *calpastatin* and μ-*calpain* markers in beef cattle on tenderness traits, 520
meat trait
No associations between PrP genotypes and reproduction traits in INRA 401 sheep, 1317
medium-chain triacylglycerol
Ontogeny and chain-length specificity of gastrointestinal lipases affect medium-chain triacylglycerol utilization by newborn pigs, 818
melanin
Quantitative genetic aspects of coat color in horses, 2623
metabolic rate
Comparison of histochemical characteristics in various pork groups categorized by postmortem metabolic rate and pork quality, 894
metabolic requirement
Thermal balance of cattle grazing winter range: Model application, 1238
metabolism
Effects of feeding grains naturally contaminated with *Fusarium* mycotoxins with and without a polymeric glucomannan mycotoxin adsorbent on reproductive performance and serum chemistry of pregnant gilts, 2361

metabolite
Effects of body condition score at parturition, and postpartum supplemental fat, on metabolite and hormone concentrations of beef cows and their suckling calves, 1038
metabolizable protein
Effects of ractopamine and protein source on growth performance and carcass characteristics of feedlot heifers, 2795
methane
In vitro bacterial growth and in vivo ruminal microbiota populations associated with bloat in steers grazing wheat forage, 2873
Methane emissions from beef cattle: Effects of fumaric acid, essential oil, and canola oil, 1489
methane production
Relationships of feedlot feed efficiency, performance, and feeding behavior with metabolic rate, methane production, and energy partitioning in beef cattle, 145
methionine bioefficacy
Estimation of the true ileal digestible lysine and sulfur amino acid requirement and comparison of the bioefficacy of 2-hydroxy-4-(methylthio)butanoic acid and DL-methionine in 11- to 26-kg nursery pigs, 1709
DL-methionine
Estimation of the true ileal digestible lysine and sulfur amino acid requirement and comparison of the bioefficacy of 2-hydroxy-4-(methylthio)butanoic acid and DL-methionine in 11- to 26-kg nursery pigs, 1709
methionine
Effects of energy level on methionine utilization by growing steers, 1497
Effects of energy source on methionine utilization by growing steers, 1505
Efficacy of DL-methionine hydroxy analog free acid and DL-methionine as methionine sources for pigs, 104
Evidence of a dietary selection for methionine by the piglet, 379
Excess amino acid supply improves methionine and leucine utilization by growing steers, 1801
methionine hydroxy analog
Efficacy of DL-methionine hydroxy analog free acid and DL-methionine as methionine sources for pigs, 104
mice
Comparison of feed energy costs of maintenance, lean deposition, and fat deposition in three lines of mice selected for heat loss, 276
Lactational performance of Quackenbush Swiss line 5 mice, 2118
microarray
Comparison of prenatal muscle tissue expression profiles of two pig breeds differing in muscle characteristics, 1
Gene expression profiling of bovine skeletal muscle in response to and during recovery from chronic and severe undernutrition, 3239
microbiology
Modified-atmosphere storage under subatmospheric pressure and beef quality: I. Microbiological effects, 2448
microbiota
The response of gastrointestinal microbiota to avilamycin, butyrate, and plant extracts in early-weaned pigs, 2725
micronization
Effect of micronized pea and enzyme supplementation on nutrient utilization and manure output in growing pigs, 2150
microsatellite
Comparison of Vietnamese and European pig breeds using microsatellites, 2601
microsatellite loci
Statistical analysis of individual assignment tests among four cattle breeds using fifteen STR loci, 11
milk
Lactational performance of Quackenbush Swiss line 5 mice, 2118
milk somatic cell
Evaluation of milk somatic cells as a source of mRNA for study of lipogenesis in the mammary gland of lactating beef cows supplemented with dietary high-linoleate safflower seeds, 2399
mineral
Effect of diet composition on water consumption in growing pigs, 3123
Effects of a long-acting, trace mineral, reticulorumen bolus on range cow productivity and trace mineral profiles, 1439
minerals
Effect of graded doses and a high dose of microbial phytase on the digestibility of various minerals in weaner pigs, 1169
mitochondria
Mitochondrial phospholipids of rat skeletal muscle are less polyunsaturated than whole tissue phospholipids: Implications for protection against oxidative stress, 2818
The relationship between mitochondrial function and residual feed intake in Angus steers, 861
The relationships among mitochondrial uncoupling protein 2 and 3 expression, mitochondrial deoxyribonucleic acid single nucleotide polymorphisms, and residual feed intake in Angus steers, 1761
mixing
Effect of weaning age and commingling after the nursery phase of pigs in a wean-to-finish facility on growth and humoral and behavioral indicators of well-being, 743
mobile nylon bag
Determination of undegradable intake protein digestibility of forages using the mobile nylon bag technique, 886
model
Application of broken-line analysis to assess floor space requirements of nursery and grower-finisher pigs expressed on an allometric basis, 229
Estimating maternal genetic effects in livestock, 800
model evaluation
Evaluation of average daily gain prediction by level one of the 1996 National Research Council beef model and development of net energy adjusters, 866
model fitting
Parametric bootstrap for testing model fitting in the proportional hazards framework: An application to the survival analysis of Bruna dels Pirineus beef calves, 2609
modeling
A revised model for studying phosphorus and calcium kinetics in growing sheep, 2787
Body fatness affects feed intake of sheep at a given body weight, 1778
Changes in disease gene frequency over time with differential genotypic fitness and various control strategies, 2629
modified atmosphere
Modified-atmosphere storage under subatmospheric pressure and beef quality: II. Color, drip, cooking loss, sarcomere length, and tenderness, 2456
modified atmosphere packaging
Effects of polyvinyl chloride overwrap film, high-oxygen modified atmosphere packaging, or ultra-low-oxygen modified atmosphere packaging on bone marrow discoloration in beef humerus, rib, thoracic vertebra, and scapula, 694
monensin
Efficacy of ionophores in cattle diets for mitigation of enteric methane, 1896
monosodium phosphate
Efficacy and equivalency of an *Escherichia coli*-derived phytase for replacing inorganic phosphorus in the diets of broiler chickens and young pigs, 3364
monounsaturated fatty acid
Mitochondrial phospholipids of rat skeletal muscle are less polyunsaturated than whole tissue phospholipids: Implications for protection against oxidative stress, 2818
Monte Carlo method
Bayesian reanalysis of a quantitative trait locus accounting for multiple environments by scaling in broilers, 2009
morbidity
Effects of an artificial sweetener on health, performance, and dietary preference of feedlot cattle, 2491
morphology
Mucosal surface area and fermentation activity in the hind gut of hydrated and chronically dehydrated working donkeys, 119
Ontogeny of T lymphocytes and intestinal morphological characteristics in neonatal pigs at different ages in the postnatal period, 567
motility
Determination of intracellular reactive oxygen species and high mitochondrial membrane potential in Percoll-treated viable boar sperm using fluorescence-activated flow cytometry, 2089
mouse
Correlated responses in maternal performance following divergent selection for heat loss in mice, 300
Effect of fescue toxicosis on hepatic gene expression in mice, 1600

mRNA
Effect of selenium intake and fetal age on mRNA levels of two selenoproteins in porcine fetal and maternal liver, 2382
Evaluation of milk somatic cells as a source of mRNA for study of lipogenesis in the mammary gland of lactating beef cows supplemented with dietary high-linoleate safflower seeds, 2399
mucin
Influence of dietary zinc and copper on digestive enzyme activity and intestinal morphology in weaned pigs, 3310
Intestinal morphology and enzymatic activity in newly weaned pigs fed contrasting fiber concentrations and fiber properties, 1375
multibreed
Factors associated with ELISA scores for paratuberculosis in an Angus-Brahman multibreed herd of beef cattle, 41
multicolinearity
Genetic effects on preweaning weight gain of Nelore-Hereford calves according to different models and estimation methods, 2925
multiple environment
Bayesian reanalysis of a quantitative trait locus accounting for multiple environments by scaling in broilers, 2009
muscle
Comparison of prenatal muscle tissue expression profiles of two pig breeds differing in muscle characteristics, 1
Effects of postmortem aging and USDA quality grade on Warner-Bratzler shear force values of seventeen individual beef muscles, 3387
Gene expression of myostatin during development and regeneration of skeletal muscle in Japanese Black Cattle, 2983
Gene expression profiling of bovine skeletal muscle in response to and during recovery from chronic and severe undernutrition, 3239
Influence of rearing conditions on performance, behavioral, and physiological responses of pigs to preslaughter handling, carcass traits, and meat quality, 2436
muscle damage
Simultaneous and minimally invasive assessment of muscle tolerance and bioavailability of different volumes of an intramuscular formulation in the same animals, 1295
muscle fiber
Comparison of histochemical characteristics in various pork groups categorized by postmortem metabolic rate and pork quality, 894
Growth- and breed-related changes of muscle bundle structure in cattle, 2959
Low birth weight is associated with enlarged muscle fiber area and impaired meat tenderness of the longissimus muscle in pigs, 93
muscle growth
Changes in the muscle proteome after compensatory growth in pigs, 918
Muscle growth and plasma concentrations of amino acids, insulin-like growth factor-I, and insulin in growing pigs fed reduced-protein diets, 3010
Mycobacterium avium subspecies *paratuberculosis*
Factors associated with ELISA scores for paratuberculosis in an Angus-Brahman multibreed herd of beef cattle, 41
mycotoxin
Effects of feeding grains naturally contaminated with *Fusarium* mycotoxins with and without a polymeric glucomannan mycotoxin adsorbent on reproductive performance and serum chemistry of pregnant gilts, 2361
Ingestion of low doses of deoxynivalenol does not affect hematological, biochemical, or immune responses of piglets, 1935
myoblast transdifferentiation
Porcine peroxisome proliferator-activated receptor γ induces transdifferentiation of myocytes into adipocytes, 2655
myocyte gene
Porcine peroxisome proliferator-activated receptor γ induces transdifferentiation of myocytes into adipocytes, 2655
myogenic regulatory factor
Gene expression of myostatin during development and regeneration of skeletal muscle in Japanese Black Cattle, 2983
myosin
Number of intramuscular adipocytes and fatty acid binding protein-4 content are significant indicators of intramuscular fat level in crossbred Large White × Duroc pigs, 1083
myostatin
Gene expression of myostatin during development and regeneration of skeletal muscle in Japanese Black Cattle, 2983
Proteomic analysis of ovine muscle hypertrophy, 3266

N

n-3 fatty acid
Influence of fish oil in finishing diets on growth performance, carcass characteristics, and sensory evaluation of cattle, 902
neonate
Maintenance of body temperature in the neonatal lamb: Effects of breed, birth weight, and litter size, 1093
Neotyphodium coenophialum
Influence of stocking rate and steroidal implants on growth rate of steers grazing toxic tall fescue and subsequent physiological responses, 1626
net energy
Evaluation of average daily gain prediction by level one of the 1996 National Research Council beef model and development of net energy adjusters, 866
net present value
Impact of biological and economic variables on optimal parity for replacement in swine breed-to-wean herds, 2555
neutral detergent insoluble nitrogen
Estimation of undegradable intake protein in forages using neutral detergent insoluble nitrogen at a single in situ incubation time point, 651
Ruminal in situ disappearance kinetics of nitrogen and neutral detergent insoluble nitrogen from common crabgrass forages sampled on seven dates in northern Arkansas, 669
nitrogen balance
Effect of various levels of imbalance between energy and nitrogen release in the rumen on microbial protein synthesis and nitrogen metabolism in growing double-muscled Belgian Blue bulls fed a corn silage-based diet, 877
nitrogen
Effect of various levels of imbalance between energy and nitrogen release in the rumen on microbial protein synthesis and nitrogen metabolism in growing double-muscled Belgian Blue bulls fed a corn silage-based diet, 877
Effects of phase feeding of protein on performance, blood urea nitrogen concentration, manure nitrogen:phosphorus ratio, and carcass characteristics of feedlot cattle, 3032
Wet corn gluten feed and alfalfa hay levels in dry-rolled corn finishing diets: Effects on finishing performance and feedlot nitrogen mass balance, 1205
nitrogen use efficiency
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 1. In vitro and in vivo studies of nitrogen utilization, 3049
nonambulatory
Effect of floor space during transport of market-weight pigs on the incidence of transport losses at the packing plant and the relationships between transport conditions and losses, 2856
Effects of halothane sensitivity on mobility status and blood metabolites of HAL-1843-normal pigs after rigorous handling, 1015
nonstarch polysaccharide
Characterizing developmental changes in plasma and tissue skatole concentrations in the prepubescent intact male pig, 1699
Efficiency of utilizing ileal digestible lysine and threonine for whole body protein deposition in growing pigs is reduced when dietary casein is replaced by wheat shorts, 1362
Influence of the amount of dietary fiber on the available energy from hindgut fermentation in growing pigs: Use of cannulated pigs and in vitro fermentation, 2766
nonstructural carbohydrates
Effects of nonstructural carbohydrates and protein sources on intake, apparent total tract digestibility, and ruminal metabolism in vivo and in vitro with high-concentrate beef cattle diets, 1188
nuclear receptor
Nuclear receptor and nuclear receptor target gene messenger ribonucleic acid levels at different sites of the gastrointestinal tract and in liver of healthy dogs, 2684

nuclear receptor target gene
Nuclear receptor and nuclear receptor target gene messenger ribonucleic acid levels at different sites of the gastrointestinal tract and in liver of healthy dogs, 2684
nuclear transfer
Epigenetic characteristics of cloned and in vitro-fertilized swamp buffalo (*Bubalus bubalis*) embryos, 2065
number of teats
Identification of quantitative trait loci affecting corpora lutea and number of teats in a Meishan × Duroc F_2 resource population, 2895
nursery
Growth and intestinal morphology of pigs from sows fed two zinc sources during gestation and lactation, 2141
nursing pig
Comparative effects of organic and inorganic selenium on selenium transfer from sows to nursing pigs, 1729
nutrient absorption
A genetically engineered *Escherichia coli* phytase improves nutrient utilization, growth performance, and bone strength of young swine fed diets deficient in available phosphorus, 1147
nutrient excretion
A genetically engineered *Escherichia coli* phytase improves nutrient utilization, growth performance, and bone strength of young swine fed diets deficient in available phosphorus, 1147
nutrient requirement
Using simulation models to predict feed intake: Phenotypic and genetic relationships between observed and predicted values in cattle, 1310
nutrient supplementation
Influence of supplemental magnesium, tryptophan, vitamin C, vitamin E, and herbs on stress responses and pork quality, 1827
nutrient utilization
Effect of micronized pea and enzyme supplementation on nutrient utilization and manure output in growing pigs, 2150
nutrition
Body composition of breeding gilts in response to dietary protein and energy balance from thirty kilograms of body weight to completion of first parity, 1926
Effects of plane of nutrition on in vitro fertilization and early embryonic development in sheep, 1593
Gene expression profiling of bovine skeletal muscle in response to and during recovery from chronic and severe undernutrition, 3239
Intrauterine growth retardation: Implications for the animal sciences, 2316

O

odor
Incorporation of thymol into corncob granules for reduction of odor and pathogens in feedlot cattle waste, 481
Influence of genotype and diet on steer performance, manure odor, and carriage of pathogenic and other fecal bacteria. III. Odorous compound production, 2533
Manure composition of swine as affected by dietary protein and cellulose concentrations, 1584
Selecting soybean meal characteristics preferred for swine nutrition, 1387
odor compound
Feeding high-moisture corn instead of dry-rolled corn reduces odorous compound production in manure of finishing beef cattle without decreasing performance, 1767
omega-3
Increasing the amount of n-3 fatty acid in meat from young Holstein bulls through nutrition, 3039
ontogeny
Ontogeny and chain-length specificity of gastrointestinal lipases affect medium-chain triacylglycerol utilization by newborn pigs, 818
organic acid
Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology, 370
orientation
Thermal balance of cattle grazing winter range: Model application, 1238
ovary
Induction of precocious puberty in heifers II: Advanced ovarian follicular development, 2042
Large variation in steroid concentrations and insulin-like growth factor binding proteins exists among individual small antral follicles collected from within cows at random stages of the estrous cycle, 2714
ovine
Changes in ovine maternal temperature and serum cortisol and interleukin-6 concentrations after challenge with *Escherichia coli* lipopolysaccharide during pregnancy and early lactation, 2083
Simultaneous and minimally invasive assessment of muscle tolerance and bioavailability of different volumes of an intramuscular formulation in the same animals, 1295
Site and extent of digestion, duodenal flow, and intestinal disappearance of total and esterified fatty acids in sheep fed a high-concentrate diet supplemented with high-linoleate safflower oil, 387
ovulation
Genetic partitioning of variation in ovulatory follicle size and probability of pregnancy in beef cattle, 1646
oxidation
Effect of oxidation, pH, and ionic strength on calpastatin inhibition of μ- and m-calpain, 925

P

palatability
Consumer sensory acceptance and value of wet-aged and dry-aged beef steaks, 1221
Fish meals, fish components, and fish protein hydrolysates as potential ingredients in pet foods, 2752
Pork quality attributes associated with bilateral carcass variation, 456
Residual feed intake of purebred Angus steers: Effects on meat quality and palatability, 938
The effects of cattle sex on carcass characteristics and longissimus muscle palatability, 1820
The influence of dietary field peas (*Pisum sativum* L.) on pig performance, carcass quality, and the palatability of pork, 3110
pancreatic secretion
Effects of level of feed intake on pancreatic exocrine secretions during the early postweaning period in piglets, 2965
parametric bootstrap
Parametric bootstrap for testing model fitting in the proportional hazards framework: An application to the survival analysis of Bruna dels Pirineus beef calves, 2609
paratuberculosis
Factors associated with ELISA scores for paratuberculosis in an Angus-Brahman multibreed herd of beef cattle, 41
parity
Genetics of litter size in three maternal lines of rabbits: Repeatability versus multiple-trait models, 2309
parotid saliva
Determination of parotid sulfate secretion in sheep by means of ultrasonic flow probes, 1215
particle size
Increased puroindoline levels slow ruminal digestion of wheat (*Triticum aestivum* L.) starch by cattle, 641
passage rate
Effects of guar gum and cellulose on digesta passage rate, ileal microbial populations, energy and protein digestibility, and performance of grower pigs, 843
passive transfer
Immune response and serum IgG concentrations in beef calves suckling cows of differing body condition score at parturition and supplemented with high-linoleate or high-oleate safflower seeds, 997
paternal component
Genetics of litter size in three maternal lines of rabbits: Repeatability versus multiple-trait models, 2309
paternal typing
Relationship between sexual behavior classifications of rams and lambs sired in a competitive breeding environment, 463

pathogen
A model for predicting feed intake of growing animals during exposure to pathogens, 1552
Incorporation of thymol into corncob granules for reduction of odor and pathogens in feedlot cattle waste, 481
pathogenicity genes
Performance, diarrhea incidence, and occurrence of *Escherichia coli* virulence genes during long-term administration of a probiotic *Enterococcus faecium* strain to sows and piglets, 608
pellet
Use of rotary fluidized-bed technology for development of sustained-release plant extracts pellets: Potential application for feed additive delivery, 1850
pen
Predicting breeding values and accuracies from group in comparison to individual observations, 88
perennial ryegrass silage
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 1. In vitro and in vivo studies of nitrogen utilization, 3049
performance
Application of broken-line analysis to assess floor space requirements of nursery and grower-finisher pigs expressed on an allometric basis, 229
Effects of β-glucan extracted from *Saccharomyces cerevisiae* on growth performance, and immunological and somatotropic responses of pigs challenged with *Escherichia coli* lipopolysaccharide, 2374
Effects of breed and season on performance of lactating sows in a tropical humid climate, 360
Effects of malate on diet digestibility, microbial protein synthesis, plasma metabolites, and performance of growing lambs fed a high-concentrate diet, 405
Evaluation in Appalachian pasture systems of the 1996 (update 2000) National Research Council model for weaning cattle, 1265
Impacts of chronic stress and social status on various physiological and performance measures in pigs of different breeds, 588
Performance, diarrhea incidence, and occurrence of *Escherichia coli* virulence genes during long-term administration of a probiotic *Enterococcus faecium* strain to sows and piglets, 608
Socializing piglets before weaning: Effects on behavior of lactating sows, pre- and postweaning behavior, and performance of piglets, 2847
Timing of herbage allocation in strip grazing: Effects on grazing pattern and performance of beef heifers, 1943
peroxisome proliferator-activated receptor γ 2
Gene expression of myostatin during development and regeneration of skeletal muscle in Japanese Black Cattle, 2983
peroxisome proliferator-activated receptor γ
Porcine peroxisome proliferator-activated receptor γ induces transdifferentiation of myocytes into adipocytes, 2655
pet food
Fish meals, fish components, and fish protein hydrolysates as potential ingredients in pet foods, 2752
phase feeding
Effect of timing of feeding a high-concentrate diet on growth and attainment of puberty in early-weaned heifers, 3118
Effects of phase feeding of protein on performance, blood urea nitrogen concentration, manure nitrogen:phosphorus ratio, and carcass characteristics of feedlot cattle, 3032
pH
Effect of oxidation, pH, and ionic strength on calpastatin inhibition of μ- and m-calpain, 925
Flavor relationships among muscles from the beef chuck and round, 2826
phenylbutazone
Simultaneous and minimally invasive assessment of muscle tolerance and bioavailability of different volumes of an intramuscular formulation in the same animals, 1295
pheromone
Resumption of postpartum luteal function of primiparous, suckled beef cows exposed continuously to bull urine, 2708
phospholipid
Mitochondrial phospholipids of rat skeletal muscle are less polyunsaturated than whole tissue phospholipids: Implications for protection against oxidative stress, 2818
phosphorus
A genetically engineered *Escherichia coli* phytase improves nutrient utilization, growth performance, and bone strength of young swine fed diets deficient in available phosphorus, 1147
A revised model for studying phosphorus and calcium kinetics in growing sheep, 2787
Effect of a novel phytase on growth performance, bone ash, and mineral digestibility in nursery and grower-finisher pigs, 1839
Effects of phase feeding of protein on performance, blood urea nitrogen concentration, manure nitrogen:phosphorus ratio, and carcass characteristics of feedlot cattle, 3032
Estimating equivalency values of microbial phytase for amino acids in growing and finishing pigs fitted with steered ileo-cecal valve cannulas, 1119
Estimation of endogenous phosphorus loss in growing and finishing pigs fed semi-purified diets, 618
Estimation of true phosphorus digestibility and endogenous phosphorus loss in growing pigs fed conventional and low-phytate soybean meals, 627
Novel procedure for estimating endogenous losses and measurement of apparent and true digestibility of phosphorus by growing pigs, 2126
Phosphorus appetite in sheep: Dissociating taste from postingestive effects, 2213
Total and water-soluble phosphorus excretion from swine fed low-phytate soybeans, 1907
phosphorus pollution control
Cloning of pig parotid secretory protein gene upstream promoter and the establishment of a transgenic mouse model expressing bacterial phytase for agricultural phosphorus pollution control, 513
photoperiod
Photoperiod influences the immune status of multiparous pregnant sows and their piglets, 2072
phytanic acid
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 2. Lipids, 3061
phytase
A genetically engineered *Escherichia coli* phytase improves nutrient utilization, growth performance, and bone strength of young swine fed diets deficient in available phosphorus, 1147
Cloning of pig parotid secretory protein gene upstream promoter and the establishment of a transgenic mouse model expressing bacterial phytase for agricultural phosphorus pollution control, 513
Effect of a novel phytase on growth performance, bone ash, and mineral digestibility in nursery and grower-finisher pigs, 1839
Effect of graded doses and a high dose of microbial phytase on the digestibility of various minerals in weaner pigs, 1169
Efficacy and equivalency of an *Escherichia coli*-derived phytase for replacing inorganic phosphorus in the diets of broiler chickens and young pigs, 3364
Estimating equivalency values of microbial phytase for amino acids in growing and finishing pigs fitted with steered ileo-cecal valve cannulas, 1119
phytoestrogen
Estrogenic effects of genistein on reproductive tissues of ovariectomized gilts, 834
pig breed
Comparison of prenatal muscle tissue expression profiles of two pig breeds differing in muscle characteristics, 1
Comparison of Vietnamese and European pig breeds using microsatellites, 2601
pig
Abundantly expressed genes in pig adipose tissue: An expressed sequence tag approach, 2673
Adipocyte fatty-acid binding protein is closely associated to the porcine *FAT1* locus on chromosome 4, 2907
A genetically engineered *Escherichia coli* phytase improves nutrient utilization, growth performance, and bone strength of young swine fed diets deficient in available phosphorus, 1147
A genetic upper limit to whole-body protein deposition in a strain of growing pigs, 3301
Amino acid and energy digestibility in ten samples of distillers dried grain with solubles fed to growing pigs, 853
Amino acid and energy digestibility of protein sources for growing pigs, 1396
Amino acid digestibility in dry extruded-expelled soybean meal fed to pigs and poultry, 1130

An investigation of susceptibility to porcine reproductive and respiratory syndrome virus between two genetically diverse commercial lines of pigs, 49
Application of broken-line analysis to assess floor space requirements of nursery and grower-finisher pigs expressed on an allometric basis, 229
Association of QTL on chromosomes 1, 2, 4, and 7 with growth, carcass, and meat quality traits in backcross Meishan × Large White pigs, 526
Biochemical and morphological developments are partially impaired in intestinal mucosa from growing pigs fed reduced-protein diets supplemented with crystalline amino acids, 1749
Body composition of breeding gilts in response to dietary protein and energy balance from thirty kilograms of body weight to completion of first parity, 1926
Changes in caspase activity during the postmortem conditioning period and its relationship to shear force in porcine longissimus muscle, 2841
Characterizing developmental changes in plasma and tissue skatole concentrations in the prepubescent intact male pig, 1699
Comparison of grain sources for swine diets and their effect on meat and fat quality traits, 1022
Comparison of visual and electronic identification devices in pigs: On-farm performances, 2575
Correlated responses in growth, carcass, and meat quality traits to divergent selection for testosterone production in pigs, 1331
Determination of the ileal amino acid and energy digestibilities of corn distillers dried grains with solubles using grower-finisher pigs, 1722
Developmental changes in morphometry of the small intestine and jejunal sucrase activity during the first nine weeks of postnatal growth in pigs, 112
Effect of anabolic agents on calpastatin promoters in porcine skeletal muscle and their responsiveness to cyclic adenosine monophosphate- and calcium-related stimuli, 2973
Effect of a novel phytase on growth performance, bone ash, and mineral digestibility in nursery and grower-finisher pigs, 1839
Effect of dietary inclusion of distillers dried grains with solubles on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1860
Effect of dietary inclusion of distillers dried grains with solubles, soybean hulls, or a polyclonal antibody product on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1880
Effect of environmental enrichment at two stages of development on belly nosing in piglets weaned at fourteen days, 3397
Effect of floor space during transport of market-weight pigs on the incidence of transport losses at the packing plant and the relationships between transport conditions and losses, 2856
Effect of including distillers dried grains with solubles in the diet, with or without antimicrobial regimen, on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1870
Effect of micronized pea and enzyme supplementation on nutrient utilization and manure output in growing pigs, 2150
Effect of selenium intake and fetal age on mRNA levels of two selenoproteins in porcine fetal and maternal liver, 2382
Effects of available dietary carbohydrate and preslaughter treatment on glycolytic potential, protein degradation, and quality traits of pig muscles, 191
Effects of cyadox and olaquindox on intestinal mucosal immunity and on fecal shedding of *Escherichia coli* in piglets, 2367
Effects of dietary humic substances on pig growth performance, carcass characteristics, and ammonia emission, 2482
Effects of diets with cereal grains contaminated by graded levels of two *Fusarium* toxins on selected immunological and histological measurements in the spleen of gilts, 236
Effects of feed restriction and subsequent refeeding on energy utilization in growing pigs, 3329
Effects of guar gum and cellulose on digesta passage rate, ileal microbial populations, energy and protein digestibility, and performance of grower pigs, 843
Effects of supplemental L-tryptophan on serotonin, cortisol, intestinal integrity, and behavior in weanling piglets, 963
Effects of supplementation of β-glucans on growth performance, nutrient digestibility, and immunity in weanling pigs, 1422
Efficacy and equivalency of an *Escherichia coli*-derived phytase for replacing inorganic phosphorus in the diets of broiler chickens and young pigs, 3364
Efficacy of DL-methionine hydroxy analog free acid and DL-methionine as methionine sources for pigs, 104
Estimating equivalency values of microbial phytase for amino acids in growing and finishing pigs fitted with steered ileo-cecal valve cannulas, 1119
Estimation of endogenous phosphorus loss in growing and finishing pigs fed semi-purified diets, 618
Estimation of the true ileal digestible lysine and sulfur amino acid requirement and comparison of the bioefficacy of 2-hydroxy-4-(methylthio)butanoic acid and DL-methionine in 11- to 26-kg nursery pigs, 1709
Estimation of true phosphorus digestibility and endogenous phosphorus loss in growing pigs fed conventional and low-phytate soybean meals, 627
Evaluation of Duroc- vs. Pietrain-sired pigs for growth and composition, 266
Evaluation of pet food by-product as an alternative feedstuff in weanling pig diets, 221
Evaluation of the inclusion of soybean oil and soybean processing by-products to soybean meal on nutrient composition and digestibility in swine and poultry, 1403
Factors influencing boar sperm cryosurvival, 2692
Genetic and phenotypic relationships of farrowing and weaning survival to birth and placental weights in pigs, 32
Genetic parameters for various random regression models to describe total sperm cells per ejaculate over the reproductive lifetime of boars, 538
Genetic variation of farrowing kinetics traits and their relationships with litter size and perinatal mortality in French Large White sows, 1053
Growth and intestinal morphology of pigs from sows fed two zinc sources during gestation and lactation, 2141
Growth performance and carcass characteristics of pigs fed short-season corn hybrids, 2779
Hormonal profiles, behavioral responses, and short-term growth performance after castration of pigs at three, six, nine, or twelve days of age, 1271
Identification of quantitative trait loci affecting corpora lutea and number of teats in a Meishan × Duroc F_2 resource population, 2895
Identification of quantitative trait loci for carcass composition and pork quality traits in a commercial finishing cross, 789
Immunization of pigs against chicken gonadotropin-releasing hormone-II and lamprey gonadotropin-releasing hormone-III: Effects on gonadotropin secretion and testicular function, 2990
Impacts of chronic stress and social status on various physiological and performance measures in pigs of different breeds, 588
Influence of dietary zinc and copper on digestive enzyme activity and intestinal morphology in weaned pigs, 3310
Influence of increased feeding frequency on behavior and integument lesions in growing-finishing restricted-fed pigs, 1526
Influence of rearing conditions on performance, behavioral, and physiological responses of pigs to preslaughter handling, carcass traits, and meat quality, 2436
Influence of supplemental magnesium, tryptophan, vitamin C, vitamin E, and herbs on stress responses and pork quality, 1827
Influence of the amount of dietary fiber on the available energy from hindgut fermentation in growing pigs: Use of cannulated pigs and in vitro fermentation, 2766
Intestinal morphology and enzymatic activity in newly weaned pigs fed contrasting fiber concentrations and fiber properties, 1375
Low birth weight is associated with enlarged muscle fiber area and impaired meat tenderness of the longissimus muscle in pigs, 93
Muscle growth and plasma concentrations of amino acids, insulin-like growth factor-I, and insulin in growing pigs fed reduced-protein diets, 3010
Novel procedure for estimating endogenous losses and measurement of apparent and true digestibility of phosphorus by growing pigs, 2126
Number of intramuscular adipocytes and fatty acid binding protein-4 content are significant indicators of intramuscular fat level in crossbred Large White × Duroc pigs, 1083
Ontogeny and chain-length specificity of gastrointestinal lipases affect medium-chain triacylglycerol utilization by newborn pigs, 818
Performance, diarrhea incidence, and occurrence of *Escherichia coli* virulence genes during long-term administration of a probiotic *Enterococcus faecium* strain to sows and piglets, 608

Plasmid-mediated growth hormone-releasing hormone efficacy in reducing disease associated with *Mycoplasma hyopneumoniae* and porcine reproductive and respiratory syndrome virus infection, 733
Relationship between the expression of hepatic but not testicular 3 β-hydroxysteroid dehydrogenase with androstenone deposition in pig adipose tissue, 2809
Role of suckling in regulating cell turnover and onset and maintenance of lactation in individual mammary glands of sows, 1691
Supplemental vitamin C and yeast cell wall β-glucan as growth enhancers in newborn pigs and as immunomodulators after an endotoxin challenge after weaning, 2352
Supplementing drinking water with Solutein did not mitigate acute morbidity effects of porcine reproductive and respiratory syndrome virus in nursery pigs, 2101
The digestive fate of *Escherichia coli* glutamate dehydrogenase deoxyribonucleic acid from transgenic corn in diets fed to weanling pigs, 597
The effects of dietary energy concentration and weaning site on weanling pig performance, 1159
The influence of dietary field peas (*Pisum sativum* L.) on pig performance, carcass quality, and the palatability of pork, 3110
The relationship between residual feed intake and feed intake behavior in group-housed Duroc barrows, 956
True ileal amino acid digestibility and endogenous ileal amino acid losses in growing pigs fed wheat shorts- or casein-based diets, 1351
Use of supplementary tryptophan to modify the behavior of pigs, 212

pig growth
Evaluation of the effects of dietary fat, conjugated linoleic acid, and ractopamine on growth performance, pork quality, and fatty acid profiles in genetically lean gilts, 720

piglet
Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology, 370
Effects of β-glucan extracted from *Saccharomyces cerevisiae* on growth performance, and immunological and somatotropic responses of pigs challenged with *Escherichia coli* lipopolysaccharide, 2374
Effects of butyrate, avilamycin, and a plant extract combination on the intestinal equilibrium of early-weaned pigs, 2743
Effects of level of feed intake on pancreatic exocrine secretions during the early postweaning period in piglets, 2965
Evidence of a dietary selection for methionine by the piglet, 379
Ingestion of low doses of deoxynivalenol does not affect hematological, biochemical, or immune responses of piglets, 1935
Photoperiod influences the immune status of multiparous pregnant sows and their piglets, 2072
Socializing piglets before weaning: Effects on behavior of lactating sows, pre- and postweaning behavior, and performance of piglets, 2847
The effect of dietary protein and fermentable carbohydrates levels on growth performance and intestinal characteristics in newly weaned piglets, 3337

piglet survival
High amino acid variation in the intracellular domain of the pig prolactin receptor (*PRLR*) and its relation to ovulation rate and piglet survival traits, 1991

pig parotid secretory protein gene
Cloning of pig parotid secretory protein gene upstream promoter and the establishment of a transgenic mouse model expressing bacterial phytase for agricultural phosphorus pollution control, 513

pig prolactin receptor
High amino acid variation in the intracellular domain of the pig prolactin receptor (*PRLR*) and its relation to ovulation rate and piglet survival traits, 1991

pituitary
Growth hormone and ghrelin receptor genes are differentially expressed between genetically lean and fat selection lines of sheep, 324

placentomal conversion
Placentomal differentiation may compensate for maternal nutrient restriction in ewes adapted to harsh range conditions, 3451

plant extract
Effects of alfalfa extract, anise, capsicum, and a mixture of cinnamaldehyde and eugenol on ruminal fermentation and protein degradation in beef heifers fed a high-concentrate diet, 2801
Effects of butyrate, avilamycin, and a plant extract combination on the intestinal equilibrium of early-weaned pigs, 2743
Effects of spray-dried porcine plasma and plant extracts on intestinal morphology and on leukocyte cell subsets of weaned pigs, 2735
Use of rotary fluidized-bed technology for development of sustained-release plant extracts pellets: Potential application for feed additive delivery, 1850

plant oil
Incorporation of thymol into corncob granules for reduction of odor and pathogens in feedlot cattle waste, 481

plasma fatty acid
Postpartum supplemental fat, but not maternal body condition score at parturition, affects plasma and adipose tissue fatty acid profiles of suckling beef calves, 1811

plasma urea nitrogen
Effects of sire line, sire, and sex on plasma urea nitrogen, body weight, and backfat thickness in offspring of Duroc and Landrace boars, 1323
Evaluation of the order of limitation of lysine, threonine, and valine, as determined by plasma urea nitrogen, in corn-soybean meal diets of lactating sows with high body weight loss, 1734

plasmid
Plasmid-mediated growth hormone-releasing hormone efficacy in reducing disease associated with *Mycoplasma hyopneumoniae* and porcine reproductive and respiratory syndrome virus infection, 733

polyclonal antibody
Effect of dietary inclusion of distillers dried grains with solubles, soybean hulls, or a polyclonal antibody product on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1880

polymerase chain reaction
In situ studies on the time-dependent degradation of recombinant corn DNA and protein in the bovine rumen, 135

polymorphism
High amino acid variation in the intracellular domain of the pig prolactin receptor (*PRLR*) and its relation to ovulation rate and piglet survival traits, 1991

polyunsaturated fatty acid
Mitochondrial phospholipids of rat skeletal muscle are less polyunsaturated than whole tissue phospholipids: Implications for protection against oxidative stress, 2818

pooled observation
Predicting breeding values and accuracies from group in comparison to individual observations, 88

porcine
The expression of genes related to adipocyte differentiation in pigs, 1059

porcine reproductive and respiratory syndrome virus
An investigation of susceptibility to porcine reproductive and respiratory syndrome virus between two genetically diverse commercial lines of pigs, 49
Supplementing drinking water with Solutein did not mitigate acute morbidity effects of porcine reproductive and respiratory syndrome virus in nursery pigs, 2101

pork
Cortisol-binding globulin and meat quality in five European lines of pigs, 204
Effect of dietary vitamin E supplementation and feeding period on pork quality, 3071
Effects of dietary vitamin E and fat supplementation on pork quality, 3089
Effects of pig age at market weight and magnesium supplementation through drinking water on pork quality, 1512
Effects of supplemental magnesium concentration of drinking water on pork quality, 185
Growth performance, carcass composition, quality, and enhancement treatment of fresh pork identified through DNA marker-assisted selection for the Rendement Napole gene, 910
Pork quality attributes associated with bilateral carcass variation, 456
The influence of dietary field peas (*Pisum sativum* L.) on pig performance, carcass quality, and the palatability of pork, 3110

pork marketing
The United States pork niche market phenomenon, 2269

pork quality
Comparison of grain sources for swine diets and their effect on meat and fat quality traits, 1022

Comparison of histochemical characteristics in various pork groups categorized by postmortem metabolic rate and pork quality, 894
Descriptive flavor analysis of bacon and pork loin from lean-genotype gilts fed conjugated linoleic acid and supplemental fat, 3381
Harvest processes on pork loin and ham quality, 178
Influence of supplemental magnesium, tryptophan, vitamin C, vitamin E, and herbs on stress responses and pork quality, 1827
The United States pork niche market phenomenon, 2269
postabsorptive efficiency
Efficiency of utilizing ileal digestible lysine and threonine for whole body protein deposition in growing pigs is reduced when dietary casein is replaced by wheat shorts, 1362
postingestive learning
Phosphorus appetite in sheep: Dissociating taste from postingestive effects, 2213
postmortem
μ-Calpain is essential for postmortem proteolysis of muscle proteins, 2834
postmortem metabolism
Treadmill exercise is not an effective methodology for producing the dark-cutting condition in young cattle, 3079
postnatal development
Developmental changes in morphometry of the small intestine and jejunal sucrase activity during the first nine weeks of postnatal growth in pigs, 112
postpartum interval
Resumption of postpartum luteal function of primiparous, suckled beef cows exposed continuously to bull urine, 2708
poultry
Amino acid digestibility in dry extruded-expelled soybean meal fed to pigs and poultry, 1130
poultry fat
Effects of adding poultry fat in the finishing diet of steers on performance, carcass characteristics, sensory traits, and fatty acid profiles, 2426
preference
Effects of an artificial sweetener on health, performance, and dietary preference of feedlot cattle, 2491
pregnancy-associated glycoprotein
Increased vascular endothelial growth factor and pregnancy-associated glycoproteins, but not insulin-like growth factor-I, in maternal blood of cows gestating twin fetuses, 2057
pregnancy
Changes in ovine maternal temperature and serum cortisol and interleukin-6 concentrations after challenge with *Escherichia coli* lipopolysaccharide during pregnancy and early lactation, 2083
Characterization of mammary gland development in pregnant gilts, 579
Intrauterine growth retardation: Implications for the animal sciences, 2316
Pregnancy rate and first-service conception rate in Angus heifers, 2022
pregnancy rate
Effects of age on body condition and production parameters of multiparous beef cows, 1890
Environmental effects on pregnancy rate in beef cattle, 3415
preimplantation embryo
Epigenetic characteristics of cloned and in vitro-fertilized swamp buffalo (*Bubalus bubalis*) embryos, 2065
prenatal stress
Postnatal behavioral and physiological responses of piglets from gilts housed individually or in groups during gestation, 757
prepartum lipid supplementation
Effects of interval-feeding whole sunflower seeds during mid to late gestation on performance of beef cows and their progeny, 2410
prepubescent
Characterizing developmental changes in plasma and tissue skatole concentrations in the prepubescent intact male pig, 1699
preweaning
Ontogeny of T lymphocytes and intestinal morphological characteristics in neonatal pigs at different ages in the postnatal period, 567
primary bundle
Growth- and breed-related changes of muscle bundle structure in cattle, 2959
primiparous
Feeding behavior in primiparous lactating sows: Impact of a high-fiber diet during pregnancy, 2474
prion gene
Evaluation of associations between prion haplotypes and growth, carcass, and meat quality traits in a Dorset × Romanov sheep population, 783
prion protein gene
Identification of a new leucine haplotype (ALQ) at codon 154 in the ovine prion protein gene in Spanish sheep, 259
probiotics
Performance, diarrhea incidence, and occurrence of *Escherichia coli* virulence genes during long-term administration of a probiotic *Enterococcus faecium* strain to sows and piglets, 608
processing
Effect of processing flax in beef feedlot diets on performance, carcass characteristics, and trained sensory panel ratings, 1544
Effects of canola seed supplementation on intake, digestion, duodenal protein supply, and microbial efficiency in steers fed forage-based diets, 499
Grain source and processing in diets containing varying concentrations of wet corn gluten feed for finishing cattle, 986
Impact of corn vitreousness and processing on site and extent of digestion by feedlot cattle, 3020
production
Fiber production and properties in genetically furred and furless rabbits, 2566
production cost
Comparison of alternative beef production systems based on forage finishing or grain-forage diets with or without growth promotants: 1. Feedlot performance, carcass quality, and production costs, 2168
professional descriptive panel
Influence of fish oil in finishing diets on growth performance, carcass characteristics, and sensory evaluation of cattle, 902
progesterone clearance
Diet-induced alterations in progesterone clearance appear to be mediated by insulin signaling in hepatocytes, 1102
progesterone
Diet-induced alterations in progesterone clearance appear to be mediated by insulin signaling in hepatocytes, 1102
Estrous behavior and initiation of estrous cycles in postpartum Brahman-influenced cows after treatment with progesterone and prostaglandin $F_{2\alpha}$, 1916
Large variation in steroid concentrations and insulin-like growth factor binding proteins exists among individual small antral follicles collected from within cows at random stages of the estrous cycle, 2714
prolactin receptor
Role of suckling in regulating cell turnover and onset and maintenance of lactation in individual mammary glands of sows, 1691
propionate
Effects of supplements that contain increasing amounts of metabolizable protein with or without Ca-propionate salt on postpartum interval and nutrient partitioning in young beef cows, 433
proportional hazard
Parametric bootstrap for testing model fitting in the proportional hazards framework: An application to the survival analysis of Bruna dels Pirineus beef calves, 2609
prostaglandin
Estrous behavior and initiation of estrous cycles in postpartum Brahman-influenced cows after treatment with progesterone and prostaglandin $F_{2\alpha}$, 1916
protein
Biochemical and morphological developments are partially impaired in intestinal mucosa from growing pigs fed reduced-protein diets supplemented with crystalline amino acids, 1749
Body composition of breeding gilts in response to dietary protein and energy balance from thirty kilograms of body weight to completion of first parity, 1926
Effect of diet composition on water consumption in growing pigs, 3123
Growth and body composition of dairy calves fed milk replacers containing different amounts of protein at two feeding rates, 1454
Lactational performance of Quackenbush Swiss line 5 mice, 2118
Manure composition of swine as affected by dietary protein and cellulose concentrations, 1584

Performance responses and indicators of gastrointestinal health in early-weaned pigs fed low-protein amino acid-supplemented diets, 125
Technical note: A modified three-step in vitro procedure to determine intestinal digestion of proteins, 2163
The effect of dietary protein and fermentable carbohydrates levels on growth performance and intestinal characteristics in newly weaned piglets, 3337
protein degradation
Effects of available dietary carbohydrate and preslaughter treatment on glycolytic potential, protein degradation, and quality traits of pig muscles, 191
protein quality
Fish meals, fish components, and fish protein hydrolysates as potential ingredients in pet foods, 2752
protein requirement
Effects of ractopamine and protein source on growth performance and carcass characteristics of feedlot heifers, 2795
protein source
Amino acid and energy digestibility of protein sources for growing pigs, 1396
protein supplementation
Effects of corn condensed distillers solubles supplementation on ruminal fermentation, digestion, and in situ disappearance in steers consuming low-quality hay, 1468
Effects of supplements that contain increasing amounts of metabolizable protein with or without Ca-propionate salt on postpartum interval and nutrient partitioning in young beef cows, 433
protein synchrony
Effects of nonstructural carbohydrates and protein sources on intake, apparent total tract digestibility, and ruminal metabolism in vivo and in vitro with high-concentrate beef cattle diets, 1188
proteolysis
μ-Calpain is essential for postmortem proteolysis of muscle proteins, 2834
Effect of oxidation, pH, and ionic strength on calpastatin inhibition of μ- and m-calpain, 925
proteome analysis
Changes in the muscle proteome after compensatory growth in pigs, 918
proteomics
Secreted proteins and genes in fetal and neonatal pig adipose tissue and stromal-vascular cells, 1666
protozoa
Efficacy of ionophores in cattle diets for mitigation of enteric methane, 1896
PrP genotype
No associations between PrP genotypes and reproduction traits in INRA 401 sheep, 1317
puberty
Effect of timing of feeding a high-concentrate diet on growth and attainment of puberty in early-weaned heifers, 3118
Induction of precocious puberty in heifers I: Enhanced secretion of luteinizing hormone, 2035
Induction of precocious puberty in heifers II: Advanced ovarian follicular development, 2042
Induction of precocious puberty in heifers III: Hastened reduction of estradiol negative feedback on secretion of luteinizing hormone, 2050
pulmonary arterial pressure
Examination of potential methods to predict pulmonary arterial pressure score in yearling beef cattle, 1259
puroindoline
Increased puroindoline levels slow ruminal digestion of wheat (*Triticum aestivum* L.) starch by cattle, 641

Q

QTL
Adipocyte fatty-acid binding protein is closely associated to the porcine *FAT1* locus on chromosome 4, 2907
quality
Effects of pig age at market weight and magnesium supplementation through drinking water on pork quality, 1512
Effects of supplemental magnesium concentration of drinking water on pork quality, 185
Growth performance, carcass composition, quality, and enhancement treatment of fresh pork identified through DNA marker-assisted selection for the Rendement Napole gene, 910
Modified-atmosphere storage under subatmospheric pressure and beef quality: II. Color, drip, cooking loss, sarcomere length, and tenderness, 2456
Pork quality attributes associated with bilateral carcass variation, 456
The influence of dietary field peas (*Pisum sativum* L.) on pig performance, carcass quality, and the palatability of pork, 3110
quantitative genetics
Feed efficiency of rainbow trout can be improved through selection: Different genetic potential on alternative diets, 807
quantitative PCR
Identification of the bovine cholesterol efflux regulatory protein ABCA1 and its expression in various tissues, 2887
quantitative polymerase chain reaction
The response of gastrointestinal microbiota to avilamycin, butyrate, and plant extracts in early-weaned pigs, 2725
quantitative trait loci
Association of QTL on chromosomes 1, 2, 4, and 7 with growth, carcass, and meat quality traits in backcross Meishan × Large White pigs, 526
Identification of quantitative trait loci affecting corpora lutea and number of teats in a Meishan × Duroc F_2 resource population, 2895
Identification of quantitative trait loci for carcass composition and pork quality traits in a commercial finishing cross, 789
quantitative trait locus
Bayesian reanalysis of a quantitative trait locus accounting for multiple environments by scaling in broilers, 2009
Genetic analyses and quantitative trait loci detection, using a partial genome scan, for intramuscular fatty acid composition in Scottish Blackface sheep, 3228
Identification of a single nucleotide polymorphism of the insulin-like growth factor binding protein 2 gene and its association with growth and body composition traits in the chicken, 2902
Putative quantitative trait loci associated with the probability of contracting infectious bovine keratoconjunctivitis, 3180
quinoxaline
Effects of cyadox and olaquindox on intestinal mucosal immunity and on fecal shedding of *Escherichia coli* in piglets, 2367

R

rabbit
Crossbreeding parameter estimation for functional longevity in rabbits using survival analysis methodology, 58
Fiber production and properties in genetically furred and furless rabbits, 2566
Genetics of litter size in three maternal lines of rabbits: Repeatability versus multiple-trait models, 2309
Survival analysis in two lines of rabbits selected for reproductive traits, 1658
ractopamine
Effects of ractopamine and protein source on growth performance and carcass characteristics of feedlot heifers, 2795
Effects of ractopamine supplementation on behavior of British, Continental, and Brahman crossbred steers during routine handling, 3410
Evaluation of the effects of dietary fat, conjugated linoleic acid, and ractopamine on growth performance, pork quality, and fatty acid profiles in genetically lean gilts, 720
Technical Note: A monoclonal antibody-based immunoassay for determination of ractopamine in swine feeds, 1248
rainbow trout
Feed efficiency of rainbow trout can be improved through selection: Different genetic potential on alternative diets, 807
ram
Comparison of cortisol, luteinizing hormone, and testosterone responses to a defined stressor in sexually inactive rams and sexually active female-oriented and male-oriented rams, 1520
Relationship between sexual behavior classifications of rams and lambs sired in a competitive breeding environment, 463
random regression
A genetic investigation of various growth models to describe growth of lambs of two contrasting breeds, 2642

Genetic parameters for various random regression models to describe total sperm cells per ejaculate over the reproductive lifetime of boars, 538
range
Effects of a long-acting, trace mineral, reticulorumen bolus on range cow productivity and trace mineral profiles, 1439
rat
Genomic analysis of the impact of fescue toxicosis on hepatic function, 1279
Mitochondrial phospholipids of rat skeletal muscle are less polyunsaturated than whole tissue phospholipids: Implications for protection against oxidative stress, 2818
reaction norm model
Bayesian analysis of the linear reaction norm model with unknown covariates, 1651
real-time polymerase chain reaction
Growth hormone and ghrelin receptor genes are differentially expressed between genetically lean and fat selection lines of sheep, 324
The digestive fate of *Escherichia coli* glutamate dehydrogenase deoxyribonucleic acid from transgenic corn in diets fed to weanling pigs, 597
recombinant DNA
In situ studies on the time-dependent degradation of recombinant corn DNA and protein in the bovine rumen, 135
recombinant protein
In situ studies on the time-dependent degradation of recombinant corn DNA and protein in the bovine rumen, 135
red clover silage
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 1. In vitro and in vivo studies of nitrogen utilization, 3049
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 2. Lipids, 3061
reed canarygrass
Voluntary intake and digestibility of reed canarygrass and timothy hay fed to horses, 3104
regeneration
Gene expression of myostatin during development and regeneration of skeletal muscle in Japanese Black Cattle, 2983
Rendement Napole
Growth performance, carcass composition, quality, and enhancement treatment of fresh pork identified through DNA marker-assisted selection for the Rendement Napole gene, 910
repeatability
Quantitative genetic aspects of coat color in horses, 2623
repeated measures analysis
Test duration for growth, feed intake, and feed efficiency in beef cattle using the GrowSafe System, 2289
reproduction
Effects of feeding grains naturally contaminated with *Fusarium* mycotoxins with and without a polymeric glucomannan mycotoxin adsorbent on reproductive performance and serum chemistry of pregnant gilts, 2361
Effects of pre- and postpartum nutrition on reproduction in spring calving cows and calf feedlot performance, 2582
Effects of supplements that contain increasing amounts of metabolizable protein with or without Ca-propionate salt on postpartum interval and nutrient partitioning in young beef cows, 433
Evaluation of the ovine *callipyge* locus: IV. Genotypic effects on reproductive traits, 311
Growth, reproductive performance, and manganese status of heifers fed varying concentrations of manganese, 3375
High amino acid variation in the intracellular domain of the pig prolactin receptor (*PRLR*) and its relation to ovulation rate and piglet survival traits, 1991
reproduction trait
No associations between PrP genotypes and reproduction traits in INRA 401 sheep, 1317
reproductive trait
Genetic parameters for calving rate and calf survival from linear, threshold, and logistic models in a multibreed beef cattle population, 3197
research partnership
Research partnerships in relation to topics in animal breeding and genetics, 2276
residual feed intake
Residual feed intake of purebred Angus steers: Effects on meat quality and palatability, 938
The relationship between mitochondrial function and residual feed intake in Angus steers, 861
The relationship between residual feed intake and feed intake behavior in group-housed Duroc barrows, 956
The relationships among mitochondrial uncoupling protein 2 and 3 expression, mitochondrial deoxyribonucleic acid single nucleotide polymorphisms, and residual feed intake in Angus steers, 1761
respiratory disease
An investigation of susceptibility to porcine reproductive and respiratory syndrome virus between two genetically diverse commercial lines of pigs, 49
restriction fragment length polymorphism
The response of gastrointestinal microbiota to avilamycin, butyrate, and plant extracts in early-weaned pigs, 2725
reverse-transcription polymerase chain reaction
Nuclear receptor and nuclear receptor target gene messenger ribonucleic acid levels at different sites of the gastrointestinal tract and in liver of healthy dogs, 2684
ridge regression
Genetic effects on preweaning weight gain of Nelore-Hereford calves according to different models and estimation methods, 2925
robust generalized estimating equation
Between-breed variability of stillbirth and its relationship with sow and piglet characteristics, 3185
rooster
Evaluation of the inclusion of soybean oil and soybean processing by-products to soybean meal on nutrient composition and digestibility in swine and poultry, 1403
rotary fluidized bed
Use of rotary fluidized-bed technology for development of sustained-release plant extracts pellets: Potential application for feed additive delivery, 1850
roughage
Wet corn gluten feed and alfalfa hay levels in dry-rolled corn finishing diets: Effects on finishing performance and feedlot nitrogen mass balance, 1205
rumen
Increasing the amount of n-3 fatty acid in meat from young Holstein bulls through nutrition, 3039
In vitro bacterial growth and in vivo ruminal microbiota populations associated with bloat in steers grazing wheat forage, 2873
rumen fermentation
Effect of various levels of imbalance between energy and nitrogen release in the rumen on microbial protein synthesis and nitrogen metabolism in growing double-muscled Belgian Blue bulls fed a corn silage-based diet, 877
Effects of alfalfa extract, anise, capsicum, and a mixture of cinnamaldehyde and eugenol on ruminal fermentation and protein degradation in beef heifers fed a high-concentrate diet, 2801
rumen function
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 1. In vitro and in vivo studies of nitrogen utilization, 3049
rumen tissue histology
Effects of mild heat stress and grain challenge on acid-base balance and rumen tissue histology in lambs, 447
ruminal bacteria
In vivo mechanical and in vitro electromagnetic side-effects of a ruminal transponder in cattle, 3133
ruminal bolus
Evaluation of the retention of electronic identification boluses in the forestomachs of cattle, 2260
ruminal culture
Influence of cobalt concentration on vitamin B_{12} production and fermentation of mixed ruminal microorganisms grown in continuous culture flow-through fermentors, 635
ruminal fermentation
Effects of nonstructural carbohydrates and protein sources on intake, apparent total tract digestibility, and ruminal metabolism in vivo and in vitro with high-concentrate beef cattle diets, 1188
ruminal fluid protein fraction
Effects of condensed tannins supplementation level on weight gain and in vitro and in vivo bloat precursors in steers grazing winter wheat, 2546

ruminal transponder
In vivo mechanical and in vitro electromagnetic side-effects of a ruminal transponder in cattle, 3133
rumination
In vivo mechanical and in vitro electromagnetic side-effects of a ruminal transponder in cattle, 3133

S

sarcoplasmic protein
Changes in the muscle proteome after compensatory growth in pigs, 918
Proteomic analysis of ovine muscle hypertrophy, 3266
scalding
Harvest processes on pork loin and ham quality, 178
scrapie resistance
Evaluation of associations between prion haplotypes and growth, carcass, and meat quality traits in a Dorset × Romanov sheep population, 783
scrapie susceptibility
Identification of a new leucine haplotype (ALQ) at codon 154 in the ovine prion protein gene in Spanish sheep, 259
season
Effects of growth-promoting agents and season on blood metabolites and body temperature in heifers, 1030
secreted factor
Secreted proteins and genes in fetal and neonatal pig adipose tissue and stromal-vascular cells, 1666
segregated weaning
The effects of dietary energy concentration and weaning site on weanling pig performance, 1159
selection
Comparison of feed energy costs of maintenance, lean deposition, and fat deposition in three lines of mice selected for heat loss, 276
Correlated responses in maternal performance following divergent selection for heat loss in mice, 300
Effect of long-term selection for increased leanness on meat and eating quality traits in Duroc swine, 1577
Genetic correlations between fatty acid compositions in different sites of fat tissues, meat production, and meat quality traits in Duroc pigs, 2026
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 1. Carcass lean percentage, 546
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 2. Carcass fat partitioning, 558
Genetic parameter estimates for serum insulin-like growth factor I concentrations, and body weight and weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 2299
selective advantage of heterozygote
Changes in disease gene frequency over time with differential genotypic fitness and various control strategies, 2629
selenium
Effect of selenium intake and fetal age on mRNA levels of two selenoproteins in porcine fetal and maternal liver, 2382
Effect of selenium supplementation and source on the selenium status of horses, 1742
Effects of a long-acting, trace mineral, reticulorumen bolus on range cow productivity and trace mineral profiles, 1439
Tolerance of inorganic selenium by range-type ewes during gestation and lactation, 660
selenium tolerance
Tolerance of inorganic selenium by range-type ewes during gestation and lactation, 660
selenium transfer
Comparative effects of organic and inorganic selenium on selenium transfer from sows to nursing pigs, 1729
selenium yeast
Comparative effects of organic and inorganic selenium on selenium transfer from sows to nursing pigs, 1729
semen
Factors influencing boar sperm cryosurvival, 2692
Genetic parameter estimates for scrotal circumference and semen characteristics of Line 1 Hereford bulls, 283
Genetic parameters for various random regression models to describe total sperm cells per ejaculate over the reproductive lifetime of boars, 538
sensory analysis
Descriptive flavor analysis of bacon and pork loin from lean-genotype gilts fed conjugated linoleic acid and supplemental fat, 3381
sensory characteristic
Effect of processing flax in beef feedlot diets on performance, carcass characteristics, and trained sensory panel ratings, 1544
serum hormone
Effects of growth-promoting agents and season on blood metabolites and body temperature in heifers, 1030
serum lipid profile
The effects of high levels of supplemental copper on the serum lipid profile, carcass traits, and carcass composition of goat kids, 171
sexual behavior
Relationship between sexual behavior classifications of rams and lambs sired in a competitive breeding environment, 463
sexual performance
Comparison of cortisol, luteinizing hormone, and testosterone responses to a defined stressor in sexually inactive rams and sexually active female-oriented and male-oriented rams, 1520
shackling
Modified-atmosphere storage under subatmospheric pressure and beef quality: II. Color, drip, cooking loss, sarcomere length, and tenderness, 2456
Pork quality attributes associated with bilateral carcass variation, 456
shear force
Effects of *calpastatin* and μ-*calpain* markers in beef cattle on tenderness traits, 520
sheep
A genetic investigation of various growth models to describe growth of lambs of two contrasting breeds, 2642
A revised model for studying phosphorus and calcium kinetics in growing sheep, 2787
Body fatness affects feed intake of sheep at a given body weight, 1778
Determination of parotid sulfate secretion in sheep by means of ultrasonic flow probes, 1215
Effect of feeding rumen-protected conjugated linoleic acid on carcass characteristics and fatty acid composition of sheep tissues, 3440
Effects of mild heat stress and grain challenge on acid-base balance and rumen tissue histology in lambs, 447
Effects of plane of nutrition on in vitro fertilization and early embryonic development in sheep, 1593
Enhanced skeletal growth of sheep heterozygous for an inactivated fibroblast growth factor receptor 3, 2942
Evaluation of associations between prion haplotypes and growth, carcass, and meat quality traits in a Dorset × Romanov sheep population, 783
Evaluation of the ovine *callipyge* locus: IV. Genotypic effects on reproductive traits, 311
Genetic analyses and quantitative trait loci detection, using a partial genome scan, for intramuscular fatty acid composition in Scottish Blackface sheep, 3228
Growth hormone and ghrelin receptor genes are differentially expressed between genetically lean and fat selection lines of sheep, 324
Identification of a new leucine haplotype (ALQ) at codon 154 in the ovine prion protein gene in Spanish sheep, 259
In vivo estimation of sheep carcass composition using real-time ultrasound with two probes of 5 and 7.5 MHz and image analysis, 3433
Maintenance of body temperature in the neonatal lamb: Effects of breed, birth weight, and litter size, 1093
No associations between PrP genotypes and reproduction traits in INRA 401 sheep, 1317
Phosphorus appetite in sheep: Dissociating taste from postingestive effects, 2213
Placentomal differentiation may compensate for maternal nutrient restriction in ewes adapted to harsh range conditions, 3451
Proteomic analysis of ovine muscle hypertrophy, 3266
Tolerance of inorganic selenium by range-type ewes during gestation and lactation, 660

shipping fever
Bovine respiratory disease in feedlot cattle: Environmental, genetic, and economic factors, 1999
short-chain fatty acid
Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology, 370
simulated retail display
Effects of polyvinyl chloride overwrap film, high-oxygen modified atmosphere packaging, or ultra-low-oxygen modified atmosphere packaging on bone marrow discoloration in beef humerus, rib, thoracic vertebra, and scapula, 694
simulation model
Thermal balance of cattle grazing winter range: Model application, 1238
simultaneity of effects
A structural equation model for describing relationships between somatic cell score and milk yield in dairy goats, 2934
single nucleotide polymorphism
Association of a single nucleotide polymorphism in the calpastatin gene with carcass and meat quality traits of beef cattle, 291
single nucleotide polymorphism detection
Identification of a new leucine haplotype (ALQ) at codon 154 in the ovine prion protein gene in Spanish sheep, 259
sire ranking
Economic evaluations of beef bulls in an integrated supply chain, 3219
skeletal growth
Enhanced skeletal growth of sheep heterozygous for an inactivated fibroblast growth factor receptor 3, 2942
Use of bovine somatotropin for increased skeletal and lean tissue growth of Holstein steers, 1176
skeletal muscle
A comparison of thiazolidinedione-induced adipogenesis and myogenesis in stromal-vascular cells from subcutaneous adipose tissue or semitendinosus muscle of postnatal pigs, 1076
Changes in caspase activity during the postmortem conditioning period and its relationship to shear force in porcine longissimus muscle, 2841
Effect of anabolic agents on calpastatin promoters in porcine skeletal muscle and their responsiveness to cyclic adenosine monophosphate- and calcium-related stimuli, 2973
Mitochondrial phospholipids of rat skeletal muscle are less polyunsaturated than whole tissue phospholipids: Implications for protection against oxidative stress, 2818
Proteomic analysis of ovine muscle hypertrophy, 3266
skin lesion
Influence of supplemental magnesium, tryptophan, vitamin C, vitamin E, and herbs on stress responses and pork quality, 1827
skin lesions
Influence of increased feeding frequency on behavior and integument lesions in growing-finishing restricted-fed pigs, 1526
slaughter end point
Effects of age, weight, and fat slaughter end points on estimates of breed and retained heterosis effects for carcass traits, 63
social behavior
Influence of increased feeding frequency on behavior and integument lesions in growing-finishing restricted-fed pigs, 1526
Socializing piglets before weaning: Effects on behavior of lactating sows, pre- and postweaning behavior, and performance of piglets, 2847
social status
Impacts of chronic stress and social status on various physiological and performance measures in pigs of different breeds, 588
sodium selenite
Comparative effects of organic and inorganic selenium on selenium transfer from sows to nursing pigs, 1729
Tolerance of inorganic selenium by range-type ewes during gestation and lactation, 660
solar radiation
Thermal balance of cattle grazing winter range: Model application, 1238
soluble plasma
Supplementing drinking water with Solutein did not mitigate acute morbidity effects of porcine reproductive and respiratory syndrome virus in nursery pigs, 2101
somatoliberin
Plasmid-mediated growth hormone-releasing hormone efficacy in reducing disease associated with *Mycoplasma hyopneumoniae* and porcine reproductive and respiratory syndrome virus infection, 733
somatotropin
Use of bovine somatotropin for increased skeletal and lean tissue growth of Holstein steers, 1176
sow
Analysis of longevity and exterior traits on Large White sows in Switzerland, 2914
Comparative effects of organic and inorganic selenium on selenium transfer from sows to nursing pigs, 1729
Decreased follicular size during late lactation caused by treatment with charcoal-treated follicular fluid delays onset of estrus and ovulation after weaning in sows, 2110
Effects of a high-fiber diet and frequent feeding on behavior, reproductive performance, and nutrient digestibility in gestating sows, 946
Effects of boar presence on agonistic behavior, shoulder scratches, and stress response of bred sows at mixing, 1227
Effects of breed and season on performance of lactating sows in a tropical humid climate, 360
Effects of season and breed on the feeding behavior of multiparous lactating sows in a tropical humid climate, 469
Evaluation of drop vs. trickle-feeding systems for crated or group-penned gestating sows, 1004
Evaluation of the order of limitation of lysine, threonine, and valine, as determined by plasma urea nitrogen, in corn-soybean meal diets of lactating sows with high body weight loss, 1734
Feeding behavior in primiparous lactating sows: Impact of a high-fiber diet during pregnancy, 2474
Photoperiod influences the immune status of multiparous pregnant sows and their piglets, 2072
sow housing
Sow shoulder lesions: Risk factors and treatment effects on an Ontario farm, 2509
sow longevity
Impact of biological and economic variables on optimal parity for replacement in swine breed-to-wean herds, 2555
National Pork Producers Council Maternal Line National Genetic Evaluation Program: A comparison of sow longevity and trait associations with sow longevity, 2590
sow shoulder lesion
Sow shoulder lesions: Risk factors and treatment effects on an Ontario farm, 2509
soybean hull
Effect of dietary inclusion of distillers dried grains with solubles, soybean hulls, or a polyclonal antibody product on the ability of growing pigs to resist a *Lawsonia intracellularis* challenge, 1880
soybean meal
Amino acid digestibility in dry extruded-expelled soybean meal fed to pigs and poultry, 1130
Estimation of true phosphorus digestibility and endogenous phosphorus loss in growing pigs fed conventional and low-phytate soybean meals, 627
Evaluation of the inclusion of soybean oil and soybean processing by-products to soybean meal on nutrient composition and digestibility in swine and poultry, 1403
Selecting soybean meal characteristics preferred for swine nutrition, 1387
soy oil
Effect of refined soy oil or whole soybeans on intake, methane output, and performance of young bulls, 2418
space requirement
Application of broken-line analysis to assess floor space requirements of nursery and grower-finisher pigs expressed on an allometric basis, 229
sperm morphology
Genetic parameter estimates for scrotal circumference and semen characteristics of Line 1 Hereford bulls, 283
spider lamb syndrome
Enhanced skeletal growth of sheep heterozygous for an inactivated fibroblast growth factor receptor 3, 2942
spleen
Changes in fetal organ weights during gestation after selection for ovulation rate and uterine capacity in swine, 2338
Effects of diets with cereal grains contaminated by graded levels of two *Fusarium* toxins on selected immunological and histological measurements in the spleen of gilts, 236

spray-dried plasma
Effects of spray-dried porcine plasma and plant extracts on intestinal morphology and on leukocyte cell subsets of weaned pigs, 2735
Growth response of broilers to spray-dried plasma in pelleted or expanded feed processed at high temperature, 2501
starch
Feeding high-moisture corn instead of dry-rolled corn reduces odorous compound production in manure of finishing beef cattle without decreasing performance, 1767
starch digestion
Influence of corn hybrid traits on digestibility and the efficiency of gain in feedlot cattle, 1790
statistical method
Genetic parameters for calving rate and calf survival from linear, threshold, and logistic models in a multibreed beef cattle population, 3197
statistical power
Statistical analysis of individual assignment tests among four cattle breeds using fifteen STR loci, 11
steer
Effects of canola seed supplementation on intake, digestion, duodenal protein supply, and microbial efficiency in steers fed forage-based diets, 499
Effects of concentrated separator by-product (desugared molasses) on intake, site of digestion, microbial efficiency, and nitrogen balance in ruminants fed forage-based diets, 2232
Effects of condensed tannins supplementation level on weight gain and in vitro and in vivo bloat precursors in steers grazing winter wheat, 2546
Grain source and processing in diets containing varying concentrations of wet corn gluten feed for finishing cattle, 986
The effects of cattle sex on carcass characteristics and longissimus muscle palatability, 1820
Use of bovine somatotropin for increased skeletal and lean tissue growth of Holstein steers, 1176
stereotypic behavior
Effects of a high-fiber diet and frequent feeding on behavior, reproductive performance, and nutrient digestibility in gestating sows, 946
sterilization
Use of recombinant gonadotropin-releasing hormone antigens for immunosterilization of beef heifers, 343
steroid hormone
Characterizing developmental changes in plasma and tissue skatole concentrations in the prepubescent intact male pig, 1699
sterol homeostasis
Identification of the bovine cholesterol efflux regulatory protein ABCA1 and its expression in various tissues, 2887
stillbirth
Between-breed variability of stillbirth and its relationship with sow and piglet characteristics, 3185
Genetic variation of farrowing kinetics traits and their relationships with litter size and perinatal mortality in French Large White sows, 1053
stockpiled fescue
Performance of beef heifers grazing stockpiled fescue as influenced by supplemental whole cottonseed, 1613
storage
Modified-atmosphere storage under subatmospheric pressure and beef quality: I. Microbiological effects, 2448
stress
Comparison of cortisol, luteinizing hormone, and testosterone responses to a defined stressor in sexually inactive rams and sexually active female-oriented and male-oriented rams, 1520
Effect of carprofen administration during banding or burdizzo castration of bulls on plasma cortisol, in vitro interferon-γ production, acute-phase proteins, feed intake, and growth, 351
Impacts of chronic stress and social status on various physiological and performance measures in pigs of different breeds, 588
Influence of supplemental magnesium, tryptophan, vitamin C, vitamin E, and herbs on stress responses and pork quality, 1827
Variations in meat pH of beef bulls in relation to conditions of transfer to slaughter and previous history of the animals, 1567
stress response
Effects of boar presence on agonistic behavior, shoulder scratches, and stress response of bred sows at mixing, 1227
strip grazing
Timing of herbage allocation in strip grazing: Effects on grazing pattern and performance of beef heifers, 1943
structural equation model
A structural equation model for describing relationships between somatic cell score and milk yield in dairy goats, 2934
succinate
Influence of cobalt concentration on vitamin B_{12} production and fermentation of mixed ruminal microorganisms grown in continuous culture flow-through fermentors, 635
sulfate
Differential effects of sodium and magnesium sulfate on water consumption by beef cattle, 1252
sulfate secretion
Determination of parotid sulfate secretion in sheep by means of ultrasonic flow probes, 1215
sulfur amino acid
Estimation of the true ileal digestible lysine and sulfur amino acid requirement and comparison of the bioefficacy of 2-hydroxy-4-(methylthio)butanoic acid and DL-methionine in 11- to 26-kg nursery pigs, 1709
sunflower
Effects of interval-feeding whole sunflower seeds during mid to late gestation on performance of beef cows and their progeny, 2410
supplement
Performance of beef heifers grazing stockpiled fescue as influenced by supplemental whole cottonseed, 1613
supplemental fat
Descriptive flavor analysis of bacon and pork loin from lean-genotype gilts fed conjugated linoleic acid and supplemental fat, 3381
Effects of dietary vitamin E and fat supplementation on pork quality, 3089
supplementation
Effect of creep feed supplementation and season on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance in nursing calves grazing native range in southeastern North Dakota, 411
Effects of canola seed supplementation on intake, digestion, duodenal protein supply, and microbial efficiency in steers fed forage-based diets, 499
Effects of concentrated separator by-product (desugared molasses) on intake, ruminal fermentation, digestion, and microbial efficiency in beef steers fed grass hay, 1535
Effects of pre- and postpartum nutrition on reproduction in spring calving cows and calf feedlot performance, 2582
Effects of season and inclusion of corn distillers dried grains with solubles in creep feed on intake, microbial protein synthesis and efficiency, ruminal fermentation, digestion, and performance of nursing calves grazing native range in southeastern North Dakota, 2200
Influence of soybean hull supplementation on rumen fermentation and digestibility in steers consuming freshly clipped, endophyte-infected tall fescue, 678
supplement withdrawal
Impact of supplement withdrawal and wheat middling inclusion on bone metabolism, bone strength, and the incidence of bone fractures occurring at slaughter in pigs, 1138
suppression subtraction hybridization
The expression of genes related to adipocyte differentiation in pigs, 1059
survey
Variations in meat pH of beef bulls in relation to conditions of transfer to slaughter and previous history of the animals, 1567
survival
Genetic and phenotypic relationships of farrowing and weaning survival to birth and placental weights in pigs, 32
survival analysis
Crossbreeding parameter estimation for functional longevity in rabbits using survival analysis methodology, 58
Parametric bootstrap for testing model fitting in the proportional hazards framework: An application to the survival analysis of Bruna dels Pirineus beef calves, 2609
Survival analysis in two lines of rabbits selected for reproductive traits, 1658
survival frailty model
The effect of ignoring individual heterogeneity in Weibull log-normal sire frailty models, 1338

swamp buffalo
Epigenetic characteristics of cloned and in vitro-fertilized swamp buffalo (*Bubalus bubalis*) embryos, 2065
sweetener
Effects of an artificial sweetener on health, performance, and dietary preference of feedlot cattle, 2491
swine
A genetically engineered *Escherichia coli* phytase improves nutrient utilization, growth performance, and bone strength of young swine fed diets deficient in available phosphorus, 1147
Characterization of mammary gland development in pregnant gilts, 579
Dietary tryptophan effects on plasma and salivary cortisol and meat quality in pigs, 2251
Effect of diet composition on water consumption in growing pigs, 3123
Effect of long-term selection for increased leanness on meat and eating quality traits in Duroc swine, 1577
Effect of weaning age and commingling after the nursery phase of pigs in a wean-to-finish facility on growth and humoral and behavioral indicators of well-being, 743
Effects of halothane sensitivity on mobility status and blood metabolites of HAL-1843-normal pigs after rigorous handling, 1015
Effects of supplemental magnesium concentration of drinking water on pork quality, 185
Estrogenic effects of genistein on reproductive tissues of ovariectomized gilts, 834
Growth performance and carcass characteristics of grower-finisher pigs fed high-quality corn distillers dried grain with solubles originating from a modern Midwestern ethanol plant, 3356
Impact of biological and economic variables on optimal parity for replacement in swine breed-to-wean herds, 2555
Impact of supplement withdrawal and wheat middling inclusion on bone metabolism, bone strength, and the incidence of bone fractures occurring at slaughter in pigs, 1138
Ingestion of low doses of deoxynivalenol does not affect hematological, biochemical, or immune responses of piglets, 1935
Manure composition of swine as affected by dietary protein and cellulose concentrations, 1584
Ontogeny of T lymphocytes and intestinal morphological characteristics in neonatal pigs at different ages in the postnatal period, 567
Selecting soybean meal characteristics preferred for swine nutrition, 1387
Total and water-soluble phosphorus excretion from swine fed low-phytate soybeans, 1907
swine feed
Technical Note: A monoclonal antibody-based immunoassay for determination of ractopamine in swine feeds, 1248
swine gestational housing
Postnatal behavioral and physiological responses of piglets from gilts housed individually or in groups during gestation, 757
swine housing
The United States pork niche market phenomenon, 2269
synchronization
Synchronization of estrus and artificial insemination in replacement beef heifers using gonadotropin-releasing hormone, prostaglandin $F_{2\alpha}$, and progesterone, 3000
Synchronization of estrus in suckled beef cows for detected estrus and artificial insemination and timed artificial insemination using gonadotropin-releasing hormone, prostaglandin $F_{2\alpha}$, and progesterone, 332
system
Effects of pre- and postpartum nutrition on reproduction in spring calving cows and calf feedlot performance, 2582

T

tall fescue
Influence of soybean hull supplementation on rumen fermentation and digestibility in steers consuming freshly clipped, endophyte-infected tall fescue, 678
Influence of stocking rate and steroidal implants on growth rate of steers grazing toxic tall fescue and subsequent physiological responses, 1626
taste panel
Descriptive flavor analysis of bacon and pork loin from lean-genotype gilts fed conjugated linoleic acid and supplemental fat, 3381
teat
Analysis of longevity and exterior traits on Large White sows in Switzerland, 2914
temperament
Effects of ractopamine supplementation on behavior of British, Continental, and Brahman crossbred steers during routine handling, 3410
Technical note: Exit velocity as a measure of cattle temperament is repeatable and associated with serum concentration of cortisol in Brahman bulls, 3100
temperature
Maintenance of body temperature in the neonatal lamb: Effects of breed, birth weight, and litter size, 1093
Physiological responses of *Bos taurus* and *Bos indicus* cattle to prolonged, continuous heat and humidity, 972
Temperature and body weight affect fouling of pig pens, 2224
temperature-humidity index
Environmental effects on pregnancy rate in beef cattle, 3415
tenderization
Changes in caspase activity during the postmortem conditioning period and its relationship to shear force in porcine longissimus muscle, 2841
tenderness
Association of a single nucleotide polymorphism in the calpastatin gene with carcass and meat quality traits of beef cattle, 291
Effects of 25-hydroxyvitamin D_3 and manipulated dietary cation-anion difference on the tenderness of beef from cull native Korean cows, 1481
Effects of postmortem aging and USDA quality grade on Warner-Bratzler shear force values of seventeen individual beef muscles, 3387
Modified-atmosphere storage under subatmospheric pressure and beef quality: II. Color, drip, cooking loss, sarcomere length, and tenderness, 2456
terpene
Terpenes and carbohydrate source influence rumen fermentation, digestibility, intake, and preference in sheep, 2463
test duration
Test duration for growth, feed intake, and feed efficiency in beef cattle using the GrowSafe System, 2289
testosterone
Comparison of cortisol, luteinizing hormone, and testosterone responses to a defined stressor in sexually inactive rams and sexually active female-oriented and male-oriented rams, 1520
Correlated responses in growth, carcass, and meat quality traits to divergent selection for testosterone production in pigs, 1331
5, 5′, 6, 6′-tetrachloro-1, 1′, 3, 3′-tetraethylbenzimidazolylcarbocyanine iodide
Determination of intracellular reactive oxygen species and high mitochondrial membrane potential in Percoll-treated viable boar sperm using fluorescence-activated flow cytometry, 2089
thermoregulation
Genomic analysis of the impact of fescue toxicosis on hepatic function, 1279
thioredoxin reductase
Effect of selenium intake and fetal age on mRNA levels of two selenoproteins in porcine fetal and maternal liver, 2382
threonine
Evaluation of the order of limitation of lysine, threonine, and valine, as determined by plasma urea nitrogen, in corn-soybean meal diets of lactating sows with high body weight loss, 1734
threshold model
Success at first insemination in Australian Angus cattle: Analysis of uncertain binary responses, 20
thyroxine
Chlortetracycline supplementation of yearling dairy heifers, 2406
timed artificial insemination
Synchronization of estrus and artificial insemination in replacement beef heifers using gonadotropin-releasing hormone, prostaglandin $F_{2\alpha}$, and progesterone, 3000
Synchronization of estrus in suckled beef cows for detected estrus and artificial insemination and timed artificial insemination using gonadotropin-releasing hormone, prostaglandin $F_{2\alpha}$, and progesterone, 332

timothy
Voluntary intake and digestibility of reed canarygrass and timothy hay fed to horses, 3104
tissue
Growth and intestinal morphology of pigs from sows fed two zinc sources during gestation and lactation, 2141
α-tocopherol
Effects of dietary vitamin E and fat supplementation on pork quality, 3089
toxicosis
Influence of stocking rate and steroidal implants on growth rate of steers grazing toxic tall fescue and subsequent physiological responses, 1626
traceability
Comparison of visual and electronic identification devices in pigs: On-farm performances, 2575
Evaluation of the retention of electronic identification boluses in the forestomachs of cattle, 2260
transcription factor
A comparison of thiazolidinedione-induced adipogenesis and myogenesis in stromal-vascular cells from subcutaneous adipose tissue or semitendinosus muscle of postnatal pigs, 1076
transcriptome
Comparison of prenatal muscle tissue expression profiles of two pig breeds differing in muscle characteristics, 1
transferrin
Proteomic analysis of ovine muscle hypertrophy, 3266
transgenic mouse
Cloning of pig parotid secretory protein gene upstream promoter and the establishment of a transgenic mouse model expressing bacterial phytase for agricultural phosphorus pollution control, 513
transgenic plant
The digestive fate of *Escherichia coli* glutamate dehydrogenase deoxyribonucleic acid from transgenic corn in diets fed to weanling pigs, 597
transponder
Evaluation of the retention of electronic identification boluses in the forestomachs of cattle, 2260
transport
Effect of floor space during transport of market-weight pigs on the incidence of transport losses at the packing plant and the relationships between transport conditions and losses, 2856
Effects of available dietary carbohydrate and preslaughter treatment on glycolytic potential, protein degradation, and quality traits of pig muscles, 191
treadmill exercise
Treadmill exercise is not an effective methodology for producing the dark-cutting condition in young cattle, 3079
tropical climate
Effects of breed and season on performance of lactating sows in a tropical humid climate, 360
Effects of season and breed on the feeding behavior of multiparous lactating sows in a tropical humid climate, 469
true digestibility
Estimation of true phosphorus digestibility and endogenous phosphorus loss in growing pigs fed conventional and low-phytate soybean meals, 627
Novel procedure for estimating endogenous losses and measurement of apparent and true digestibility of phosphorus by growing pigs, 2126
tryptophan
Dietary tryptophan effects on plasma and salivary cortisol and meat quality in pigs, 2251
Effects of supplemental L-tryptophan on serotonin, cortisol, intestinal integrity, and behavior in weanling piglets, 963
Use of supplementary tryptophan to modify the behavior of pigs, 212
twin
Increased vascular endothelial growth factor and pregnancy-associated glycoproteins, but not insulin-like growth factor-I, in maternal blood of cows gestating twin fetuses, 2057

U

udder score
Genetic analysis of gain from birth to weaning, milk production, and udder conformation in Line 1 Hereford cattle, 1639
ultrasonic device
Determination of parotid sulfate secretion in sheep by means of ultrasonic flow probes, 1215
ultrasound
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 1. Carcass lean percentage, 546
Genetic correlations between live yearling bull and steer carcass traits adjusted to different slaughter end points. 2. Carcass fat partitioning, 558
In vivo estimation of sheep carcass composition using real-time ultrasound with two probes of 5 and 7.5 MHz and image analysis, 3433
Using ultrasound measurements to predict body composition of yearling bulls, 2666
undegradable intake protein
Estimation of undegradable intake protein in forages using neutral detergent insoluble nitrogen at a single in situ incubation time point, 651
undegradable intake protein digestibility
Determination of undegradable intake protein digestibility of forages using the mobile nylon bag technique, 886
uterus
Changes in fetal organ weights during gestation after selection for ovulation rate and uterine capacity in swine, 2338
Estrogenic effects of genistein on reproductive tissues of ovariectomized gilts, 834
utilization
Effects of energy level on methionine utilization by growing steers, 1497
Effects of energy source on methionine utilization by growing steers, 1505
Excess amino acid supply improves methionine and leucine utilization by growing steers, 1801

V

vaccination
Plasmid-mediated growth hormone-releasing hormone efficacy in reducing disease associated with *Mycoplasma hyopneumoniae* and porcine reproductive and respiratory syndrome virus infection, 733
valine
Evaluation of the order of limitation of lysine, threonine, and valine, as determined by plasma urea nitrogen, in corn-soybean meal diets of lactating sows with high body weight loss, 1734
The dietary valine requirement for prolific lactating sows does not exceed the National Research Council estimate, 1415
variability
Factors influencing boar sperm cryosurvival, 2692
variance component estimation
Estimating maternal genetic effects in livestock, 800
variation
Pork quality attributes associated with bilateral carcass variation, 456
vascular endothelial growth factor
Increased vascular endothelial growth factor and pregnancy-associated glycoproteins, but not insulin-like growth factor-I, in maternal blood of cows gestating twin fetuses, 2057
vasoconstriction
Assessment of vasoconstrictive potential of D-lysergic acid using an isolated bovine lateral saphenous vein bioassay, 3167
vitamin B_{12}
Influence of cobalt concentration on vitamin B_{12} production and fermentation of mixed ruminal microorganisms grown in continuous culture flow-through fermentors, 635
vitamin C
Supplemental vitamin C and yeast cell wall β-glucan as growth enhancers in newborn pigs and as immunomodulators after an endotoxin challenge after weaning, 2352
vitamin E
Effect of dietary vitamin E supplementation and feeding period on pork quality, 3071
vitreousness
Impact of corn vitreousness and processing on site and extent of digestion by feedlot cattle, 3020

volatile fatty acid
Feeding high-moisture corn instead of dry-rolled corn reduces odorous compound production in manure of finishing beef cattle without decreasing performance, 1767
volatilization
Wet corn gluten feed and alfalfa hay levels in dry-rolled corn finishing diets: Effects on finishing performance and feedlot nitrogen mass balance, 1205
voluntary intake
Voluntary intake and digestibility of reed canarygrass and timothy hay fed to horses, 3104
voluntary replacement
Impact of biological and economic variables on optimal parity for replacement in swine breed-to-wean herds, 2555

W

water
Effect of diet composition on water consumption in growing pigs, 3123
Effects of pig age at market weight and magnesium supplementation through drinking water on pork quality, 1512
Effects of supplemental magnesium concentration of drinking water on pork quality, 185
water intake
Differential effects of sodium and magnesium sulfate on water consumption by beef cattle, 1252
water quality
Differential effects of sodium and magnesium sulfate on water consumption by beef cattle, 1252
water-soluble carbohydrate
Effects of high-sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 1. In vitro and in vivo studies of nitrogen utilization, 3049
weaned pig
Effect of lactoferrin on the growth performance, intestinal morphology, and expression of PR-39 and protegrin-1 genes in weaned piglets, 2636
weaner pig
Effect of graded doses and a high dose of microbial phytase on the digestibility of various minerals in weaner pigs, 1169
weaning
Characterizing developmental changes in plasma and tissue skatole concentrations in the prepubescent intact male pig, 1699
Decreased follicular size during late lactation caused by treatment with charcoal-treated follicular fluid delays onset of estrus and ovulation after weaning in sows, 2110
Effect of weaning age and commingling after the nursery phase of pigs in a wean-to-finish facility on growth and humoral and behavioral indicators of well-being, 743
Effects of level of feed intake on pancreatic exocrine secretions during the early postweaning period in piglets, 2965
Socializing piglets before weaning: Effects on behavior of lactating sows, pre- and postweaning behavior, and performance of piglets, 2847
The effect of dietary protein and fermentable carbohydrates levels on growth performance and intestinal characteristics in newly weaned piglets, 3337
weaning pig
Effects of spray-dried porcine plasma and plant extracts on intestinal morphology and on leukocyte cell subsets of weaned pigs, 2735
The response of gastrointestinal microbiota to avilamycin, butyrate, and plant extracts in early-weaned pigs, 2725
weaning piglet
Effect of inclusion of fermentable carbohydrates in the diet on fermentation end-product profile in feces of weanling piglets, 2133
weaning weight
Effects of age on body condition and production parameters of multiparous beef cows, 1890
welfare
Effect of floor space during transport of market-weight pigs on the incidence of transport losses at the packing plant and the relationships between transport conditions and losses, 2856
Effects of a high-fiber diet and frequent feeding on behavior, reproductive performance, and nutrient digestibility in gestating sows, 946
wet aging
Consumer sensory acceptance and value of wet-aged and dry-aged beef steaks, 1221
wet corn gluten feed
Grain source and processing in diets containing varying concentrations of wet corn gluten feed for finishing cattle, 986
wheat
Increased puroindoline levels slow ruminal digestion of wheat (*Triticum aestivum* L.) starch by cattle, 641
wheat shorts
Efficiency of utilizing ileal digestible lysine and threonine for whole body protein deposition in growing pigs is reduced when dietary casein is replaced by wheat shorts, 1362
True ileal amino acid digestibility and endogenous ileal amino acid losses in growing pigs fed wheat shorts- or casein-based diets, 1351
whole-body protein turnover
Differences in whole-body protein turnover between Iberian and Landrace pigs fed adequate or lysine-deficient diets, 3346
whole cottonseed
Effects of feeding whole cottonseed and cottonseed products on performance and carcass characteristics of finishing beef cattle, 2186
Performance of beef heifers grazing stockpiled fescue as influenced by supplemental whole cottonseed, 1613
whole soybean
Effect of refined soy oil or whole soybeans on intake, methane output, and performance of young bulls, 2418
winter
Thermal balance of cattle grazing winter range: Model application, 1238

Y

yeast beta-glucan
Supplemental vitamin C and yeast cell wall β-glucan as growth enhancers in newborn pigs and as immunomodulators after an endotoxin challenge after weaning, 2352

Z

zearalenone
Effects of diets with cereal grains contaminated by graded levels of two *Fusarium* toxins on selected immunological and histological measurements in the spleen of gilts, 236
zinc
Influence of dietary zinc and copper on digestive enzyme activity and intestinal morphology in weaned pigs, 3310

Author Index for Volume 84, E-Supplement
2005 Meeting Symposia
(online only, accessible via http://jas.fass.org)

A

Ajuwon, K. M., 140

B

Baumgard, L. H., 1
Bequette, B. J., 50
Brown, M. S., 25
Burrin, D. G., 60

C

Chiba, L. I., 79
Collier, R. J., 1
Coussens, P. M., 1
Cranston, J. J., 34

D

Davis, J. E., 140
Dixon, W. T., 105

E

El-Kadi, S. W., 50

F

Fan, M. Z., 79
Foxcroft, G. R., 105

G

Gabler, N. K., 140
Gentry, P. C., 1

H

Harmon, D. L., 14
Horohov, D. W., 124
Huntington, G. B., 14

J

Jacobi, S. K., 140

K

Krehbiel, C. R., 34
Kuhn, G., 113

L

Larsen, M., 133

M

Matzat, P. D., 79
McCurdy, M. P., 34
Miller, J. E., 124
Mine, Y., 79
Moody Spurlock, D., 150
Murphy, E. J., 94

N

Novak, S., 105

O

Owens, S. L., 50

P

Pollard, B. C., 1
Ponce, C. H., 25
Pulikanti, R., 25
Putman, C. T., 105

R

Reecy, J. M., 150
Rehfeldt, C., 113
Richards, C. J., 14
Robbins, K. R., 155

S

Saxton, A. M., 155
Serenius, T., 166
Southern, L. L., 155
Spurlock, M. E., 140
Stahl, C. H., 150
Stalder, K. J., 166
Stein, H. H., 79
Stiening, C. M., 1
Stoll, B., 60
Sunny, N. E., 50

T

Town, S. C., 105
Turnlund, J. R., 73

V

VanBaale, M. J., 1
Vinsky, M. D. A., 105

Y

Yang, X., 79
Yin, Y. L., 79

Subject index for Volume 84, E-Supplement
2005 Meeting Symposia
(online only, accessible via http://jas.fass.org/)

A

adipocyte
  Adipocytes, myofibers, and cytokine biology: New horizons in the regulation of growth and body composition, 140
amino acid
  Probing animal metabolism with stable isotopes, 50
animal
  Probing animal metabolism with stable isotopes, 50

B

beef
  Sites, rates, and limits of starch digestion and glucose metabolism in growing cattle, 14
beef cattle
  An upper limit for caloric density of finishing diets, 34
biological control
  Biological control of nematode parasites in sheep, 133
birth weight
  Consequences of birth weight for postnatal growth performance and carcass quality in pigs as related to myogenesis, 113
bovine
  Use of gene expression microarrays for evaluating environmental stress tolerance at the cellular level in cattle, 1

C

carcass merit
  An upper limit for caloric density of finishing diets, 34
carcass quality
  Consequences of birth weight for postnatal growth performance and carcass quality in pigs as related to myogenesis, 113
concentrate feeding
  Adaptation of beef cattle to high-concentrate diets: Performance and ruminal metabolism, 25
control
  Immunological aspects of nematode parasite control in sheep, 124
cytokine
  Adipocytes, myofibers, and cytokine biology: New horizons in the regulation of growth and body composition, 140

D

de novo lipogenesis
  Invited Review: Stable isotope methods for the in vivo measurement of lipogenesis and triglyceride metabolism, 94
deuterated water
  Invited Review: Stable isotope methods for the in vivo measurement of lipogenesis and triglyceride metabolism, 94
development
  Gene expression profiling: Insights into skeletal muscle growth and development, 150
diet adaptation
  Adaptation of beef cattle to high-concentrate diets: Performance and ruminal metabolism, 25
digestion
  Sites, rates, and limits of starch digestion and glucose metabolism in growing cattle, 14

E

energy density
  An upper limit for caloric density of finishing diets, 34

F

feedlot performance
  An upper limit for caloric density of finishing diets, 34
fetus
  The biological basis for prenatal programming of postnatal performance in pigs, 105

G

gene expression
  Gene expression profiling: Insights into skeletal muscle growth and development, 150
  Use of gene expression microarrays for evaluating environmental stress tolerance at the cellular level in cattle, 1
glucose
  Probing animal metabolism with stable isotopes, 50
  Sites, rates, and limits of starch digestion and glucose metabolism in growing cattle, 14
glyceroneogenesis
  Invited Review: Stable isotope methods for the in vivo measurement of lipogenesis and triglyceride metabolism, 94
grain
  Sites, rates, and limits of starch digestion and glucose metabolism in growing cattle, 14
growth
  Adipocytes, myofibers, and cytokine biology: New horizons in the regulation of growth and body composition, 140
  Gene expression profiling: Insights into skeletal muscle growth and development, 150
growth hormone
  Consequences of birth weight for postnatal growth performance and carcass quality in pigs as related to myogenesis, 113

H

heat stress
  Use of gene expression microarrays for evaluating environmental stress tolerance at the cellular level in cattle, 1

I

immunity
  Immunological aspects of nematode parasite control in sheep, 124
inflammation
  Adipocytes, myofibers, and cytokine biology: New horizons in the regulation of growth and body composition, 140
intestine
  Measuring splanchnic amino acid metabolism in vivo using stable isotopic tracers, 60
intrauterine growth retardation
  The biological basis for prenatal programming of postnatal performance in pigs, 105
in vivo synthesis rate

Measuring synthesis rates of nitrogen-containing polymers by using stable isotope tracers, 79

K

kinetics
Invited Review: Stable isotope methods for the in vivo measurement of lipogenesis and triglyceride metabolism, 94

M

mammary
Use of gene expression microarrays for evaluating environmental stress tolerance at the cellular level in cattle, 1
mass spectrometry
Probing animal metabolism with stable isotopes, 50
metabolism
Sites, rates, and limits of starch digestion and glucose metabolism in growing cattle, 14
microarray
Gene expression profiling: Insights into skeletal muscle growth and development, 150
mineral bioavailability
Mineral bioavailability and metabolism determined by using stable isotope tracers, 73
mineral metabolism
Mineral bioavailability and metabolism determined by using stable isotope tracers, 73
myofiber
Adipocytes, myofibers, and cytokine biology: New horizons in the regulation of growth and body composition, 140
myogenesis
Consequences of birth weight for postnatal growth performance and carcass quality in pigs as related to myogenesis, 113

N

nematode
Biological control of nematode parasites in sheep, 133
Immunological aspects of nematode parasite control in sheep, 124
nonlinear regression
Estimation of nutrient requirements using broken-line regression analysis, 155
nonruminant
Measuring synthesis rates of nitrogen-containing polymers by using stable isotope tracers, 79
nutrient requirement
Estimation of nutrient requirements using broken-line regression analysis, 155
nutrition
Measuring splanchnic amino acid metabolism in vivo using stable isotopic tracers, 60
Probing animal metabolism with stable isotopes, 50

P

parasite
Biological control of nematode parasites in sheep, 133
pig
Consequences of birth weight for postnatal growth performance and carcass quality in pigs as related to myogenesis, 113
postnatal growth
The biological basis for prenatal programming of postnatal performance in pigs, 105
prenatal programming
The biological basis for prenatal programming of postnatal performance in pigs, 105

S

sheep
Biological control of nematode parasites in sheep, 133
Immunological aspects of nematode parasite control in sheep, 124
skeletal muscle
Gene expression profiling: Insights into skeletal muscle growth and development, 150
stable isotope
Mineral bioavailability and metabolism determined by using stable isotope tracers, 73
Probing animal metabolism with stable isotopes, 50
stable isotopes
Invited Review: Stable isotope methods for the in vivo measurement of lipogenesis and triglyceride metabolism, 94
stable isotope tracer
Measuring synthesis rates of nitrogen-containing polymers by using stable isotope tracers, 79
starch
Sites, rates, and limits of starch digestion and glucose metabolism in growing cattle, 14
starch intake
Adaptation of beef cattle to high-concentrate diets: Performance and ruminal metabolism, 25
survival analysis
Selection for sow longevity, 166
swine
Measuring splanchnic amino acid metabolism in vivo using stable isotopic tracers, 60
Selection for sow longevity, 166
The biological basis for prenatal programming of postnatal performance in pigs, 105

T

triglyceride
Invited Review: Stable isotope methods for the in vivo measurement of lipogenesis and triglyceride metabolism, 94